




Appendix 8.2 Landscape and Visual Impact Assessment

Lochluichart Wind Farm S42

Supporting Environmental Information Report

Bluebell Wind Limited

SLR Project No.: **405.065579.00001**

October 2025

8 Landscape and Visual Impact Assessment – Appendix 8.B

8.1 Introduction and Overview

- 8.1.1 This Landscape and Visual Impact Assessment (LVIA) appendix of the Environmental Impact Report (EIA Report) evaluates the potential landscape and visual effects of the Lochluichart Wind Farm Extension II (hereafter referred to as 'the Proposed Development') a summary of which is provided in the SEIR Section 8 Landscape and visual. It has been prepared by chartered Landscape Architects at SLR on behalf of the Applicant. This LVIA chapter is based on the LVIA that was submitted in 2021 for Lochluichart Extension II (granted Planning Permission 30th January 2023). The Proposed Development has not been altered in any way since the 2021 EIAR LVIA was carried out, and the findings of the assessment therefore remain the same. In this context the 2021 LVIA figures and visualisations accompanying the previous application have not been resubmitted. These figures are contained within the 2021 EIAR Volume 3 LVIA Figures which formed part of the 2021 Planning Application.
- 8.1.2 There have, however, been some changes to relevant guidance and planning policy, and this LVIA has been updated to reflect these.
- 8.1.3 Subsequent to the submission of the EIAR in 2021 and prior to the granting of Planning Permission, FEI was submitted in 2022 to clarify some aspects of the assessment of the Proposed Development to THC.
- 8.1.4 Site work and assessment for the LVIA to inform the EIAR 2021 was undertaken in 2020.
- 8.1.5 The 2021 LVIA included a full assessment of cumulative landscape and visual effects. This cumulative assessment was based on the various cumulative baseline scenarios of operational, under construction, consented and application stage wind farms that were relevant at that time. Subsequently Lochluichart Extension II wind farm was consented in the context of the April 2021 cumulative baseline scenarios. Precedent of working on similar S42 applications, typically has meant that an updated cumulative assessment has not been required. However NatureScot Guidance¹ recognises that cumulative assessment of wind farms can be complex and advocates clarity and transparency in any approach and assessment. With this in mind, an updated 2025 cumulative baseline has been provided and a review undertaken (**SEIR Chapter 8, Section 8.3**) setting out the implications of the addition of the Proposed Development to this updated baseline.
- 8.1.6 The 2021 LVIA included a set of figures and visualisations (conforming with both NatureScot and The Highland Council (THC) visualisation standards). As the design and appearance of the Proposed Development has not changed since these figures and visualisations were prepared, they are still relevant and have been included within this revised application, showing updated figure numbers, dates and license information where relevant. Viewpoint photography has not been retaken. It should be noted that the cumulative scenarios that are shown in the wireline visualisations reflect the cumulative situation as of 2021 and do not reflect the current cumulative scenarios (March 2025) for the reasons described above.
- 8.1.7 This LVIA Appendix contains the following sections:
- Introduction;
 - Methodology and Approach;
 - Baseline Information;
 - Design Evolution;

- Scope of the Assessment;
- Assessment of Effects on Landscape Receptors (including Wild Land);
- Assessment of Effects on Visual Receptors; and
- Summary of Assessment of Effects.

8.1.8 A detailed description of the methodology used in the landscape and visual assessment (a summary is provided in Section 8.2 of this Appendix) is provided in Appendix 8.A: Methodology. Appendix 8.A: Methodology.

Project description

8.1.9 Chapter 3: Description of the Proposed Development describes the main components of the Proposed Development, the associated infrastructure and the stages of construction, operation and decommissioning.

8.1.10 The Proposed Development comprises five wind turbines which will have a maximum blade tip height of 149.9m. In the visualisations the turbines are shown with a hub height of 83.4m and a rotor diameter of 133m. Access will be taken from the existing site entrance on the A835 and will connect to a network of existing and new tracks to the wind turbines. Other permanent infrastructure will include a sub-station, control building, battery storage facility. Temporary infrastructure will include two borrow pits and a construction compound. The Proposed Development Layout is shown in **Figure 3.1**.

8.1.11 The Proposed Development will be located to the north of the Operational Schemes and Corriemoillie. These developments comprise 17, 6 and 17 turbines, respectively, all of which have a maximum blade tip height of 125m, a tower height of 80m and a rotor diameter of 90m.

8.1.12 The five proposed turbines of the Proposed Development are located in the identical positions to the five turbines of the Consented Development, with broadly the same layout in respect of the other infrastructure.

Project terminology

8.1.13 The terminology used in the LVIA is consistent with that set out in Chapter 1: Introduction of this EIA Report. It refers to 'the Proposed Development' for the Lochluichart Wind Farm Extension II and 'the Operational Schemes' for the operational Lochluichart Wind Farm and Lochluichart Wind Farm Extension and 'Corriemoillie' for the operational Corriemoillie Wind Farm. When both the Operational Schemes and Corriemoillie are referred to, they will be known as the 'Operational Wind Farms'. At points in the LVIA, it is necessary to refer to individual turbines or groups of turbines, in which case the terminology refers to the 'proposed turbines' for the Proposed

8.1.14 Development turbines. The assessment uses the term 'turbines' when referring generally to wind turbines.

8.1.15 Where distances between receptors and the Proposed Development are used in this assessment, they refer to the distance from the closest edge of the receptor to the closest turbine of the Proposed Development, unless otherwise stated.

8.1.16 Where the landscape and visual effects of the Proposed Development are described, the future tense rather than the conditional tense is used to evaluate the effects predicted rather than to anticipate the outcome of the application process.

Project interactions

- 8.1.17 This LVIA has been carried out in conjunction with the design iteration of the Proposed Development as documented in Chapter 3: Description of the Proposed Development and has been directly informed by the final layout and design of the Consented Development which has remained the same for the Proposed Development. This process is described in Section 8.5: Design Evolution in this chapter.

Study Area

- 8.1.18 The LVIA covers a Study Area of 40km radius, which follows guidance given in NatureScot 'Visual Representation of Wind Farms' Version 2.2, February 2017 (SNH). The 40km Study Area is measured beyond an 'enclosing circle' around the proposed turbines, as shown in **Figure 8.1**. Graphic information, including Zone of Theoretical Visibility (ZTV) diagrams, have been produced to cover the 40km Study Area, as shown in **Figures 8.6a** and **8.7a**. The Study Area is not intended to provide a boundary beyond which the Proposed Development will not be seen, but rather to define the area within which the Proposed Development may have a significant landscape or visual effect. It is considered very unlikely for a significant effect to occur towards the edges of the Study Area and this is confirmed by the assessment undertaken.
- 8.1.19 Cumulative effects are assessed with other existing and proposed wind farms within a Study Area of a 40km radius, in accordance with relevant cumulative assessment guidance. Cumulative Wind Farms are shown in **Figure 8.14**.

Consultation

- 8.1.20 Consultation on LVIA matters has not been carried out for this application. The subject of the application does not differ from that made in 2021 and it has therefore not been necessary to carry out further consultation. Full details of the consultation carried out for the previous application and the actions undertaken by the Applicant in response to consultation feedback can be seen in Table 8.1 of the 2021 LVIA.

8.2 Methodology and Approach

- 8.2.1 This section provides a summary of the methodology used to carry out the LVIA, with the full methodology described in **Appendix 8.A**. This methodology replicates that used for the April 2012 LVIA in order to maintain consistency between the assessments, and complies with 'Guidelines for the Assessment of Landscape and Visual Impacts: Third Edition' (GLVIA3). In addition to GLVIA3, the following sources have been used in the formulation of the assessment methodology and the presentation of graphics:
- The Landscape Institute with the Institute of Environmental Management and Assessment (2013). Guidelines for Landscape and Visual Impact Assessment, Third Edition (GLVIA3).
 - The Landscape Institute (2024). Notes and Clarifications on Aspects of Guidelines for Landscape and Visual Impact assessment Third Edition (GLVIA3).
 - The Highland Council (2016). Visualisation Standards for Wind Energy Developments. Scottish Natural Heritage (2017). Visual Representation of Wind Farms Guidance – Version 2.2.
 - Landscape Institute (2019). Technical Guidance Note 06/19: Visual Representation of Development Proposals;

- NatureScot (2021). Guidance - Assessing the cumulative landscape and visual impact of onshore wind energy developments;
- NatureScot (2020, Revised August 2023 to reflect NPF4). Assessing Impacts on Wild Land Areas Technical Guidance;
- Scottish Natural Heritage (2017). Wild Land Area Descriptions.
- Scottish Natural Heritage (2014). Published on its web-site, updated map of Wild Land Areas for the whole of Scotland (<http://www.snh.gov.uk/docs/A1323225.pdf>)
- Land Use Consultants on behalf of SNH and the Countryside Agency (2002). Landscape Character Assessment: Guidance for England and Scotland; and
- Scottish Natural Heritage (2017). Siting and Designing of Windfarms in the Landscape: Version 3a.

Effects to be assessed

- 8.2.2 The LVIA identifies the effects that the Proposed Development will have on landscape character and visual amenity. For the purpose of the assessment, the potential effects on landscape and visual receptors are grouped into the following five categories.

Effects on physical elements

- 8.2.3 Physical effects are restricted to the area within the Proposed Development site boundary and are the direct effects on the existing fabric of the Site, such as the removal of forestry and alteration to ground cover. This category of effects is made up of landscape elements, which are the components of the landscape, such as heather moorland, that may be directly and physically affected by the Proposed Development.

Effects on landscape character

- 8.2.4 Landscape character is the distinct and recognisable pattern of elements that occurs consistently in a particular type of landscape, and the way that this pattern is perceived. Effects on landscape character arise either through the introduction of new elements that physically alter this pattern of elements, or through visibility of the Proposed Development, which may alter the way in which the pattern of elements is perceived. This category of effects is made up of landscape character receptors, which fall into two groups; landscape character areas and planning related landscape designations.

Effects on wild land

- 8.2.5 The assessment of effects on WLAs is carried out in accordance with NatureScot guidance (Assessing Impacts on Wild Land Areas Technical Guidance, 2020, Revised August 2023 to reflect NPF4). Effects on visual receptors
- 8.2.6 The assessment of effects on visual receptors is an assessment of how the introduction of the Proposed Development will affect the views of people throughout the Study Area. The assessment of effects on visual receptors considers the effects that the Proposed Development will have on people's views from notable settlements, roads, railways, paths and other features and attractions found throughout the Study Area. The assessment uses viewpoints to represent the wider visual amenity of residents, road and rail-users, walkers and workers. Implications of the LI 2024 Notes and Clarifications GLVIA3 which removes the assessment of susceptibility for visual receptors is considered within Appendix 8.A Methodology.

Cumulative effects

- 8.2.7 Cumulative effects arise where the Study Areas for two or more wind farms overlap so that both of the wind farms are experienced at proximity where they may have a greater incremental effect, or where wind farms may combine to have a sequential effect, irrespective of any overlap in study areas. In NatureScot guidance, cumulative effects are described as follows '*Cumulative impacts can be defined as the additional changes caused by a proposed development in conjunction with other similar developments or as the combined effect of a set of developments taken together.*' In this LVIA, both in-conjunction and in-combination effects are assessed in respect of the cumulative context. When assessing in-conjunction effects, it is the incremental effect of the addition of the Proposed Development to the cumulative situation that is being assessed. When assessing in-combination effects, it is the overall cumulative effect of wind farms, including the Proposed Development, that is being assessed.
- 8.2.8 In accordance with NatureScot Guidance, the cumulative assessment evaluates the likely effects that will arise from the addition of the Proposed Development in-conjunction and in-combination with the baseline windfarms and cumulative wind farm scenarios.
- 8.2.9 A significant cumulative effect will occur where the additional effect of the Proposed Development with other existing and/or proposed wind farms will result in a landscape character or view that is defined by the presence of more than one wind farm and is characterised primarily by wind farms. It should be noted that even if the Proposed Development itself is assessed to have a significant effect on a landscape or visual receptor, it does not necessarily follow that the cumulative effect will also be significant.
- 8.2.10 To assist the decision maker, the assessment also provides an overview of the likely combined cumulative effects of the Proposed Development in-combination with relevant operational and consented windfarms. The purpose of this is to consider whether the resulting pattern of development (including the Proposed Development) will result in the redefinition of landscape character or visual receptors. For example, if the existing landscape character displays a 'landscape with windfarms' characteristic, where windfarms are one of a number of defining characteristics, the assessment will consider whether this may be redefined as a 'wind farm landscape' when the addition of the Proposed Development means wind turbines become the most prevalent defining characteristic of the landscape. Combined cumulative effects are linked closely to landscape and visual capacity, and the assessment has regard to factors such as the relationship of the combination of wind farms to landscape character types and the overall influence of the ZTV, in reaching an informed opinion as to the extent and nature of any combined cumulative effects.

Significance of the effects

- 8.2.11 The objective of the assessment of the Proposed Development is to predict the significant effects on the landscape and visual resource. In accordance with the Town and Country Planning (Environmental Impact Assessment) (Scotland) Regulations 2017, the LVIA effects are assessed to be either significant or not significant. The LVIA does not define intermediate levels of significance as the Regulations do not provide for these.
- 8.2.12 The significance of effects is assessed through a combination of two considerations – the sensitivity of the landscape or visual receptor and the magnitude of change that will result from the Proposed Development. In accordance with the Landscape Institute's GLVIA3, SLR's methodology requires the application of professional judgement. Although it is not reliant on the use of a matrix, the matrix presented in Table 8.2 has been included to illustrate how combinations of the ratings for sensitivity and magnitude of change can give

rise to significant effects, as well as to give an understanding of the threshold at which significant effects may arise.

Table 8.2: Illustrative Matrix of Significant Effects

Magnitude Sensitivity	High	Medium-High	Medium	Medium-Low	Low	Negligible
High	Significant	Significant	Significant	Significant or not significant	Not Significant	Not Significant
Medium-High	Significant	Significant	Significant or not significant	Significant or not significant	Not Significant	Not Significant
Medium	Significant	Significant or not significant	Significant or not significant	Not Significant	Not Significant	Not Significant
Medium-Low	Significant or not significant	Significant or not significant	Not Significant	Not Significant	Not Significant	Not Significant
Low	Significant or not significant	Not Significant	Not Significant	Not Significant	Not Significant	Not Significant

- 8.2.13 Effects that are assessed within the darker grey boxes in the matrix are significant in terms of the requirements of the EIA Regulations. Those effects that are assessed within the light grey boxes may be significant, or not significant, depending on the specific factors and effect that is assessed in respect of a particular landscape or visual receptor. Those effects that are assessed within the white boxes are not significant. In accordance with GLVIA3, experienced professional judgement is applied to the assessment of all effects and reasoned justification is presented in respect of the findings of each case.

Sensitivity

- 8.2.14 Sensitivity is an expression of the ability of a landscape or visual receptor to accommodate the Proposed Development. Updated guidance in the LI's Notes and Clarifications Guidance GLVIA3 2024, retains the assessment of landscape sensitivity determined through a combination of the value of the receptor, and the susceptibility of the receptor to the Proposed Development. Whilst the guidance advocates sensitivity of views and visual receptors to be determined by a combination of the value of the view and occupation of activity of the viewer or visual receptor to inform the assessment of susceptibility (and not an assessment of susceptibility to the type of development proposed). The factors that determine these criteria are described in Appendix 8.A.
- 8.2.15 Levels of sensitivity - high, medium-high, medium, medium-low, low, and negligible, are applied in order that the judgement used in the process of assessment is made clear. The criteria used to determine sensitivity differ for the effects on landscape receptors and visual receptors, as well as the cumulative effects on both. The factors that determine these criteria are described in Appendix 6.1..

Magnitude of change

- 8.2.16 Magnitude of change is an expression of the extent of the effect on the landscape and visual receptors that will result from the introduction of the Proposed Development. The magnitude of change is assessed in terms of a number of variables, including the size and scale of the effect and the geographical extent of the affected area.
- 8.2.17 Levels of magnitude of change - high, medium-high, medium, medium-low and low, are applied in order that the judgement used in the process of assessment is made clear. The criteria used to determine magnitude of change differ for the effects on landscape receptors and visual receptors, as well as the cumulative effects on both. The factors that determine these criteria are described in Appendix 6.1.

Nature of the effects

- 8.2.18 The 'nature of effects' relates to whether the effects of the Proposed Development are positive (beneficial) or negative (adverse). Effects may also be neutral. Guidance provided in GLVIA3 states that "*thought must be given to whether the likely significant landscape and visual effects are judged to be positive (beneficial) or negative (adverse) in their consequences for landscape or for views and visual amenity*". The nature of effect is therefore one that requires interpretation and reasoned professional opinion.
- 8.2.19 In relation to many forms of development, the EIA Report will identify positive and negative effects under the term 'nature of effect'. The landscape and visual effects of wind farms are difficult to categorise in either of these brackets as, unlike other disciplines, there are no definitive criteria by which these effects can be measured as being categorically positive or negative. For example, in disciplines such as noise or ecology it is possible to identify the nature of the effect of a wind farm by objectively quantifying its effect and assessing the nature of that effect in prescriptive terms. However, this is not the case with landscape and visual effects, where the approach combines quantitative and qualitative assessment.
- 8.2.20 In this assessment, positive, neutral and negative effects are defined as follows:
- Positive effects contribute to the landscape and visual resource through the enhancement of desirable characteristics or the introduction of new, beneficial attributes. The removal of undesirable existing elements or characteristics can also be beneficial, as can their replacement with more appropriate components.
 - Neutral effects occur where the Proposed Development neither contributes to nor detracts from the landscape and visual resource, and is accommodated with neither beneficial nor adverse effects, or where the effects are so limited that the change is hardly noticeable. A change to the landscape and visual resource is not considered to be adverse simply because it constitutes an alteration to the existing situation.
 - Negative effects are those that detract from or weaken the landscape and visual resource through the introduction of elements that contrast, in a detrimental way, with the existing characteristics of the landscape and visual resource, or through the removal of elements that are key in its characterisation.
- 8.2.21 This assessment adopts a precautionary approach, which assumes that significant landscape and visual effects will be weighed on the negative side of the planning balance, although positive or neutral effects may arise in certain situations. Unless it is stated otherwise, the effects of the Proposed Development on landscape and visual amenity are considered to be negative.
- 8.2.22 Unless it is stated otherwise, the effects considered in this assessment are considered to be adverse in order that a worst-case assessment is represented.

Duration and reversibility

- 8.2.23 The effects of the Proposed Development are of variable duration, and are assessed as short-term or long-term, and permanent or temporary/reversible. It is proposed that the operational life of the wind farm will be 40 years. The turbines and turbine foundations, site access tracks and substation will be apparent during this time. These effects are considered to be long-term.
- 8.2.24 Other infrastructure and operations, such as the construction processes and plant, the construction compound, and lay down areas, will be apparent only during the initial period of the Proposed Development and are considered to be short-term effects. The excavation and use of the borrow pits will also be short-term. At the end of the construction process they will be restored, although the altered ground profile may remain evident in the long-term.
- 8.2.25 The reversibility of effects is variable. While the major effects on the landscape and visual resource, which result from the presence of the turbines are long-term, they are also reversible as the turbines will be removed on decommissioning. The effects that will occur during the construction period and decommissioning of the Proposed Development, from the use of tall cranes and heavy machinery, are temporary.
- 8.2.26 Permanent effects include the physical removal of landscape elements required for the construction of the Proposed Development, and any residual effects that remain following decommissioning. Underground cabling will remain but will have no permanent landscape and visual effects. The access tracks may be retained at the request of the landowner or otherwise they will be re-graded and local vegetation reinstated from the seed bank material. Turbine foundations will be left in-situ, below ground, and have no residual landscape and visual effects following the restoration of ground cover during decommissioning. In order to avoid repetition, the duration and reversibility of effects are not reiterated throughout the assessment.
- 8.2.27 National Planning Framework 4 Policy 11: Energy f) states' Consents for development proposals may be time-limited. Areas identified for wind farms are, however, expected to be suitable for use in perpetuity'. Despite the temporary nature of the consent being sought, the assessment has considered the effects of the Proposed Development as if the consent were in perpetuity.

8.3 Baseline Information

- 8.3.1 The baseline section of the LVIA records the existing conditions of the Study Area. Establishing a baseline helps to gain an understanding of what makes the landscape distinctive, what its important components or characteristics are, and how it is changing prior to the introduction of the Proposed Development.
- 8.3.2 The baseline conditions are presented under the following headings:
- Landscape character;
 - Landscape related planning policies and designations;
 - Visual receptors and views; and
 - Cumulative wind farm developments.
- 8.3.3 Operational and under construction wind farms are regarded as part of the baseline landscape character and visual amenity of the area, such that any changes resulting from the Proposed Development are assessed within this context.

Site Context

- 8.3.4 The Site sits to the south of Meallan Teth (465m AOD) in the north, to the east of Beinn Liath Bheag (608m AOD) and Meallan Caoruinn (499m AOD), and to the south of the low afforested hill of Socach Allt Giubhais to the east. The Site is set below a higher and craggier ridge of hills to the west, which extend from the north to the south through the high points of Meall na Speireig (676m AOD), Beinn Liath Bheag (609m AOD), Meall nan Caorach (604m AOD) and Meall Mhic Iomhair (607m AOD). The landform rises around to become more mountainous, with the Sgurr Mor range to the west, and the Ben Wyvis range to the east. The ZTV in **Figures 8.9** and **8.13** illustrates how these mountain landscapes contain the extent of theoretical visibility across the wider Study Area.
- 8.3.5 To the east of the Proposed Development lies Corriemoillie Forest. This forms an almost continuous broad band of forestry from Loch Glascarnoch in the north, to Loch Luichart in the south. Loch Glascarnoch lies approximately 2.2km to the north of the nearest proposed turbine and Loch Luichart, 5.4km to the south. Loch Fannich lies approximately 6.7km to the south-west, set in the massif of the Fannich Hills. All these lochs are man-made with large hydro dams at the south-eastern or eastern ends.
- 8.3.6 The site and its immediate surroundings are characterised by an upland landscape of predominantly open moorland with large forestry blocks across the more marginal lower slopes. Land use is broadly limited to wind farm development, hill sheep farming and forestry. There is a distinct lack of settlement or infrastructure across these hills. Vehicular tracks access the wind farms and parts of the forestry and moorland, while a few rough paths extend deeper into the surrounding higher hills.
- 8.3.7 There are two roads in this area; the A835, which is the main road between Tore and Ullapool; and the A832, which forms a more circuitous loop around from the A835 via Gairloch and Poolewe on the west coast. These roads typically lie within the straths and along the shorelines of the lochs. Neither of these roads is designated as part of Scotland's 12 National Tourist Routes, although both are important routes in respect of tourism, the A832 forming part of the North Coast 500 route, popular with motorists and cyclists.
- 8.3.8 Settlement is sparse with development concentrated in very intermittent small villages along the main roads. The closest settlements to the Proposed Development are Lochluichart, approximately 5.1km to the south of the nearest proposed turbine and Gorstan, approximately 8.4km to the south-east.
- 8.3.9 The Site lies to the immediate north of the Operational Wind Farms. All 40 turbines are 125m in height to blade tip. 17 of these turbines belong to Lochluichart Wind Farm, six to Lochluichart Wind Farm Extension and 17 to Corriemoillie. The close proximity of these developments to each other makes them appear as a single development.

Landscape Character

Landscape Character Assessments

- 8.3.10 The assessment of landscape character is based on the classification system identified in a series of NatureScot publications referred to as Landscape Character Assessments (LCAs). Collectively, these classify all of Scotland's landscapes into different character types (LCT) or units (LCU).
- 8.3.11 NatureScot has recently reviewed and updated the 30 original LCAs, produced to cover the whole of Scotland during the 1990s, by creating a single data set in a digital version. Since no changes have been made to the layout or in terms of the LVIA and findings, the assessment of effects remains as produced in the 2021 LVIA.

- 8.3.12 For completeness, Guidance on the NatureScot web page advises that landscape capacity studies should take precedence over the NatureScot 2019 dataset where relevant to specific types of development, such as wind farms. Whilst work has commenced by The Highland Council on the Sutherland and Ross-shire appraisal for wind energy development guidance, as of 2023 the work has been on-hold with no updates of revised timescale on THC website.
- 8.3.13 Section 8.7: The Assessment of Effects on Landscape Character, considers the effects of the Proposed Development on the specific characteristics of each LCT or LCU. The Site and the majority of the Study Area are covered by the following LCAs:
- Scottish Natural Heritage (1999). The Ross and Cromarty Landscape Character Assessment. Review No.119.
 - Scottish Natural Heritage (1999). Inverness District Landscape Character Assessment. Review No.114.
 - Scottish Natural Heritage (1997). Inner Moray Firth Landscape Character Assessment. Review No.102.
 - Scottish Natural Heritage (1997). Caithness and Sutherland Landscape Character Assessment. Review No.101.
- 8.3.14 The Proposed Development is situated in the area covered by the Ross and Cromarty Landscape Character Assessment, which also covers the majority of the Study Area. The distribution of LCTs within these LCAs is shown in **Figure 8.2** and in conjunction with the ZTV in **Figure 8.9**. The LCAs refer to LCTs which are defined as:
- 8.3.15 “tracts of countryside...which have a unity of character due to particular combinations of landform and landcover and a consistent and distinct pattern of constituent elements”.
- 8.3.16 Each LCT shares distinct characteristics that are typical of that landscape. Because the LCTs often occur more than once or are especially wide-ranging, they are given names that associate them with their local geographical location. These areas are referred to as LCUs of that type. For example, where many separate areas of the Rounded Hills LCT occur across the Study Area, these are distinguished by adding their geographical name to each LCU. Where wide-ranging areas of the Rounded Hills LCT occur, these have been subdivided using logical geographical boundaries. This approach ensures the assessment focuses on the specific attributes of each unit of local landscape character.
- 8.3.17 The landscape character assessments outlined in the NatureScot publications have been used as a basis for further, refined, studies of landscape character.
- 8.3.18 The LCAs provide a description of the landscape resource within the Study Area and describe a hierarchy of landscape classification. The aim of these documents is to provide a detailed description and analysis of the different LCTs in the area. They also assess the sensitivity of these landscapes against existing and future pressures and opportunities for change, with guidelines provided as to how these changes can be accommodated and how the different landscapes can be conserved, enhanced, improved or restructured as appropriate.
- 8.3.19 The Site lies within the Rounded Hills LCT as identified in the Ross and Cromarty LCA, the same LCT in which the Operational Wind Farms are located. The Rounded Hills LCT comprises hills which are typically large in scale, with steeply sloping sides and gently rounded tops of similar height, such that collectively they form an upland mass with few distinctive features. The hills are generally open and characterised by blanket moorland vegetation, albeit with blocks of coniferous woodland plantation covering many of the lower hill slopes.

- 8.3.20 The Rounded Hills LCT covers an extensive band of land from Strath Bran in the south-west, across Ben Wyvis in the centre, to Beinn Tharsuinn in the north-east, thus characterising much of the Study Area. For the purposes of the assessment, this wide-ranging LCT has been subdivided into the Ben Wyvis LCU, Inchbae LCU and Lochluichart LCU. The subdivisions reflect local changes in character and enable a more focussed assessment of the effects on landscape character.
- 8.3.21 The surrounding landscape comprises a mix of smaller LUCs of the Undulating Moorland and Rocky Moorland LCTs. The Undulating Moorland LCTs are made distinct by their lower, irregularly shaped and predominantly horizontal landform, albeit with some occasional rock outcrops. The Rocky Moorland LCTs are characterised by rocky and irregular landform with scattered rocks and outcrops. Where occasional narrow glens occur, these often accommodate communication routes and services. The majority of the Rocky Moorland LCT is typically uninhabited, and this creates a sense of remoteness.
- 8.3.22 The Rugged Mountain Massif LCT is one of the most influential LCTs within the Study Area owing to the scale and mass of the mountains and their dramatic peaks and ridges. These mountains form key foci in views of this area owing to the angular and jagged skyline they create and their distinct glacial features. The contrast between the elevated peaks and ridges and low-lying glens and straths creates extremes of exposure and enclosure. While some settlement and roads occur in the low-lying parts, the majority of this LCT is uninhabited and remote.
- 8.3.23 LCTs are subject to change over time and new landscape types may be created where significant development or land use change takes place, such that the key characteristics of the landscape become defined by new elements or features. These changes may result in the creation of an entirely new LCT, the creation of sub-sets of the same LCT, where they share similar underlying characteristics, or the creation of a new LCT within a discrete geographical area.
- 8.3.24 While the LCTs have been used as the basis of the assessment, the detailed assessment has drawn information from the updated 2019 NatureScot dataset, as well as field work that has been carried out across the Study Area. This approach enables the LCTs to be described in more detail and reflects more recent changes which have occurred in the LCTs since the reviews were written, especially in respect of the influence of wind farm developments in the Rounded Hills LCT.

Landscape Designations

- 8.3.25 A designated landscape is an area of landscape identified as being of importance at international, national or regional level, either defined by statute or identified in development plans or other documents. The landscapes are designated in relation to their special qualities or features which warrant protection through the planning system. National and regional designations occur across the Study Area and are designated at a national level by NatureScot and at a regional level by the Planning Authority.
- 8.3.26 There are three ways in which such designations are relevant to the LVIA:
- The presence of a designation can indicate a recognised value that may increase the sensitivity of a landscape character receptor or visual receptor, and may therefore affect the significance of the effect on that receptor;
 - The presence of a relevant designation can lead to the selection of a representative viewpoint within the designated area, as the viewpoint will provide a representative outlook from that area; and

- Designated areas may be included as landscape character receptors so that the effects of the Proposed Development on the special qualities, which have merited designation, can be specifically assessed.

8.3.27 Landscape designations are used, along with LCTs, in the assessment of effects on landscape character. Those landscape designations which occur in the Study Area include National Scenic Areas (NSAs), Special Landscape Areas (SLAs) and Gardens and Designed Landscapes (GDLs). There are a number of documents which provide justification for these designated areas, as well as descriptions of their special characteristics, and these are referenced in the following sections. The Site of the Proposed Development is not covered by any known international, national or regional landscape-related planning designations.

8.3.28 The location and extent of the designated landscapes are illustrated in **Figure 8.3** and in conjunction with the ZTV in **Figure 8.10**.

National Scenic Areas Policy and Guidance

8.3.29 NSAs are areas of national scenic value. The Town and Country Planning (National Scenic Areas) (Scotland) Designation Directions 2010 defines an NSA as an area "*of outstanding scenic value in a national context.*"

8.3.30 The relevant policy of NPF4 is Policy 4c, which states that:

8.3.31 "c) Development proposals that will affect a National Park, National Scenic Area, Site of Special Scientific Interest or a National Nature Reserve will only be supported where:

8.3.32 i. The objectives of designation and the overall integrity of the areas will not be compromised; or

8.3.33 ii. Any significant adverse effects on the qualities for which the area has been designated are clearly outweighed by social, environmental or economic benefits of national importance."

8.3.34 There are no NSAs within a 15km radius of the Proposed Development. The nearest NSA in the wider 40km Study Area is Wester Ross NSA at 20km to the west. Two other NSAs occur, Glen Strathfarrar NSA at 25km to the south and Dornoch Firth NSA at 35km to the north-east. The NSAs are shown in **Figure 8.3** with the limited extent of theoretical visibility across these designated areas shown in **Figure 8.6a**.

Special Landscape Areas Policy and Guidance

8.3.35 Special Landscape Areas (SLAs) are areas designated by THC for their importance at the regional level. They are protected through policy contained in the Development Plan which includes NPF4 Policy 4d) and Highland wide Local Development Plan (2012)¹ which in respect of SLAs states "Many of the landscapes of highest quality and value within Highland are designated landscapes including National Scenic Areas (NSAs) and Special Landscape Areas (SLAs). Within these areas it will be particularly important for landscape change to relate to the key characteristics and special qualities of the designated area".

8.3.36 The 'Assessment of Highland Special Landscape Areas' provides detailed citations for each of the 27 SLAs which occur across Highland Region, for each SLA summarising "its key landscape and visual characteristics, the special qualities for which it is valued, its key

¹ As of 2025 The Highland Council are currently preparing a new Highland Local Development Plan, as such the 2012 HwLDP remains current. However as NPF4 now forms part of the Development Plan, published in 2023, it has primacy of legislation over the 2012 HwLDP in interpretation and application of policy.

sensitivities to landscape change, and possible measures for its enhancement". It is the effect of the Proposed Development on these factors which is considered in the assessment.

- 8.3.37 Three SLAs occur in the Study Area; Fannichs, Beinn Dearg and Glen Calvie SLA to the north and west at a minimum distance of 5.3km; Ben Wyvis SLA to the east at a minimum distance of 9.1km; and Strathconon, Monar and Mullardoch SLA at a minimum distance of 10.3km to the south. These SLAs are shown in **Figure 8.3** with the extent of theoretical visibility across these areas shown in **Figure 8.10**.

Gardens and Designed Landscapes Policy and Guidance

- 8.3.38 Historic Scotland is responsible for designating Gardens and Designed Landscapes (GDLs). These are contained in an Inventory which can be accessed at <https://www.historicenvironment.scot/advice-and-support/listing-scheduling-and-designations/gardens-and-designed-landscapes/>. The descriptions contained in the Inventory identify the special qualities which merit the designation of each GDL.
- 8.3.39 Gardens and Designed Landscapes (GDLs) are considered in Policy 7i of NPF4, which is concerned with 'Historic assets and places'. Policy 7i states that:
- 8.3.40 "i) Development proposals affecting nationally important Gardens and Designed Landscapes will be supported where they protect, preserve or enhance their cultural significance, character and integrity and where proposals will not significantly impact on important views to, from and within the site, or its setting."
- 8.3.41 There are 13 Gardens and Designed Landscapes in the Study Area as shown in **Figure 8.3**. These are typically set in the lower-lying landscapes of the more enclosed straths and glens, where often mature tree cover restricts visibility of the wider landscape. **Figure 8.6b** shows that only Fairburn House GDL will be subject to theoretical visibility, although the enclosure of this GDL by mature tree cover will limit actual visibility. Viewpoint 9 is representative of the visibility that could arise from along the approach to Fairburn House.

Wild Land Areas Policy and Guidance

- 8.3.42 Wild Land Areas (WLAs) are identified on NatureScot's 2014 wild land mapping and referred to in Policy 4g of NPF4, which states that:
- 8.3.43 "Development proposals in areas identified as wild land in the Nature Scot Wild Land Areas map will only be supported where the proposal:
- i. will support meeting renewable energy targets; or,*
 - ii. is for small scale development directly linked to a rural business orcroft, or is required to support a fragile community in a rural area.*
- 8.3.44 All such proposals must be accompanied by a wild land impact assessment which sets out how design, siting, or other mitigation measures have been and will be used to minimise significant impacts on the qualities of the wild land, as well as any management and monitoring arrangements where appropriate. Buffer zones around wild land will not be applied, and effects of development outwith wild land areas will not be a significant consideration."
- 8.3.45 No part of the application site is located within a Wild Land Area (WLA), and therefore the assessment of effects on these WLAs has been discounted in accordance with NPF4.
- 8.3.46 For background, the preliminary assessment as part of the 2021 LVIA identified that there were six WLAs within the Study Area. Of these the 2021 LVIA proposed to include Rhiddoroch-Beinn Dearg-Ben Wyvis WLA and Fisherfield-Letterewe-Fannichs WLA in the

assessment and discount the other four WLAs. From this assessment it was shown that despite the close proximity of the Fisherfield-Letterewe-Fannichs WLA, the extent and levels of visibility across this area was limited. It concluded that the addition of the Proposed Development would not have sufficient additional magnitude to redefine the wildness qualities of the WLA, or parts of it, and for this reason it was discounted from further assessment.

- 8.3.47 The detailed assessment of the Proposed Development on the wildness qualities of Rhiddoroch – Beinn Dearg – Ben Wyvis WLA concluded that the effects would be **not significant**. The lower magnitude of change attributed to the Operational Wind Farms in this area already having an influence on the perceptual responses and wildness qualities experienced in the closest south-west corner of WLA 29, which would moderate the additional effect of the five proposed turbines.

Visual Receptors

- 8.3.48 Visual receptors include people living in settlements, travelling along roads, railways or paths or visiting attractions in the Study Area. The views these people experience have been considered in the assessment as they may be affected by the Proposed Development. It is not possible to consider every potential visual receptor in the Study Area due to the geographical extent that it covers. The assessment, therefore, concentrates on 'principal visual receptors' from which a concentration of people may gain visibility of the Proposed Development. The principal visual receptors are shown in **Figure 8.5** and in conjunction with the ZTV in **Figure 8.12**.
- 8.3.49 The landscape that extends from the west to the north of the Study Area is predominantly upland with limited principal visual receptors other than the few main roads and small settlements located in the straths and glens, and the mountain and hill summits enjoyed predominantly by walkers. The increase in road infrastructure along the straths and in the lower lying landscapes to the south-east of the Study Area gives rise to a concentration of principal visual receptors in the form of small settlements and roads. The principal visual receptors in close proximity to the Proposed Development have the greatest potential for significant effects to arise. These include the A835 which wraps around the Site to the east and north and walking routes providing access into the Ben Wyvis range.

Settlements and Residents

- 8.3.50 Due to the relatively isolated location of the Proposed Development, the settlements in the Study Area are limited in terms of occurrence and extent, and the settlement pattern more often comprises isolated properties. There are few rural properties with potential to be affected by the Proposed Development, the nearest being Aultguish Inn, set to the south-east of the Loch Glascarnoch dam and approximately 2km to the north of the nearest proposed turbine.
- 8.3.51 Villages and rural clusters occur most frequently within the valleys and along loch shores, where road access occurs. The four small settlements that occur within a 10km radius of the Proposed Development, include Lochluichart, Grudie, Gorstan and Garve. Lochluichart lies approximately 5km south of the Proposed Development, on the northern shoreline of Lochluichart and comprises a small cluster of residential properties. Grudie lies further west of Lochluichart, while Gorstan lies further east, all located along the A832. Garve is a slightly bigger settlement, with a small school and hotel, and this lies on the A835, 9km south-east of the Proposed Development.
- 8.3.52 More settlements occur at a greater distance to the south-east and although some are located fully or partly within the ZTV, the effect of the Proposed Development on these

settlements will be limited by the separation distance, the low levels of visibility that typically occur, the localised enclosure of built form, the wider enclosure of intervening tree cover or forestry, and the location of the Proposed Development set behind the Operational Wind Farms when seen from this south-easterly direction.

Routes

- 8.3.53 There are relatively few routes in the Study Area due to the upland nature of much of the terrain. The routes that do occur, tend to follow the river valleys or loch shorelines, and their low-lying locations often limits the potential for visibility of the Proposed Development due to intervening, higher landform or roadside forestry.
- 8.3.54 Routes include roads, railway lines, cycle routes and walking routes, occurring in the Study Area, and some of these require to be considered in the LVIA as views from them may be affected by the Proposed Development. The key routes to be considered are shown in **Figure 8.5** and described below.
- 8.3.55 The Proposed Development lies within an upland landscape with mountains to the west and east, and lower lying straths and lochs wrapping around the north, east, and south. In the 10km radius around the Site, there are only two roads, both of which are mostly contained within straths. The A835 is located approximately 1.8km to the north, and the A832 is located approximately 3.7km to the south of the Proposed Development, at their closest points.
- 8.3.56 The A835 is the main road linking the A9 on the Black Isle with Ullapool on the west coast. It follows the shorelines of Loch Garve, Loch Glascarnoch and Loch Broom. The A832 forms a loop from the A835, between north of Garve and the Falls of Measach, via Kinlochewe, Gairloch and Poolewe on the west coast. It follows the northern shore of Lochluichart and Strath Bran to the west. It forms part of the celebrated North Coast 500 Route (NC500) loop around the highlands.
- 8.3.57 There are two rail routes through the Study Area; one connecting Inverness with Wick and Thurso, via Muir of Ord and Dingwall, and the other connecting Inverness with Kyle of Lochalsh. The latter comes within 6km of the Proposed Development in the section between Garve and Lochluichart.
- 8.3.58 There is one cycle route in the Study Area; National Cycle Route 1 which is concentrated in the south-east of the Study Area, where it follows a course often parallel to that of the A9.

Walking Routes

- 8.3.59 Core Paths within the Study Area are concentrated around settlements. The closest core paths to the Proposed Development are concentrated around Garve. Other walking routes, not defined as core paths, occur in the more mountainous parts of the Study Area. The high tops are an attraction to hill walkers, and in particular Ben Wyvis, Beinn Dearg and Sgurr Mor are popular Munros for walkers. These tops are covered by representative viewpoints and the effect of the Proposed Development across the wider mountain area is considered in the LVIA.

Attractions and Visitor Facilities

- 8.3.60 There are a number of attractions and facilities available for visitors across the Study Area. The main attraction in the upland areas is hill walking, with Ben Wyvis providing the most popular mountain range, while Beinn Dearg and Sgurr Mor are also popular with walkers. Facilities for visitors in the upland areas are limited, with some provision of accommodation,

shops and restaurants available in the small settlements. Aultguish Inn provides an example of a visitor facility in a semi-remote area.

- 8.3.61 In the lowlands, to the south-east of the Study Area, there is greater provision for visitors, with Inverness acting as an important base for tourism. There are also a number of visitor attractions in the city and along the more settled and accessible east coast, including a number of historic houses and castles, which are promoted in local tourist guides.
- 8.3.62 Strathpeffer, which lies approximately 18km south-east of the Proposed Development, is also a popular centre for tourists. It's importance dates back to Victorian times when it was developed as a spa resort. Today it provides tourist information, accommodation, shops and restaurants.

Cumulative Baseline

- 8.3.63 Cumulative effects are defined in NatureScot guidance 'Assessing the cumulative landscape and visual impact of onshore wind energy developments' (NatureScot, 2021) as the "*combined effect of a set of developments*" and may arise where a landscape receptor, visual receptor or view is affected by more than one wind farm. This occurs where the study areas for two or more wind farms overlap so that both are experienced at proximity where they may have a greater incremental effect, or where wind farms may combine to have a sequential effect, irrespective of any overlap in visibility.
- 8.3.64 The 2021 LVIA included a full assessment of cumulative landscape and visual effects, based on the various cumulative scenarios of operational, under construction, consented and application stage wind farms that were relevant at that time, with a cut-off date of November 2020. As Lochluichart Extension II wind farm was consented in the context of the April 2021 cumulative scenario, it is not considered relevant to update the cumulative assessment to reflect the current cumulative scenario (as of March 2025) as this could misrepresent the cumulative effects of the wind farm in comparison with the effects arising at the time of its consent. The LVIAs for wind farms that have been submitted as applications subsequent to the consenting of Lochluichart Extension II will incorporate the consented Lochluichart Extension II into their cumulative assessment, and thus the implication of more up to date cumulative scenarios will anyway be considered elsewhere.
- 8.3.65 The cumulative assessment included in the 2021 LVIA initially covered a 40km radius Study Area in accordance with guidance set out in SNH's 'Visual Representation of Wind Farms Version 2.2'. The Guidance suggested that wind farm sites outwith the 40km radius may be included where, for example, sequential cumulative effects could arise beyond the 40km study area. However the preliminary cumulative assessment conducted for the 2021 LVIA indicated that there were no wind farms outwith the 40km radius that have been relevant to the cumulative assessment, and therefore these were discounted from the assessment.
- 8.3.66 Table 8.3 lists the operational, consented, application stage and scoping stage wind farms that lie within 40km of the Proposed Development as of 2021. At that time there were no wind farms under construction in the Study Area. No scoping sites were considered to be relevant for inclusion in the cumulative assessment. Cumulative wind farms included in the 2021 LVIA are shown in **Figure 8.14**.

Table 8.3: Wind Farms informing the 2021 Cumulative Assessment

Wind Farm	Status November 2021)	No. of turbines (November 2021)	Blade tip height (m) (November 2021)	Distance and direction from Lochluichart Wind Farm Extension II (November 2021)
Achany	Operational	19	100	38km NNE
Auchmore	Operational	1	79	24km SE
Auchmore 2 (Gaoth)	Operational	1	79	24km SE
Beinn Tharsuinn	Operational	17	80	29km NE
Beinn Tharsuinn Extension (Beinn nan Oighrean)	Operational	2	99.5	29km NE
Coire na Cloiche	Operational	13	99.9	27km NE
Corriemoillie	Operational	17	125	0km SE
Fairburn	Operational	20	100	17km SSE
Foulis Farm (Yellow Wells)	Operational	1	67	24km E
Lochluichart Wind Farm	Operational	17	125	1km S
Lochluichart Wind Farm Extension	Operational	6	125	0km S
Novar	Operational	34	55.5	20km ENE
Novar Extension	Operational	16	99.5	20km ENE
Rosehall	Operational	19	90	37km NNE
Belladrum	Consented	1	54	33km SE
Kirkan	Application	17	175	1km E
Meall Buidhe	Application	9	149.5	28km NNE
Strathrory	Application	7	149.5/160/180	30km ENE
Bonar Bridge	Scoping	1	67	38km NE
Cnoc Ceislein	Scoping	6	150	23km E
Dryn timer	Scoping	-	-	20km E
Edderton	Scoping	1	67	38km NE
Garvary	Scoping	36	175	38km NNE
Glencassley	Scoping	26	-	39km NNE
Torranan Sleibh	Scoping	1	79	19km E

Wind Farm	Status November 2021)	No. of turbines (November 2021)	Blade tip height (m) (November 2021)	Distance and direction from Lochluichart Wind Farm Extension II (November 2021)
Westermoy	Scoping	1	72	19km SE

- 8.3.67 November 2020 was used as the cut-off date for the LVIA 2021 cumulative assessment, and any changes in the cumulative situation after this date prior to submission in 2021 were not incorporated in the assessment.
- 8.3.68 The cumulative assessment assessed the effects that will result from the Proposed Development in-conjunction with the cumulative developments, assuming some, or all of the other wind farms are built. This is included in Section 8.7 in respect of landscape receptors and Section 8.8 in respect of visual receptors. In Section 8.9, an assessment of the in-combination effects is presented which considers the relationship of the Proposed Development in-combination with the cumulative developments and the extent to which this in-combination effect may alter the pattern of wind farm developments in this area and in so doing, redefine the character of the landscape or visual receptors.
- 8.3.69 NatureScot guidance in Paragraph 33 of 'Assessing the Cumulative Impact of Onshore Wind Energy Developments' (2012), states the guiding principle in preparing the cumulative assessment is to "*focus on the likely significant effects and in particular those which are likely to influence the outcome of the consenting process*". In accordance with this guiding principle, the cumulative assessment focussed primarily on the effects of the Proposed Development with the Operational Wind Farms and application stage Kirkan Wind Farm, all of which were situated within close proximity.
- 8.3.70 Those developments of particular relevance to the cumulative assessment in the LVIA 2021 included operational Lochluichart Wind Farm, Lochluichart Wind Farm Extension and Corriemoillie, collectively referred to in the LVIA as the Operational Wind Farms, and application stage Kirkan Wind Farm.
- 8.3.71 While Cumulative ZTVs (**Figure 8.17** to **Figure 8.21**) show that theoretical visibility of other operational and application wind farms, coincided with visibility of the Proposed Development, the separation distance between the Proposed Development and these other cumulative developments will reduce their influence on the cumulative baseline. The cumulative assessment, therefore, largely focussed on the effects in-conjunction and in-combination of the Proposed Development with the Operational Wind Farms and application stage Kirkan Wind Farm.

8.4 Design Evolution

The Operational and Consented Wind Farms

- 8.4.1 An iterative design approach was adopted in the design evolution of Lochluichart Wind Farm in 2006, Lochluichart Wind Farm Extension in 2010, and Lochluichart Wind Farm Extension II in 2018 and 2019. This approach involved consultation with NatureScot and THC during the pre-application stage, in order to develop proposals that would be considered acceptable.
- 8.4.2 The initial layout for Lochluichart Wind Farm comprised 43 turbines. Through pre-application consultation, NatureScot advised that the layout be reduced to 22 turbines, removing all the turbines in the northern half of the Site. THC then advised that a further five turbines be removed in the south to reduce visibility from the A832. The final scheme that was approved comprised 17 turbines.

- 8.4.3 The initial layout for Lochluichart Wind Farm Extension comprised 15 turbines. These were located in the northern half of the original Lochluichart Wind Farm site. The layout was reduced to 12 turbines by the applicant to improve the appearance of the layout, especially in views from the A835 and Ben Wyvis, and to ensure better integration with Corriemoillie Wind Farm, which was emerging as a proposed development at that time.
- 8.4.4 Following a pre-application meeting with NatureScot and THC, the layout for Lochluichart Wind Farm Extension, was reduced from 12 to six turbines. THC was of the opinion that the six most northern turbines appeared as a group of outliers when viewed from the A835 at Black Bridge and from Ben Wyvis. These were subsequently removed to create a more compact layout. The final scheme that was approved comprised six turbines.
- 8.4.5 The Consented Development originally comprised nine additional turbines to the north of Lochluichart Wind Farm Extension. The sensitivity of this area to the potential landscape and visual effects of wind farm development was recognised. As a result, a rigorous and lengthy iterative design process was undertaken to ensure that the Proposed Development would minimise the potential effects through successful integration with landscape character and the layout and appearance of the Operational Wind Farms.
- 8.4.6 The Consented Development was reduced from nine turbines to five turbines, following post-application comments from NatureScot. These highlighted concerns that the Consented Development would introduce visibility of turbines along a stretch of the A835 where currently turbines are not visible and where they might detract from views of Ben Wyvis. NatureScot also raised concerns that the Consented Development would create a 'sprawl to the north' of the operational turbines when viewed by walkers on the popular summit of Ben Wyvis.
- 8.4.7 In response to these comments, SI submitted in 2019 presented a revised layout in which the four northern most turbines were removed to leave the five more southerly turbines, thus recessing the Consented Development further back from the A835 and reducing the northern extent of turbines, as seen from surrounding hill tops, including Ben Wyvis. The revised layout had addressed the comments raised by NatureScot and the application was approved in July 2020.
- 8.4.8 The 2021 LVIA (forming part of the SEIR 2021) was based on the same five turbine layout that was consented in 2020, albeit proposing a 16.9m increase in the blade tip height of the turbines, taking them from 133m to 149.9m. The Proposed Development
- 8.4.9 Throughout the evolution of this project, an iterative design process has been used as the principal action in the mitigation of potential landscape and visual effects. This has involved identifying those key visual receptors, found within the Study Area, that would be especially sensitive to the appearance of the Proposed Development.
- 8.4.10 The most sensitive visual receptors were considered to be represented by the following five viewpoints;
- Viewpoint 1: A835, Aultguish Inn;
 - Viewpoint 2: A835, Black Bridge;
 - Viewpoint 3: Old Drover's Road, Corriemoillie;
 - Viewpoint 5: Ben Wyvis; and
 - Viewpoint 8: Beinn a Chaisteil.
- 8.4.11 These viewpoints were used to develop previous iterations of the Proposed Development, by reducing the potential landscape and visual effects whilst at the same time respecting the

technical and environmental constraints of the Site. More recently, these viewpoints, along with additional viewpoints set intermittently along the localised section of the A835, were used to test out the proposed increase in blade tip height of the turbines. Chapter 3: Project Description documents this process in detail, while **Appendix 8B** presents the comparative wirelines of the five turbine layout, comparing the 133m turbines with the 149.9m turbines.

8.4.12 The key principles guiding the iterative design through the evolution of the Proposed Development are outlined below:

- Identify those visual receptors that are key to the assessment and understand the extent of the area over which potential effects may occur, so that when testing iterations, the full extent of the area is being tested.
- Consider the cumulative effects with the adjacent Operational Wind Farms, with the aim to achieve consistency in appearance through the use of broadly similar sized and proportioned turbines, arranged following a similar layout and contained in the same landscape.
- Ensure the Proposed Development fits as an extension to the existing group, avoiding incidents of overlap and cluttering between the existing and proposed turbines, reducing the occurrence of outliers and ensuring an even appearance in terms of the horizontal spacing and vertical elevation of the turbines.
- Ensure the Proposed Development follows the pattern set by the Operational Wind Farms and remains contained in the Lochluichart LCU of the *Rounded Hills* LCT that lies between the A832 to the south and the A835 to the north.
- Consider the effects on the sensitive landscapes surrounding the Site. Special consideration has been given to reduce the potential effects on the landscape and visual receptors representing the Ben Wyvis SLA and Fannichs, Beinn Dearg and Glen Calvie SLA, as well as the Rhiddoroch-Beinn Dearg-Ben Wyvis WLA and Fisherfield-Letterewe-Fannichs WLA. The location of the turbines to the north, rather than the west of the Operational Wind Farms has prevented visibility extending further across the sensitive Sgurr Mor range to the west.
- Reduce the potential effects of infrastructure. While the effects of the turbines have been the primary concern in the design process, the effects of infrastructure have also been considered, in particular, the effects of the tracks which can be highly visible over long distances. Attempts have been made to route the tracks in the more discreet parts of the landscape, avoiding more visible exposed slopes and using the screening effect of the surrounding landform and enclosing forestry where possible. In addition, sections of existing tracks have been utilised and, while these will need to be widened, they will not be seen as new features in the landscape. The visual influence of the new tracks across the slopes of Meallan Caoruinn will be contained owing to the east facing orientation of the landform, while the other new tracks will be contained with the forestry, albeit currently young and low. The northern borrow pit, substation and control building will also be contained in the young forestry, while the southern borrow pit will benefit from the enclosure of the valley landform and screen of low forestry to the immediate north.

8.5 Scope of the Assessment

8.5.1 The purpose of this section of the LVIA is to refine the scope of the assessment in the following ways:

- Identify those aspects of the Proposed Development at the construction and operational stages that may contribute to significant effects;
- Identify those landscape and visual receptors with potential to undergo significant effects as a result of the Proposed Development; and
- Identify those aspects of the cumulative baseline and predicted cumulative baseline which may contribute to significant cumulative effects.

8.5.2 This process makes for a more efficient and focussed LVIA by eliminating from detailed consideration those receptors that do not have the potential to undergo significant effects, based on the initial review.

8.5.3 While the solus assessment and the in-conjunction cumulative assessment, both consider the additional effect of the Proposed Development in-conjunction with the Operational Wind Farms and application stage Kirkan Wind Farm, the in-combination cumulative assessment considers the effect of the Proposed Development and the Operational Wind Farms / Kirkan Wind Farm as a whole. In light of this difference, it is recognised that the extent of the potentially significant effects will be wider in respect of the in-combination cumulative assessment, and thus a greater number of receptors will have potential to be significantly affected. The consideration of a wider area is, therefore, presented in Section 8.9, while the Scope of the Assessment presented in this section identifies those landscape and visual receptors of relevance to the solus and in-conjunction assessments.

Description of the Proposed Development

8.5.4 Chapter 3: Description of the Proposed Development describes the main components of the development, the associated infrastructure and the stages of construction, operation and decommissioning.

8.5.5 The Proposed Development comprises five wind turbines with a blade tip height of 149.9m, hub height of 83.4m and rotor diameter of 133m. The existing wind farm site entrance on the A835, near Loch Glascarnoch, will be used and will connect to a network of existing and new access tracks to the turbines. Other permanent infrastructure will include a sub-station, control building and battery storage facility. Temporary infrastructure will include two borrow pits and a construction compound. The Site Layout is shown in **Figure 3.1**.

8.5.6 Each turbine will require a circular concrete foundation, as well as an area of hardstanding for the crane during the construction period. The hardstandings will largely remain during the operational life of the Proposed Development and then will be removed during decommissioning.

8.5.7 Access will be taken from the A835, using the existing track that provides the northern access to the Operational Schemes. This forms the 'spine road' from which proposed access tracks will be constructed to access the proposed turbines. To the east of the existing track, the proposed track arcs around the southern extent of the reforested area to connect T5 and T4, while to the west the track branches off to sweep north across the eastern hill slopes of Meallan Caoruinn (499m AOD), where it connects T7 and T6. This track extends further around the northern slopes of the hill, crossing Allt na Beinne Leithe Bige to reach T8 on the lower slopes of Beinn Liath Bheag (609m AOD). The proposed tracks will be 5m wide, widening to a maximum of 13m on localised bends. The location of the proposed tracks has sought to avoid steep gradients and work with the existing contours of the hill slopes. The existing and proposed tracks will not be widely visible from the A835 to the north but will be apparent from the elevated hills around.

- 8.5.8 The proposed permanent sub-station, control building, battery storage facility and temporary construction compound will be located approximately 1.9km south of the A835. Their location within the existing forestry plantation will offer some limited screening of these components of the Proposed Development from the A835 and other more elevated surrounding receptors, although this plantation has been recently replanted such that the trees are still young.
- 8.5.9 Borrow Pit 1 will be located in the northern part of this forestry plantation and will similarly be partially screened from surrounding receptors. Borrow Pit 2 will be located to the south-west of the forestry block, and although set in the open, will benefit from the partial enclosure of forestry to the east and rising landform to the west.

Life Cycle of the Proposed Development

- 8.5.10 The Proposed Development has three distinct stages during which impacts on the landscape and visual resource will occur: construction, operation and decommissioning. The key operations and potential impacts that may occur during these stages are outlined in Table 8.4 below.

Table 8.4: Potential effects of construction, operation and decommissioning

Activity /Potential Effects	Specific Element	Potential of Receptors to be Affected
Construction Short-term physical effects on landscape elements, landscape character and visual receptors. Short-term cumulative effects.	Construction plant; Temporary construction facilities; Tree felling; Construction / upgrading of access tracks; Construction of turbine foundations / crane pads; Presence and activity of cranes; Presence of emerging wind turbines; Earthworks for infrastructure; Excavation of borrow pits; and Movement of associated traffic.	Heather moorland / forestry removed or altered where construction plant and facilities will be located and where tracks, foundations and crane pads will be constructed. Landscape character of immediate and surrounding LCTs potentially affected by the addition of construction facilities and plant, the presence and activity of the cranes and emergence of wind turbines. Visual receptors potentially affected by the addition of construction facilities and plant, the presence and activity of the cranes and emergence of wind turbines.
Operation Long-term effects on landscape character, and visual receptors. Long-term cumulative effects with other wind farms.	Presence and movement of wind turbines; Access tracks; Substation; Construction compounds; and Earthworks.	Landscape character potentially affected by the presence of wind turbines and tracks. Visual receptors potentially affected by the presence of wind turbines and tracks.

Activity / Potential Effects	Specific Element	Potential of Receptors to be Affected
		Landscape and visual receptors potentially cumulatively affected by presence of wind turbines and tracks in conjunction and in combination with other wind farm developments (assessed in relation to the 2021 LVIA cumulative scenarios).
Decommissioning Short-term physical effects on landscape fabric. Short-term effects on landscape character and visual receptors.	Decommissioning plant; Temporary construction facilities; Presence and activity of cranes; and Presence of dismantled wind turbines.	Heather moorland removed or altered where decommissioning plant and facilities will be located. Landscape character of immediate and surrounding LCTs potentially affected by the addition of decommissioning facilities and plant, the presence and activity of the cranes and deconstruction of wind turbines. Visual receptors potentially affected by the addition of decommissioning facilities and plant, the presence and activity of the cranes and deconstruction of wind turbines.

8.5.11 It is anticipated that construction and decommissioning of the Proposed Development will be undertaken in stages as described in Chapter 3: Description of the Proposed Development of this EIA Report. The construction effects assessed in this section are therefore predicted to occur during this period and end at the start of the operational stage. It is anticipated that the Proposed Development will be in operation for approximately 40 years. On completion of its operational life, the Proposed Development will either be replaced, having obtained the necessary planning consents, or be decommissioned and removed. The grid connection will be subject to a separate application.

8.5.12 The construction, operation and decommissioning of the Proposed Development may affect the landscape and visual resource in four ways:

- The direct physical effect on the fabric of the Site;
- The effect on the landscape character of the Site and Study Area;
- The effect on viewpoints located throughout the Study Area; and
- The cumulative effects that may arise from the addition of the Proposed Development with respect to other wind farms in the area.

8.5.13 The physical effects of the Proposed Development may occur during the construction and decommissioning stages, but can have longer term effects, and will be restricted to the area within the area of the Proposed Development. They are the direct effects on the fabric of the

Site and will mostly relate to the removal or alteration of the heather moorland ground cover and small areas of plantation forestry.

- 8.5.14 Effects on landscape character will arise through the introduction of new elements during the construction, operational and decommissioning stage, that alter the distinct and recognisable pattern of elements in a particular type of landscape. Direct effects will occur in the LCTs where the Proposed Development is located but may also alter the character of surrounding LCTs which are influenced by the LCTs where the Proposed Development is located and where there is a special sensitivity. The Lochluichart LCU of the Rounded Hills LCT has the potential to undergo direct effects.
- 8.5.15 Effects on visual receptors are the changes to the views of people that will result during the construction, operation and decommissioning of the Proposed Development. The most visible components of the construction and decommissioning stages will be the presence and activity of the cranes and the presence of the wind turbines as they are constructed and deconstructed. The construction of the new tracks and upgraded existing tracks, will also form apparent features from elevated viewpoints such as hill tops. During operation, it will be the presence and movement of the turbines that will have the greatest visual effect, especially from the closer range viewpoints where the turbines will appear large in scale, such as the A835 to the north, and medium range viewpoints, such as the surrounding hill top locations.
- 8.5.16 The cumulative effects will relate to the landscape and visual effects of the construction, operational and decommissioning stages as described above, in-conjunction with the cumulative developments. In respect of this assessment, the cumulative effects will relate principally to the Operational Wind Farms and application stage Kirkan Wind Farm, which are located in close proximity to the Proposed Development.
- 8.5.17 Mitigation measures have been incorporated through the iterative design of the Proposed Development in order to prevent, reduce or offset potential landscape and visual effects. The residual effects of the Proposed Development, that is, those effects remaining after mitigation that will materialise when the Proposed Development is under construction or operation, are assessed in Section 8.6 and 8.7.
- 8.5.18 The effects during the decommissioning stage will be similar to those during the construction stage. The assessment of the construction stage in respect of each receptor is, therefore, representative of the effects that will occur during the decommissioning stage. A separate assessment for the decommissioning effects is, therefore, not included.

Landscape and Visual Receptors to be Assessed

- 8.5.19 The landscape and visual receptors that have potential to undergo significant effects, including significant cumulative effects, are identified through a two-stage filtering process.
- 8.5.20 Firstly, ZTV mapping is used to identify those receptors that will gain theoretical visibility of the Proposed Development. Although the use of ZTV mapping has limitations, in that it illustrates theoretical and not actual visibility, i.e. it does not take into account the screening effect of elements such as forestry, buildings and localised landform, it does provide a useful starting point to identify those receptors from where the Proposed Development may be visible. A combination of wirelines, aerial photography and site visits are used to establish a better understanding of actual visibility where uncertainty exists.
- 8.5.21 Secondly, all of the receptors that are shown in the first stage to gain some visibility of the Proposed Development, are subject to a preliminary assessment to ascertain if they have the potential to undergo a significant effect or a significant cumulative effect. This preliminary assessment considers various factors that contribute to the sensitivity of the

receptor, the magnitude of change that will result from the addition of the Proposed Development, and the level of visibility and influence of cumulative wind farms (as described in the methodology in **Appendix 8.A**). Various methods of verification are used in this second stage, including site visits, ZTVs, GIS mapping, wirelines and aerial photography.

- 8.5.22 In the case of some receptors, the preliminary assessment indicates that the landscape or visual receptor does not have potential to undergo a significant effect or significant cumulative effect as a result of the Proposed Development, despite gaining visibility of it. This is most frequently due to the limited predicted level of visibility and influence of the Proposed Development, and/or the existing influence of the operational wind farms in the area, and/or the limited sensitivity of the receptor. Where this is the case, the potential effects on the receptor do not need to be assessed in any further detail and at this stage they can be discounted from the detailed solus assessment and in-conjunction cumulative assessment.
- 8.5.23 Where the preliminary assessment indicates that there is potential for the receptor to undergo a significant effect or cumulative effect as a result of the Proposed Development, a precautionary approach is adopted, and this is assessed in detail subsequently in this chapter.

General visibility of the Proposed Development

- 8.5.24 The pattern of theoretical visibility shown on the ZTV in **Figures 8.6a** and **8.6b** illustrates how close and middle range landform has a notable influence on the extent of visibility, markedly restricting its extents across the wider area. The Proposed Development will be sited on the slopes of moderate sized hills next to a higher ridge that lies to the west. This generally contains visibility in this direction apart from on the higher summits and ridges to the west.
- 8.5.25 To the north and east, visibility of the Proposed Development extends across the facing slopes of Beinn Dearg and Ben Wyvis. These broad mountain ranges largely prevent visibility from extending further north and east into the wider upland landscape. To the south and south-west, the hill ridge that occurs between Strath Bran and Strath Conon, reduces the extent of visibility across the tiers of uplands which occur further in these directions. To the south-east, visibility extends across the lower-lying straths to form a channelled band from Loch Garve and Loch Luichart to the Beaully Firth. Where visibility is shown to occur along the shores of Loch Glascarnoch and Loch Luichart, this is also shown to be generally of lower levels.
- 8.5.26 Visibility is shown to be largely contained within a radius of 15km. Outwith this area, visibility is generally from higher elevated areas, which are orientated towards the site and where there are few visual receptors, or from lower elevated areas where levels of visibility are low and more likely to be reduced by intervening tree cover and forestry.

Landscape Character Types and Units to be Assessed

- 8.5.27 The ZTV shown in **Figure 8.6a**, highlights the limited extent to which LCTs and LCUs will be affected across the 40km Study Area. The ZTV in **Figure 8.9** shows theoretical visibility to be largely contained within the first 15km owing to the relatively low level of the Site, especially in contrast with the pronounced elevation of the surrounding hills.
- 8.5.28 For many of the LCTs and LCUs beyond 15km, where no theoretical visibility will occur, there will be no effect. In the LCTs and LCUs where the ZTV shows some patches of visibility from distances beyond 15km, the distance combined with the small number of proposed turbines and existing influence of the Operational Wind Farms in this location, will ensure

there will be a sufficiently low or negligible magnitude of change, and that the solus or in-conjunction cumulative effects will be not significant.

- 8.5.29 The 2020 Scoping Report for Lochluichart Wind Farm Extension II scopes out of the assessment those LCTs and LCUs which lie beyond 15km. In the Scoping Opinion Report, no objections were raised by NatureScot in respect of this proposed approach and therefore this preliminary assessment focuses on those LCTs and LCUs within a 15km radius.
- 8.5.30 Those LCTs and LCUs that occur within the 15km radius of the Proposed Development are listed in Table 8.5 below, along with a preliminary assessment of the potential effect as a result of the Proposed Development. This has been used to define the scope of the assessment by highlighting those landscape receptors with potential to undergo significant effects and which, therefore, require detailed assessment.

Table 8.5: Landscape Character Types / Units to be Assessed

Landscape Character Type / Unit	Theoretical Visibility	To be included in detailed assessment?
Rounded Hills LCT:Ben Wyvis LCU	The ZTV shows that visibility occurs across this sensitive LCU from approximately 8km to 13km, albeit patchy in coverage.	Yes, there is potential for indirect significant effects to arise as a result of the sensitivity of this LCU to the Proposed Development.
Rounded Hills LCT:Lochluichart LCU	The Proposed Development is located in this LCU.	Yes, there is potential for direct and indirect significant effects to arise as a result of the location of the Proposed Development in this LCU.
Rounded Hills LCT:Inchbae LCU	The ZTV shows that visibility occurs from approximately 1km to 13km, albeit patchy in coverage.	Yes, there is potential for indirect significant effects to arise as a result of the close proximity of the Proposed Development to this LCU.
Undulating Moorland LCT: Aultguish LCU	The ZTV shows that visibility is almost continuous across this LCU from approximately 1 to 4km.	Yes, there is potential for indirect significant effects to arise as a result of the close proximity of the Proposed Development to this LCU.
Undulating Moorland LCT: Inchbae LCU	The ZTV shows that visibility is very limited in extent across this LCU, located approximately 10 to 18km to the north-east.	No, this LCU sits behind the Ben Wyvis range limiting the extent of visibility and the potential for a significant effect to arise.

Landscape Character Type / Unit	Theoretical Visibility	To be included in detailed assessment?
Undulating Moorland LCT: Strath Bran LCU	The ZTV shows that although visibility occurs in relatively large patches across the southern half of the LCU, it will mostly comprise 1 to 3 turbines seen at distances of 7 to 15km. This small number of additional turbines will be seen set behind the larger group of operational turbines.	No, the extent to which the Proposed Development will be visible from this LCU will be limited by intervening landform and the effect moderated by the position of the few proposed turbines visible behind the existing operational turbines.
Undulating Moorland LCT: Fannich LCU	The ZTV shows that visibility is very limited in extent across this LCU located approximately 13 to 17km to the south-west with levels of visibility typically limited to 1 to 3 turbines.	No, the extent to which the Proposed Development will be visible from this LCU will be limited by intervening landform and the effect moderated by the position of the few proposed turbines visible behind the existing operational turbines.
Rugged Mountain Massif LCT: Beinn Dearg LCU	The ZTV shows that visibility of the Proposed Development will occur across the summits, ridges and south-facing slopes of this LCU to the north at approximately 10 to 16km and that typically visibility will be of 5 turbines.	No, despite the high levels of visibility across the main parts of the LCU, the minimum separation distance of 10km, the existing influence of the operational turbines and the relatively small number of additional turbines makes it unlikely for a significant effect to occur in respect of the character of this LCU.
Rugged Mountain Massif LCT: Sgurr Mor LCU	The ZTV shows that visibility of the Proposed Development will occur as small patches across the summits, ridges and upper east-facing slopes of this LCU to the west at approximately 8 to 12km and that typically visibility will be of 1 to 3 turbines, apart from summits and elevated slopes where 5 turbines will be visible.	No, the limited extent of the LCU that will be affected by visibility of the Proposed Development and the relatively low levels of visibility caused by intervening landform makes it unlikely for a significant effect to occur on the character of this LCU.

Landscape Character Type / Unit	Theoretical Visibility	To be included in detailed assessment?
Rocky Moorland LCT: Lochluichart LCU	The ZTV shows that visibility is patchy across this large LCU to the south and south-east from 2km to 17km. Visibility will occur across the north-facing slopes to the south-side of Lochluichart, albeit with the five proposed turbines set to the rear of the 40 operational turbines. Patches of visibility will also occur at the close range to the south-east although here also the closer range operational turbines have an existing influence that will moderate the additional influence of the proposed turbines.	No, despite the high levels of some of the close-range patches of visibility, the larger number and closer range of the operational turbines will moderate the additional influence of the proposed turbines such that they will be unlikely to give rise to a significant effect on the character of this LCU.

Landscape Designations to be Assessed

- 8.5.31 There are four NSAs in the Study Area, namely, Wester Ross NSA at 23km to the west, Glen Strathfarrar NSA at 26km to the south, Dornoch Firth NSA at 33km to the north-east, and Assynt-Coigach NSA at 37km to the north-west. There are also three SLAs in the Study Area, namely, Fannichs, Beinn Dearg and Glen Calvie SLA to the north and west at a minimum distance of 5.3km; Ben Wyvis SLA to the east at a minimum distance of 8.5km; and Strathconon, Monar and Mullardoch SLA at a minimum distance of 11.8km to the south. There are also 13 GDLS in the Study Area, mostly located in the settled landscapes to the south-east. Landscape designations are shown in Figure 8.3.
- 8.5.32 The Landscape Designations, shown in **Figure 983**, and the ZTV shown in **Figure 8.6a** highlights the limited extent to which NSAs will be affected across the 40km Study Area. The ZTV in conjunction with Landscape Designations over 15km presented in **Figure 8.10**, shows the localised extent of theoretical visibility that will occur across the closer range SLAs.
- 8.5.33 The Scoping Report sets out an approach to discount the four NSAs and 13 GDLS in the Study Area, owing to the limited extent to which the Proposed Development will be visible and the distance of the designated areas from the Proposed Development.
- 8.5.34 In respect of SLAs, the Scoping Report proposes to assess the two closest SLAs in detail, namely Ben Wyvis SLA and Fannichs-Beinn Dearg-Glen Calvie SLA but discount Strathconon, Monar and Mullardoch SLA owing to its greater distance from the Proposed Development and its more limited extent of visibility, as shown in the ZTV in **Figure 8.10**.
- 8.5.35 No objections regarding the approach presented in the Scoping Opinion Report in relation to designated landscapes were raised by NatureScot and agreement presented by THC. As such, this LVIA has discounted the designated landscapes with the exception of the Ben Wyvis SLA and Fannichs-Beinn Dearg-Glen Calvie SLA. While there is potential for in-combination significant effects to arise in respect of the Fannichs-Benn Dearg-Glen Calvie SLA, there is limited potential for significant effects to arise in relation to the solus assessment and the in-conjunction cumulative assessment for this designated area. This finding relates principally to the very limited influence of the Proposed Development on this SLA, as shown in **Figure 8.10**, and the greater influence of the Operational Wind Farms.

The in-combination cumulative effects on the Fannichs-Benn Dearg-Glen Calvie SLA are considered in Section 8.9.

Visual Receptors to be Assessed

- 8.5.36 The ZTV in **Figure 8.12** shows that none of the settlements within the first 15km of the Study Area will be affected by the Proposed Development, with the exception of Garve, which shows very low levels and a marginal extent of visibility on the eastern edge of the settlement. Viewpoints from Garve have been tested but discounted owing to the limited extents and levels of visibility that will occur.
- 8.5.37 More settlements occur to the south-east, at distances beyond 15km and although some are located fully or partly within the ZTV, the effect of the Proposed Development on these settlements will be limited by the separation distance, the low levels of visibility that typically occur, the extent of intervening tree cover or forestry and the location of the Proposed Development set behind the operational turbines when seen from this south-easterly direction.
- 8.5.38 The only viewpoint representative of residential visual amenity is Viewpoint 1: Aultguish Inn, although this is a single development and not a settlement. All settlements in the Study Area have been scoped out of this assessment.
- 8.5.39 The A835 follows the shorelines of Loch Garve, Loch Glascarnoch and Loch Broom through the Study Area. Its relatively low-lying location means visibility of the Proposed Development will be limited, as indicated on the ZTV in **Figure 8.12**. Visibility will, however, arise within a 5km radius in the section to the north-east of the Proposed Development and this is represented by Viewpoint 1: A835, Aultguish Inn and Viewpoint 2: A835, Black Bridge. A smaller extent of visibility will occur also at the greater distance of approximately 13km and this is represented by Viewpoint 3: Garve Bridge.
- 8.5.40 There will be no or very limited visibility from the A832. The A835 and A832 are the only main roads within the first 20km radius of the Proposed Development. While the ZTV in **Figure 8.12** shows some visibility on roads beyond 20km it is unlikely that significant effects will arise, owing partly to the separation distance but also the location of the proposed turbines beyond, and often behind, the existing 40 turbines. The only other road-based viewpoint is Viewpoint 9: Avenue of Fairburn Estate, which is representative of the views from this minor road at a range of approximately 21km.
- 8.5.41 The remaining eight viewpoints are representative of the views from the upland landscape as experienced principally by hillwalkers and other recreational users of the mountains and hills. The closest range of these is Viewpoint 4: Old Drover's Route, Corriemoillie, which passes within 5km of the Proposed Development. The other seven viewpoints are located on the summits of the most popular surrounding hills and mountains and provide a range of directions and distances around the Proposed Development. These include Viewpoint 5: Ben Wyvis, Viewpoint 6: An Coileachan, Viewpoint 7: Sgurr Mor, Viewpoint 8: Beinn a Chaisteil, Viewpoint 10: Sgurr a Mhuilinn, Viewpoint 11: Sgurr a Choire Ghlais and Viewpoint 12: Beinn Dearg.
- 8.5.42 The viewpoint list is shown in Table 8.6 below. The locations of the viewpoints are shown in **Figure 8.6a** and **8.6b**. This list has been derived from the viewpoints used in the Lochluichart Wind Farm Extension LVIA with some amendments to make it more suited to the assessment of the Proposed Development. The final list has been prepared in agreement with THC and NatureScot. The viewpoints are selected to represent sensitive visual receptors with the potential to undergo significant effects. They are also selected to represent landscape receptors and with consideration of the potential for cumulative effects to arise.

Table 8.6 Representative Viewpoints

No	Viewpoint	Grid reference	Distance/ Viewpoint location km	Representative
1	A835 Aultguish Inn	235166 / 870394	2.00	Representative of road-users on the A835 and residential amenity to north-east of the Proposed Development.
2	A835 Black Bridge Road	237349/ 870830	3.96	Representative of road-users on the A835 to north-east of the Proposed Development.
3	Garve Bridge	242483 /858975	12.94	Representative of road-users on the A835 to south-east of the Proposed Development.
4	Old Drover's Road, Corriemoillie	237546 / 867006	3.95	Representative of walkers on rural track through forestry and moorland.
5	Ben Wyvis (Glas Leathad Mor)	246294 / 868370	12.29	Representative of hill walkers in the Ben Wyvis range.
6	Coileachan	224170/ 868030	8.07	Representative of hill walkers in the Sgurr Mor range.
7	Sgurr Mor	220317 /871814	12.19	Representative of hill walkers in the Sgurr Mor range.
8	Beinn a Chaisteil	236550 / 877594	9.19	Representative of hill walkers in the Rounded Hills to the north.
9	Avenue of Fairburn Estate	247586 / 853031	20.78	Representative of residents, workers and road-users in this rural farmed area.
10	Sgurr a Mhuilinn	227711 /853921	14.27	Representative of hill walkers in the Strathconon range.
11	Sgurr a Choire Ghlais	225881 /843024	26.47	Representative of hill walkers in the Strathfarrar range.
12	Beinn Dearg	225962 /881147	13.64	Representative of hill walkers in the Beinn Dearg range.

8.5.43 The process of identifying viewpoints has involved extensive investigation to ensure that the final viewpoints are representative of levels of visibility around the Study Area, and that they clearly illustrate the predicted visibility of the Proposed Development. Additional potential viewpoints were also investigated, where they were suggested by the statutory consultees or where they correspond with viewpoints used in previously submitted LVIAs for other wind farm developments.

Scope of Cumulative Assessment (identified for the 2021 LVIA)

8.5.44 The most relevant wind farms to this assessment are the Operational Wind Farms, comprising Lochluichart, Lochluichart Extension and Corriemoillie. As these are all

operational, they form part of the baseline context, which is considered as part of the solus assessment in Sections 8.7 and 8.8.

- 8.5.45 The in-conjunction cumulative assessment also considers the addition of the Proposed Development in respect of the baseline comprising the Operational Wind Farms. The in-conjunction cumulative assessment is included in Sections 8.7 and 8.8 to focus more specifically on the additional effect of the Proposed Development in-conjunction with the Operational Wind Farms.
- 8.5.46 In addition to the in-conjunction cumulative assessment with operational wind farms, Sections 8.7 and 8.8 also include an in-conjunction cumulative assessment with all other relevant under construction, consented and application stage wind farms. As there are no relevant under construction or consented wind farms in the Study Area (at the time of assessment cut-off in November 2020), the focus of the in-conjunction cumulative assessment is on the application stage wind farms. Application stage wind farms (November 2020) include Kirkan Wind Farm, located within 1km to the east of the Proposed Development, as well as Strathrory at 30km to the east northeast and Meall Buidhe at 28km to the north-north-east. While the cumulative ZTVs in **Figures 8.20** and **8.21** show some inter-visibility between these latter two application wind farms and the Proposed Development, the low levels and limited extents means that Strathrory and Meall Buidhe will have a limited influence on the cumulative context. The Scenario 1 in-conjunction cumulative assessment, therefore, focuses on the interactions between Kirkan Wind Farm and the Proposed Development.
- 8.5.47 An in-combination cumulative assessment is presented in Section 8.9. This considers the overall effect of the Proposed Development and the Operational Wind Farms on the existing pattern of wind farm development in this area. As the potential effects of the in-combination assessment are likely to cover a wider extent, certain landscape and visual receptors that are not assessed in the solus or in-conjunction cumulative assessment, are included in the in-combination assessment.
- 8.5.48 A lifetime assessment is presented in Section 8.10. This considers the effect of the Proposed Development should the adjacent Operational Wind Farms be removed. Lochluichart and Lochluichart Extension Wind Farms became operational in 2014, while Corriemoillie Wind Farm became operational in 2017, both with a consent period of 25 years. While there is the possibility that in 2039 and 2042, these consents will be renewed or proposals to repower these wind farms will be approved, there is also the possibility that they will be required to be decommissioned. This would leave a situation in which the Proposed Development would be present in the baseline context of only Corriemoillie Wind Farm and then on its own. The potential landscape and visual effects in respect of this altered baseline context are considered in this chapter.

8.6 Assessment of Effects on Landscape

Assessment of physical effects

- 8.6.1 The first category of effects covered in the assessment of landscape effects is physical effects, which are direct effects on the fabric of the Site, such as the removal of ground cover vegetation to facilitate construction of the access tracks and crane pads. Physical effects can only occur on the Site, where existing landscape elements may be removed or altered by the Proposed Development. This category of effects is made up of landscape elements, and in this case there are two elements involved; heather moorland and coniferous forestry. The methodology for the assessment of physical effects is described in full in **Appendix 8.A**.

Heather Moorland

Baseline Condition

- 8.6.2 Heather moorland is the predominant landcover across the western and southern parts of the Site. It comprises heathers and rough grasses, which grow from soil that tends to be peat based and often waterlogged, albeit with drier upper slopes and summits across the hills in the western part of the Site. This type of landcover is typical throughout much of the Highlands and the wider Scottish Uplands and is often associated with, and managed for, grouse and game shooting. It contributes to the open and exposed character of the upland landscapes, and while ecological diversity occurs at a detailed scale, the general appearance is of a homogenous landcover.

Sensitivity

- 8.6.3 As the dominant landcover across the Site, the heather moorlands contribute to the rough and less modified character of the landscape. While it is a relatively abundant landscape element that is not rare or recognised for its value, within the diversity at the detailed scale there are landscape elements within it which are of greater value owing to the importance of the flora and fauna. The value of the heather moorland is medium.
- 8.6.4 The susceptibility of the heather moorland is low as it occurs in abundance across the Highlands. Furthermore, the grass and heather species are sufficiently invasive to enable them to re-colonise disturbed areas.
- 8.6.5 The combination of these factors results in a **medium** sensitivity being attributed to the heather moorland on the Site.

Magnitude of Change

- 8.6.6 Changes to the heather moorland landscape element will result as a consequence of the removal of soil and vegetation from the routes of the new access tracks, and along the edge of the upgraded access tracks where widening is required, in the areas of the temporary construction compound, and the longer-term sub-station, control buildings, crane pads, turbine foundations and borrow pits.
- 8.6.7 The magnitude of change on the heather moorland element will be low as the Proposed Development will result in the removal of relatively small areas, which constitute a small proportion of this extensive landscape element. This rating has also taken into account the relative ease with which this vegetation type can re-colonise disturbed ground. The location of the turbines, tracks and other associated infrastructure have been carefully located to avoid the more sensitive habitats within this landscape element.

Significance of Effect

- 8.6.8 The physical effect of the Proposed Development on the heather moorland will be not **significant**. This is primarily due to the medium sensitivity of the landscape element, the limited proportion of the landscape element that will be affected, and the high potential for the visual mitigation of any direct effects through reinstatement of the heather moorland ground cover. Although the effect will be not significant, the nature of the effect will be adverse.

Coniferous Forestry

Baseline

- 8.6.9 Commercial forestry covers the area to the north-east of the Site, set across the strath sides to Allt Giubhas Mor and hill sides of Socach Allt Giubhais (359m AOD). It is a commercial forest of predominantly coniferous species with the crop being largely of the same age and maturity. This area has been recently felled and replanted, such that the forestry is especially young and ensuring that the landscape is predominantly open. The edges of the forest blocks are geometric and do not correspond with the more organic shape of the landform, denoting the human influence in their cultivation and management. Existing forest tracks provide access through the strath and across the hill slope to enable the management of the forest. The absence of car parking, signage or recognised routes, indicates that the recreational use of this forest is not encouraged.

Sensitivity

- 8.6.10 Coniferous forestry is a common feature in this area. The most important consideration that reduces its sensitivity to change is the fact that the forestry has been planted as a rotational, commercial crop, with the intention that it will eventually be felled and new stock replanted. It is not indigenous or naturalised woodland and does not contribute to the integrity of the landscape nor does it typify its inherent character. This is evident from the use of single species, the geometric layout of the plantations and the rotational systems of planting and clear felling which mean large areas are the same age and are likely to be felled at the same time. There is also a high potential for mitigation as the replanting of forestry is straightforward and part of standard forestry management. The coniferous forestry does, however, form a notable characteristic of the Highland landscape and provides contrast to the open moorlands on the hills.
- 8.6.11 The value of the coniferous forestry is low on account of its cultivated origins as a crop and its unnatural appearance. Its susceptibility is also low due to the relative ease with which it can be reinstated. The combination of these factors results in a low sensitivity being attributed to the coniferous forestry on the Site.

Magnitude of Change

- 8.6.12 One of the five proposed turbines will be located on the southern edge of the recently planted forestry area across Socach Allt Giubhais. The access track will follow a north to south alignment and tree felling will occur to clear a 15m corridor where the track will be routed. These areas will not be replanted during the operational life of the Proposed Development.
- 8.6.13 The removal of those areas of forestry required to be felled, will create only narrow strips of new break in the forest and the visual effect will be minimal, especially owing to the young age of the forest cover. The proportion of the forest that will be removed to accommodate the Proposed Development with respect to the wider forestry will be small. In addition, the cleared areas will not be readily visible from the surrounding low-lying landscape. Where visibility will occur from the upland landscape, the separation distance will reduce the scale of these changes and moderate the overall effect. The magnitude of change on the physical element of coniferous forestry will be low.

Significance of Effect

- 8.6.14 The physical effect of the Proposed Development on the coniferous forestry will be **not significant**. This is primarily due to the low sensitivity of the landscape element, the limited

proportion of the landscape element that will be affected, and the high potential for the mitigation of any direct effects. Although the effect will be not significant, the nature of the effect will be adverse.

Summary of Physical Effects

- 8.6.15 The principal physical effects that the Proposed Development will have on the landscape fabric of the Site are the removal of relatively small areas of heather moorland and coniferous forestry. These effects have been assessed as not significant.

Assessment of Effects on Landscape Character

- 8.6.16 Landscape character is the distinct and recognisable pattern of elements that occurs consistently in a particular type of landscape, and the way that this pattern is perceived. Effects on landscape character occur both on site, where the pattern of elements that characterises the landscape will be directly altered by the addition of the Proposed Development to the landscape; and off site, within the Study Area, where visibility of the Proposed Development may alter the way in which this pattern of elements is perceived. For example, if the Proposed Development is visible from the Ben Wyvis LCU of Rounded Hills, the perceived experience of this area may be altered as visibility of the Proposed Development introduces different contextual characteristics despite its physical location in a different and separate LCU.
- 8.6.17 The detailed methodology for the assessment of effects on landscape character is described in **Appendix 8.A** and the scope of the assessment of effects on landscape character is presented in Section 8.6.
- 8.6.18 It should be noted that levels of magnitude of change on landscape character receptors are generally found to be lower than the magnitude of change on viewpoints that lie within these landscape character areas. This means that if a viewpoint is assessed to undergo a medium-high magnitude of change it does not necessarily follow that the landscape character area within which it lies will also undergo a medium-high magnitude of change, but may undergo a medium magnitude of change instead, for example.
- 8.6.19 This is because the effects on viewpoints are assessed within the context of a specific outlook towards the Site and are usually, specifically, selected to gain a direct view over the Site. The Proposed Development is the principal consideration in the viewpoint assessment, and influences that lie in other areas of the view are considered to a lesser degree. The landscape character of a receptor is not, however, determined so specifically by the outlook over the Proposed Development, and there are many other considerations, both visual and perceptual, that combine to give an area its landscape character. This means that the degree of influence of the Proposed Development may be slightly less on landscape character than on a specific view. Viewpoints are referred to in this assessment as they do provide a useful indication of the appearance of the Proposed Development from the landscape areas, but the level of magnitude of change may vary between the viewpoint assessment and the landscape character assessment.
- 8.6.20 This is particularly true of areas that lie slightly further away from the Site. In the immediate vicinity of the Site, up to approximately 2km – the magnitude of change on viewpoints and landscape character is likely to be similar, but beyond this, the magnitude of change on landscape character is usually found to diminish more rapidly as the influence of turbines are subsumed in the many other influences on landscape character.

Assessment of Effects on Landscape Character Types / Units

- 8.6.21 The first group of receptors covered in the assessment of effects on the landscape character is the LCTs that cover the Study Area as shown in **Figure 8.2** and shown in conjunction with the ZTV presented in **Figure 8.9**.
- 8.6.22 It should be noted that many of the LCTs included in the assessment cover several areas that are geographically separate, and the effects of the Proposed Development can, therefore, vary widely across each LCT, as well as across the LCU subsets of each LCT. The distinction within single LCUs, where effects may be significant and where effects will not be significant, is of particular importance in the assessment, and where this is the case, the assessment describes in detail the boundaries which separate these areas.
- 8.6.23 Section 8.6: Scope of the Assessment identifies those LCUs that require detailed assessment. This judgement has been based on information presented in the Scoping Report, information shown on the ZTV in **Figures 8.9** and **8.13**, wirelines and site work. The potential for significant landscape effects is reduced by the presence and characterising influence of the 40 operational turbines located on adjacent sites, especially with respect to the potential effects on middle to distant range receptors.
- 8.6.24 The conclusion from Section 8.6 is that four LCUs have potential to undergo significant effects as a result of the Proposed Development. These are:
- Rounded Hills: Ben Wyvis LCU;
 - Rounded Hills: Lochluichart LCU;
 - Rounded Hills: Inchbae LCU; and
 - Undulating Moorland: Aultguish LCU.
- 8.6.25 The effect on each of these LCUs is assessed below. The other LCTs and LCUs that cover the Study Area were found through the preliminary assessment to not have the potential to undergo a significant effect and have, therefore, not been assessed in any further detail.

Rounded Hills LCT***Baseline***

- 8.6.26 Rounded Hills is one of the most extensive LCTs in the Study Area. The Proposed Development and the Operational Wind Farms are all located in this LCT. The key characteristics of this LCT, as set out in the LCA, are as follows:
- Large scale hills with broad convex summits and upper slopes and steep convex lower slopes;
 - The broad bases of the hills relative to their height, gives them an appearance of bulk and mass;
 - The hills often appear as a range owing to their similar form and merging ridgelines, despite variation in the height of individual summits;
 - Heather ground cover adds to the smooth profile of the hills and emphasises their simple form;
 - The rounded hills often merge with the intermittent broad straths and reservoirs which often occupy them;
 - Roads are routed along the base of the hills; and

- Coniferous woodland plantations occur on many of the lower slopes, close to the roads.

8.6.27 In order to assist the assessment process, the following three LCUs have been identified as sub-sets of the wider LCT; Ben Wyvis, Lochluichart and Inchbae.

Rounded Hills LCT – Ben Wyvis LCU

Baseline

- 8.6.28 The Ben Wyvis LCU of the Rounded Hills LCT comprises the highest summits of this LCT in the Study Area. The LCU sits to the east of the Proposed Development and while the LCU extends further east to the Cromarty Firth, it is the high ridgeline through Tom a Choinnich (953m AOD), Ben Wyvis (1046m AOD), An Cabar (946m AOD), Little Wyvis (764m AOD) and the hill slopes to the north-west of this ridgeline, that are of relevance to this assessment.
- 8.6.29 The Ben Wyvis LCU is generally representative of the baseline characteristics of the Rounded Hills LCT listed above. The hills are large in scale and mass and collectively form a range that is characterised by a long and convex ridgeline aligned north-east to south-west. The summit is covered by a rare and fragile carpet of moss which is susceptible to erosion by the thousands of hill walkers who climb this range each year. Heather moorland forms a blanket covering across the hill slopes, with geometric blocks of coniferous plantation clothing the lower slopes and burns incising narrow glens down the hill sides.
- 8.6.30 The height, breadth and openness of these hills, increases the extent to which the surrounding landscapes influence the character of this landscape and vice versa. The ridgeline forms a very prominent feature across the wider landscape and Ben Wyvis is an iconic landmark hill, especially in views from the Black Isle and Inverness area to the south-east.
- 8.6.31 While there are no wind farm developments in the Ben Wyvis LCU of the Rounded Hills LCT, Novar Wind Farm is located in the adjacent LCU of the Rounded Hills LCT, to the east of Loch Glass. Although also outwith this LCU, the Operational Wind Farms form a notable indirect influence on the character of the Ben Wyvis LCU. Seen between a range of 8km and 12km, these developments are set in the relatively low-lying landscape between the Sgurr Mor range to the west and the Ben Wyvis range to the east. These developments comprise 40 turbines in total, which collectively appear as a single large-scale wind farm.
- 8.6.32 Other than the A835, which follows the narrow valley of the Black Water at the western base of Ben Wyvis, access into this LCU is limited to tracks. Forest tracks extend up the western slopes with a single track leading to the summit of Little Wyvis (763m AOD) and another leading to the telecommunications mast on Meall Ruighe an Fhirich (432m AOD). Well defined paths provide access onto the Ben Wyvis range, while north and north-east of the main ridgeline, there is a greater sense of remoteness.
- 8.6.33 Settlement in the LCU is very sparse with isolated farms and small clusters of houses occurring adjacent to roads in sheltered valleys. Most settlement is located in the adjoining Narrow Farmed Strath to the south, while the majority of the wider upland area is uninhabited. From the Ben Wyvis ridgeline, the developed character of the Cromarty Firth area is evident, most notably owing to the presence of oil rigs and platforms in the firth, as well as small dispersed settlements over the Black Isle.

Sensitivity

- 8.6.34 The value of this LCU is medium-high. Although it is not covered by any national landscape designations, it lies within the Ben Wyvis SLA which signifies the regional value of the hills. The scale of the Ben Wyvis range, combined with its association with the mountain ranges to the north and west, adds to the value of this landscape.
- 8.6.35 The susceptibility of this LCU to the Proposed Development is medium. While there are no wind farm developments in this LCU, there are wind farm developments in the wider Rounded Hills LCT to the east and the west, with the cluster of the Operational Wind Farms to the west having a notable indirect influence on the landscape character of parts of the Ben Wyvis LCU. The presence of these turbines makes wind farm development an established part of the baseline context. Furthermore, the presence of oil rigs and platforms in the Cromarty Firth also has an influence on landscape character, by adding to the extent of human artefacts surrounding this landscape.
- 8.6.36 The combination of the value and the susceptibility of the Ben Wyvis LCU, leads to an overall **medium-high** sensitivity.

Magnitude of change

- 8.6.37 The ZTV in **Figures 8.9** and **8.13** shows that theoretical visibility of the Proposed Development from the Ben Wyvis LCU will be concentrated in two patches across the west of the LCU; a northern patch centring on Ben Wyvis and a southern patch centring on Little Wyvis. The eastern extent of visibility will be marked by the ridgeline through the summits, with visibility then extending down the north-west facing slopes of both Ben Wyvis and Little Wyvis. The ZTV and wirelines indicate that all five proposed turbines will be visible from the middle to upper slopes of the LCU, while fewer turbines will be visible from the lower slopes and none visible from the lowest and more enclosed hill slopes of Garbat Forest adjacent to the A835. As shown in **Figure 8.15**, these five turbines will be seen in conjunction with the Operational Wind Farms, such that they will not be introducing visibility into parts of the LCU where visibility of this type of development does not already occur.
- 8.6.38 The turbines will be located approximately 13km from the ridgeline and approximately 8km from the lower slopes of the Ben Wyvis LCU, although actual visibility across the lower slopes will be reduced by the enclosure of commercial forestry. The five turbines will be sited to the north of the Operational Wind Farms in the Lochluichart LCU of the Rounded Hills LCT. They will be set within the same undulating moorland as the Operational Wind Farms, where the level and shape of the landform and the landcover appear continuous. Their vertical extents will be contained by the backdrop of the foothills to the west and set well below the dramatic skyline of the larger Sgurr Mor range further west. These factors will moderate the magnitude of change.
- 8.6.39 The Proposed Development will give rise to a slight increase in the horizontal extent of turbines, although this increase will be accommodated within the same, well-defined landscape as the Operational Wind Farms. This will reinforce the existing association between the Lochluichart LCU and wind farm development and will prevent the spread of this type of development into other LCUs. From the elevated Ben Wyvis LCU, the proposed turbines will mostly be seen at their full heights. The blade lengths will be 21.5m longer than those of the operational turbines, and while this variation may be visually apparent, in terms of its influence on landscape character, from this distance of 8 to 13km, this variation will not be notable.
- 8.6.40 The close proximity, similar scale and similar arrangement of the proposed turbines will identify them as an extension to the Operational Wind Farms and the general continuity in

appearance will moderate the indirect influence that the Proposed Development will have on the landscape character of the Ben Wyvis LCU, despite their slightly larger scale.

- 8.6.41 The magnitude of change during the operational stage will be **medium-low**. The Proposed Development will occur in a LCU where wind farm development already occurs and, therefore, will only add to the existing and indirect influence that the Operational Wind Farms have on the baseline character of the Ben Wyvis LCU. The design of the Proposed Development ensures it remains contained within the Lochluichart LCU, with well-spaced turbines, in a layout that appears well integrated with the operational turbines. Furthermore, the small number of additional turbines in proportion to the large number of operational turbines will limit the effect, despite the slight increase in scale.
- 8.6.42 The magnitude of change during the construction stage will be **medium-low**. While the presence and activity of tall cranes and emerging turbines will form a notable feature, the separation distance between the Proposed Development and the middle to upper slopes of the LCU, from where visibility will occur, combined with the existing influence of the operational turbines, will moderate the magnitude of change. The Proposed Development will appear as a relatively small-scale feature, with five additional turbines seen set in a context where 40 operational turbines have an existing influence.

Significance of effect

- 8.6.43 The effect of the Proposed Development will be not significant during both the short-term construction stage and during the long-term operational stage. The not significant effect will relate to the magnitude of change, which, during the operational stage will be limited principally by the separation distance, as well as the relatively small number of additional turbines and their association with the operational turbines, which already have an indirect influence on the baseline character of the Ben Wyvis LCU. During the construction stage, while the presence and activity of tall cranes and the emergence of the turbines will form an apparent feature, they will not redefine the character of the Ben Wyvis LCU, owing largely to the separation distance and the influence of the Operational Wind Farms. The nature of all effects will be adverse.

Significance of the in-conjunction cumulative effect (November 2020)

- 8.6.44 Cumulative effects will relate to the Proposed Development in conjunction with the Operational Wind Farms. The plan of Cumulative Wind Farms in **Figure 8.14** and Cumulative ZTVs in **Figures 8.15 to 8.21**, show that, other than the Operational Wind Farms, no other operational, under construction or consented wind farms will have a notable influence on the cumulative effect experienced from the Ben Wyvis LCU. While operational wind farms, Auchmore, Novar and Extension, Fairburn, Beinn Tharsuinn and Extension and Coire na Cloiche will have inter-visibility with the Proposed Development, the separation distances of these wind farms from the Proposed Development limits their influence on the cumulative baseline.
- 8.6.45 The Cumulative ZTV in **Figure 8.15** shows the extent to which visibility of the Proposed Development coincides with visibility of the Operational Wind Farms. The Proposed Development will add visibility of wind farm development to very small localised areas, the most notable being an additional band across Garbat Forest where the enclosure of the trees will prevent any indirect influence on landscape character. Where the Proposed Development will add to visibility of the Operational Wind Farms, it will be seen to increase the horizontal extent of turbines to the north, albeit by a small proportion of the existing horizontal extent. The horizontal angle ZTV in **Figure 8.8b** shows that the Proposed Development will typically occupy 1 to 5 degrees of the full 360-degree context. Located 8

to 13km from the Proposed Development, the cumulative magnitude of change will be **low** and the in-conjunction cumulative effect will be **not significant**.

Scenario 1: Significance of the in-conjunction cumulative effect

- 8.6.46 Scenario 1 cumulative effects will relate principally to the Proposed Development in conjunction with application stage Kirkan Wind Farm. The plan of Cumulative Wind Farms in **Figure 8.14** and Cumulative ZTVs in **Figures 8.15** to **8.21**, show that, other than the Operational Wind Farms and Kirkan Wind Farm, no other under construction, consented or application stage wind farms will have a notable influence on the cumulative effect experienced from the Ben Wyvis LCU. While application stage Strathrory and Meall Buidhe Wind Farms will have inter-visibility with the Proposed Development along the ridgeline, the separation distance of Strathrory at approximately 18km to the north-east, where it will be seen beyond Novar and in a cluster with Beinn Tharsuinn, and the separation distance of Meall Buidhe at approximately 23km to the north, will limit their influence on the cumulative baseline.
- 8.6.47 The Cumulative ZTV in **Figure 8.16** shows the extent to which visibility of the Proposed Development coincides with visibility of application stage Kirkan Wind Farm, which comprises 17 turbines with a blade tip height of 175m, set to the east of the proposed turbines. Kirkan Wind Farm is, therefore, closer to the Ben Wyvis LCU than the Proposed Development, set within a range of approximately 9 to 11km.
- 8.6.48 The addition of the five proposed turbines to a cumulative context characterised by 57 application and operational turbines will give rise to a **low** cumulative magnitude of change. This reflects the close proximity of the proposed turbines to the operational turbines which will ensure it appears as an extension, the concentration of this type of development within this lower-lying landscape and the small number of turbines being added to a larger group. The in-conjunction cumulative effect for Scenario 1 will be **not significant**.

Rounded Hills LCT – Lochluichart LCU

Baseline

- 8.6.49 The Lochluichart LCU of the Rounded Hills LCT comprises the group of hills to the west of the Ben Wyvis LCU of the Rounded Hills LCT, to the east of the Sgurr Mor LCU of the Rugged Mountain Massif LCT, to the south of Loch Glascarnoch and to the north of Loch Luichart. The hills are substantially lower than those to the west and east, with heights rising from Creag Mhor (384m AOD) in the south-east to Beinn Liath Mhor (766m AOD) in the north-west. The Site lies within the watershed of Loch Glascarnoch to the north, while the remainder of the LCU drains towards Loch Fannich to the west or Loch Luichart to the south.
- 8.6.50 The lower lying and less steeply sloping nature of the undulating landform around the northern, eastern and southern margins of this LCU has led to the wider establishment of commercial forestry plantations, replacing parts of the open heather moorland with enclosed coniferous plantations. In contrast, open heather moorland landscapes prevail across the remaining core and western parts of the LCU. The eastern part of the LCU has been developed for the Operational Wind Farms, which has required the removal of substantial parts of the Corriemoillie Forest. Collectively, the 40 turbines form a prominent and influential feature on the eastern edge of this LCU. Both forestry and wind farm developments have increased the extent of access tracks in this area, the tracks across the open heather moorland forming notable features, especially when experienced from surrounding uplands.

- 8.6.51 While the local area is directly and indirectly influenced by the presence of the Operational Wind Farms, by contrast, the wider landscape presents a largely undeveloped context. There is enclosure from the foothills to the immediate west of the Site, and the jagged skyline of the Rugged Mountain Massif LCT that sits behind these, and enclosure from the smooth skyline of the Rounded Hills LCT to the east. These hills visually contain this area and create an attractive upland setting to what often appears as a 'lowland bowl'.

Sensitivity

- 8.6.52 The value of this LCU is medium. This LCU of the Rounded Hills LCT is not subject to any regional or national landscape designations, which would otherwise denote a recognised scenic value. In the context of larger scale, less modified and more impressive hills and mountains, this lower-lying and partly afforested LCU has a comparatively lesser value.
- 8.6.53 The susceptibility of this LCU to the Proposed Development is medium-low. The Operational Wind Farms already have a direct and indirect influence on landscape character owing to their location in this LCU. The presence of these developments moderates the susceptibility of the LCU to the Proposed Development by establishing wind farm development as a part of the baseline character.
- 8.6.54 The combination of the medium value and the medium susceptibility gives rise to an overall **medium** sensitivity.

Magnitude of change

- 8.6.55 The ZTV shows visibility of the Proposed Development will largely be concentrated as a patch on the eastern edge of the LCU where the operational and proposed turbines are located. This patch extends from Loch Glascarnoch in the north to the ridgeline to the north of Loch Luichart formed by Creag Mhor (384m AOD) and Beinn a Bhric (442m AOD), albeit with a patch of no visibility centred around the location of the Operational Schemes. Where visibility occurs, it mostly comprises all five proposed turbines, with some small patches occurring where fewer turbines will be visible. While the main patch of visibility occurs in the eastern part of the LCU, smaller patches, mostly of lower levels of visibility occur across the facing hill slopes within approximately 5km to the north-west and west and between 5 and 18km to the south-west.
- 8.6.56 The comparative ZTV in **Figure 8.15** shows where visibility of the Proposed Development is being introduced and where visibility of the Operational Wind Farms already occurs. The exceptions to this pattern of combined visibility occur around the Operational Schemes, where no visibility of the Proposed Development occurs, and along parts of the southern shores of Loch Glascarnoch and Loch Fannich, where visibility of only the proposed turbines occurs. The ZTV in **Figure 8.6b**, shows that visibility from the loch shores will typically comprise 1 to 3 turbines and these will be set behind intervening landform.
- 8.6.57 As shown in **Figure 8.9**, the northern part of the patch of visibility coincides with where the proposed turbines will be located. Although the effect on this part of the Lochluichart LCU will be direct, the existing influence of operational turbines to the immediate south means there is already a close-range influence from wind farm development. This existing influence, combined with the small number of turbines being added and the similarities in their location and appearance, despite the slight increase in scale, will moderate the magnitude of change, such that, during the operational stage, it will not rise above **medium**.
- 8.6.58 The Operational Wind Farms are located in the southern part of the patch of visibility, such that they already have a notable influence on landscape character. The Proposed Development will be located to the north, such that it will have an indirect effect on this part

of the Lochluichart LCU. The Proposed Development will be set behind the closer range, and therefore, more prominent turbines of the Operational Wind Farms. Whilst it will add to the extent of wind farm development, the indirect effect of the Proposed Development, compared to the direct effect of the Operational Wind Farms, will moderate the magnitude of change in this southern part of the patch of visibility, such that the rating will be **medium-low**.

- 8.6.59 During the construction stage, the magnitude of change will be higher than during the operational stage, owing to the additional impact of tall cranes, as well as the presence and activity associated with the emerging wind turbines, tracks, borrow pits, substation and control building, all to be located within this LCU. Despite these artefacts already existing within this eastern part of the LCU, their extension into the north-east corner, where the effects will be direct, will give rise to a **medium-high** magnitude of change. The magnitude of change across the close range south-eastern part of the LCU, where visibility will arise, will be **medium**. This is because in these areas there will be a greater existing influence from the Operational Wind Farms and the effects of construction will be indirect.
- 8.6.60 These construction and operational effects will be concentrated in the eastern part of this LCU, while the effects across the wider extent of the LCU to the west will be low or negligible owing to a combination of the very limited extent of visibility as shown in **Figure 8.9**. and the existing influence of the Operational Wind Farms, where visibility does arise.

Significance of effect

- 8.6.61 The effect of the Proposed Development on the character of the Lochluichart LCU of the Rounded Hills LCT will be **significant** during the construction stage and **not significant** during the operational stage. During the construction stage the direct effects on the north-eastern part of the LCU where the construction will occur will give rise to significant effects, albeit for the short-term of the construction stage and only within this north-eastern part of the LCU. During the operational stage, the lesser effect of the Proposed Development, combined with the existing influence of the Operational Wind Farms will moderate the overall effect and prevent a significant effect from arising. The nature of all effects will be adverse.

Significance of the in-conjunction cumulative effect

- 8.6.62 Cumulative effects will relate principally to the Proposed Development in-conjunction with the Operational Wind Farms. The plan of Cumulative Wind Farms presented in **Figure 8.14** and the Cumulative ZTVs in **Figures 8.15 to 8.21** show that other than the Operational Wind Farms, no other operational or consented wind farms will have a notable influence on the cumulative effect experienced from the Lochluichart LCU.
- 8.6.63 The Cumulative ZTV in **Figure 8.15** shows the extent to which visibility of the Proposed Development coincides with visibility of the Operational Wind Farms. Across the majority of the Lochluichart LCU, visibility of the Proposed Development will not only be seen in-conjunction with one or more of the Operational Wind Farms, but their influence will also be close range with the turbines appearing large in scale. The exception will occur across small patches to the north-west of the Proposed Development, on the southern side of Loch Glascarnoch. Reference to the ZTV in **Figure 8.6b** indicates that these small areas of additional visibility will comprise only a small number of turbines and this will moderate the additional effect.
- 8.6.64 The cumulative magnitude of change will be **medium-low** as the Proposed Development will have an influence across a similar extent to where an existing influence from the Operational Wind Farms occurs. In those areas of additional visibility, the extent to which

the Proposed Development will be visible will be limited both in terms of extent as well as levels of visibility. Although the Proposed Development will increase the extent of wind farm development in this LCU, the Proposed Development has been designed to ensure it integrates well with the landscape and the Operational Wind Farms. The existing influence of the Operational Wind Farms will moderate the cumulative effect, such that the addition will lead to a **not significant** cumulative effect.

Scenario 1: Significance of the in-conjunction cumulative effect

- 8.6.65 Scenario 1 cumulative effects will relate principally to the Proposed Development in-conjunction with the Operational Wind Farms and Kirkan Wind Farm. The plan of Cumulative Wind Farms presented in **Figure 8.14** and the Cumulative ZTVs in **Figures 8.15 to 8.21** show that other than the Operational Wind Farms and Kirkan Wind Farm, no other operational, consented or application wind farms will have a notable influence on the cumulative effect experienced from the Lochluichart LCU.
- 8.6.66 The Cumulative ZTV in **Figure 8.16** shows the extent to which visibility of the Proposed Development coincides with visibility of Kirkan Wind Farm. Across the majority of the Lochluichart LCU, visibility of the Proposed Development will be seen in-conjunction with Kirkan Wind Farm, as well as one or more of the Operational Wind Farms. The location of these turbines in or adjacent to the Lochluichart LCU means that their turbines will appear large in scale and that they will have a strong influence on the cumulative context. It is in this context that the addition of the five proposed turbines will have a limited effect as they will form only a small proportion of the wider extent of wind farm development. The Scenario 2 cumulative magnitude of change will be **medium-low** and the addition will lead to a **not significant** cumulative effect.

Rounded Hills – Inchbae LCU

Baseline

- 8.6.67 The Inchbae LCU of the Rounded Hills LCT lies to the north, north-east and north-west of the Proposed Development. It comprises a series of hill ridges and straths aligning north to south, with Strath Vaich to the west and Strath Rannoch to the east. The central hill ridge is also the biggest in this LCU, formed between Beinn a Chaisteil (787m AOD) (Viewpoint 8) to the north and Meall a Ghrianain (772m AOD) to the south. These hills are steeply sloping and form a strong enclosure to Loch Vaich to the west. In contrast, the foothills to the east drop down in height and the contours widen to create a water shed that feeds east into Abhainn na Glass.
- 8.6.68 To the west of Strath Vaich and the north of Loch Glascarnoch, the rounded hills are open and their height ranges from approximately 400m to 750m. To the north, the height of the land continues to build from approximately 750m to 950m and these steeply sided hills form the eastern foothills to Beinn Dearg, with the ridge between Meallan Ban (882m AOD), Am Faochagach (954m AOD) and Meall Gorm (885m AOD) forming the highest points.
- 8.6.69 Whilst not as iconic or popular for walking as the Ben Wyvis range to the south-east, or the Beinn Dearg range to the north-west, there is a broad extent of land in this area which is mostly unmodified and largely remote. Access tracks extend from the A835 in the south, through Strath Rannoch and Strath Vaich, with the latter extending north-east through the hill range to connect with Glen Calvie 20km further on, on the opposite side of this upland area.
- 8.6.70 In Strath Rannoch and Strath Vaich, the influences on character are mostly contained within the straths by the steep hill sides. With increase in elevation, the extent of the associations

with other landscapes increases, and whilst these hills are not the most scenic in the area, their landscape character is influenced by the presence of Beinn Dearg to the north, Ben Wyvis to the south-east and Sgurr Mor to the west, which collectively form an impressive mountain setting around these hills.

- 8.6.71 Present to the south and south-west of this LCU are the Operational Wind Farms. These appear associated with the lower lying hills to the south of Loch Glascarnoch and this reduces their prominence in the wider landscape. The 40 turbines appear as one large wind farm and form one of the most notable modern features present in this largely undeveloped upland landscape, noting also the human influences evident in Glascarnoch Dam and commercial forestry plantations.

Sensitivity

- 8.6.72 The value of this LCU is medium-high. Although the area around Strath Rannoch is excluded from SLA designation, the Fannichs, Beinn Dearg and Glen Calvie SLA extends far enough south-east to cover most of Strath Vaich. It is an area where the landscape has remained largely unmodified apart from the loss of native woodland in the straths, the introduction of the Loch Vaich dam and the presence of occasional access tracks.
- 8.6.73 The susceptibility of this LCU to the Proposed Development ranges from medium, along the closer-range southern edge, to medium-low, in the interior of this hill group. The hills along the southern edge have a closer association with the hills to the south, where the Proposed Development will be located, owing to the orientation of the southern slopes in this direction. The hills to the north are further removed from Loch Glascarnoch and the low hills to the south and are more closely associated with the intermediate straths and surrounding upland areas.
- 8.6.74 The value of the LCU and its susceptibility to the Proposed Development, leads to an overall sensitivity which is **medium-high** in the south of the LCU and medium in the north.

Magnitude of change

- 8.6.75 The ZTV shows that visibility will be concentrated along the south-western edge of the LCU adjacent to the northern shore of Loch Glascarnoch. There will also be a broad band of visibility extending over the lower hills to the east of the LCU and a narrow band extending along the higher central hill ridge which extends north to Beinn a Chaisteil. The comparative ZTV in **Figure 8.15** highlights that visibility of the Proposed Development largely coincides with the extent to which the operational turbines are already visible.
- 8.6.76 Theoretical visibility of all five turbines is shown on the ZTV in **Figure 8.9** to occur along the northern edge of the A835 and Loch Glascarnoch. This will be relatively close range in parts, with the Proposed Development situated between approximately 2km and 13km. The five additional turbines will be located to the north of the existing turbines, making them closer to the Inchbae LCU, albeit seen as an extension to the existing group and associated through their close location and similar appearance.
- 8.6.77 The magnitude of change along this southern edge of the LCU from Meall an Torcain (536m AOD) to Black Bridge in the east, will be **medium-low** during the operational stage. During the construction stage, when tall cranes and other heavy plant will be visible, along with the emergence of the turbines, the magnitude of change will be heightened to medium. These ratings apply to the first tier of hills along the southern edge of the LCU, which have a closer association with the hills to the south where the Site is located.
- 8.6.78 Beyond the first tier of hills, the influence on landscape character is derived primarily from the interior of this LCU, with the lower hills to the south forming more of a background

feature. The ZTV shows how there will be no visibility of the Proposed Development from the straths but shows how visibility will extend over the lower hills to the east of the LCU and higher central ridgeline.

- 8.6.79 During the operational stage, the magnitude of change in the interior of the LCU will be **low** for the following reasons. Firstly, the Proposed Development will be located beyond 5km and this will reduce its scale in the landscape. Secondly, the predominant north to south alignment of the landscape means the hill ridges associate more closely with the landscapes to the west and east, rather than the south where the Proposed Development will be located. Thirdly, the Proposed Development will be located in the same sector and immediately adjacent to the Operational Wind Farms and this will mean it will only add to an existing influence of wind farm development and not create a new influence. While the larger scale of the proposed turbines will be visually apparent, the influence of this variation will not be sufficient to increase the magnitude of change above a low rating.
- 8.6.80 During the construction stage, the magnitude of change in the interior of the LCU will be **medium-low**. Owing to the separation distance and the existing influence of the operational turbines, the presence and activity of cranes and the emergence of the proposed turbines will have a limited influence, despite the location of the construction works on the northern side and to the fore of the operational turbines.

Significance of effect

- 8.6.81 The effect of the Proposed Development on the Inchbae LCU of the Rounded Hills LCT will be **significant** along the southern edge of the LCU during the construction stage and **not significant** for all remaining parts during the construction stage. There will be no significant effects across any part of the LCU during the operational stage. This finding relates to the close proximity of the southern edge of the LCU to the proposed turbines and how their location to the north of the existing turbines will bring wind farm development closer to the LCU. Beyond the southern edge, the greater distance from the proposed turbines, combined with weaker association with the lower hills where the Proposed Development will be located, will moderate the effect. The nature of all effects will be adverse.

Significance of the in-conjunction cumulative effect

- 8.6.82 Cumulative effects will relate to the Proposed Development in-conjunction with the Operational Wind Farms. The plan of Cumulative Wind Farms presented in **Figure 8.14** and Cumulative ZTVs presented in **Figures 8.15 to 8.21** show that other than the Operational Wind Farms, no other operational or consented wind farms will have a notable influence on the cumulative effect experienced from the Inchbae LCU.
- 8.6.83 The Cumulative ZTV in **Figure 8.15** shows the extent to which visibility of the Proposed Development coincides with visibility of the Operational Wind Farms. The Proposed Development will add visibility of wind farm development to a small patch midway along Strath Vaich and to a more notable band across the northern end of Loch Glascarnoch. Reference to the ZTV in **Figure 8.9** shows that in both these examples, the additional visibility is typically of only two or three of the proposed turbines. Furthermore, wirelines from these areas indicate that these turbines will not be seen to their full extent. Where the Proposed Development will add to visibility of the Operational Wind Farms, it will be seen to occupy much the same horizontal extent as the operational turbines. These factors moderate the cumulative magnitude of change.
- 8.6.84 The cumulative magnitude of change will be **medium-low** as the Proposed Development will have an influence across a similar extent to where an existing influence from the Operational Wind Farms occurs. While the Proposed Development will marginally increase

the proximity of wind farm relative to the Inchbae LCU, this addition will lead to a **not significant** cumulative effect. This is because only five turbines will be added to an existing group of 40 and will be seen contained within the same LCU as the operational turbines.

Scenario 1: Significance of the in-conjunction cumulative effect

- 8.6.85 Scenario 1 cumulative effects will relate principally to the Proposed Development in conjunction with application stage Kirkan Wind Farm. The plan of Cumulative Wind Farms in **Figure 8.14** and Cumulative ZTVs in **Figures 8.15 to 8.21**, show that, other than the Operational Wind Farms and Kirkan Wind Farm, no other under construction, consented or application stage wind farms will have a notable influence on the cumulative effect experienced from the Inchbae LCU.
- 8.6.86 The Cumulative ZTV in **Figure 8.16** shows the extent to which visibility of the Proposed Development coincides with visibility of application stage Kirkan Wind Farm, which comprises 17 turbines with a blade tip height of 175m, set to the east of the proposed turbines. The alignment of Kirkan Wind Farm at the southern end of Strath Vaich leads to a pattern of visibility which extends across both the western and eastern hills of the strath. In contrast, visibility of the proposed development is more concentrated on the eastern hills, although extending over both western and eastern hills in the southern part of the LCU.
- 8.6.87 The addition of the five proposed turbines to a cumulative context characterised by 57 application and operational turbines will give rise to a **low** cumulative magnitude of change. This reflects the close proximity of the proposed turbines to the operational turbines which will ensure they appears as an extension, the concentration of this type of development within this lower-lying landscape to the south of Inchbae LCU and the small number of turbines being added to a larger group. The in-conjunction cumulative effect for Scenario 1 will be **not significant**.

Undulating Moorland – Aultguish LCU

Baseline

- 8.6.88 The Aultguish LCU of the Undulating Moorland LCT comprises a small pocket of land to the immediate east of the Proposed Development. The LCU is bounded by the A835 and River Glascarnoch to the north, the extension of the Inchbae LCU of the Rounded Hills LCT to the east, the Lochluichart LCU of the Rocky Moorland LCT to the south and the Lochluichart LCU of the Rounded Hills to the west. This area is subtly distinct from its surroundings by its lower and more gently undulating landform. It comprises mostly open moorland, with broad coniferous plantations around the margins and an area of mixed woodland to the east of the low hill Sithean nan Cearc.
- 8.6.89 An old Drover's Route crosses this landscape, extending from Aultguish Inn in the north, to Strath Garve in the south (as represented by Viewpoint 4). Apart from this track and the forestry, there are few other modifications evident in this LCU. Whilst the landform of this LCU is unremarkable in comparison to the surrounding hills and mountain ranges, it nonetheless, forms a part of the setting to these surrounding upland landscapes.
- 8.6.90 While the Operational Wind Farms do not extend into this LCU, they occur close to the western boundary, with Corriemoillie located especially close to the south-west of the LCU. There is, therefore, an existing influence on landscape character across much of this LCU owing to these close range operational turbines.

Sensitivity

- 8.6.91 The value of this LCU is medium. It is not covered by any regional or national landscape related designations, although it does lie west of the Ben Wyvis SLA, and south and west of the Fannichs, Beinn Dearg and Glen Calvie SLA.
- 8.6.92 The susceptibility of this LCU to the Proposed Development is medium. The Comparative ZTV in **Figure 8.15** shows that there is already visibility of the operational turbines across much of this LCU and this reduces the susceptibility of the landscape character to the proposed turbines. The LCU is, nonetheless, in close proximity to the Proposed Development, and the low landform increases the susceptibility of the Aultguish LCU to be influenced by the indirect effects of the Proposed Development.
- 8.6.93 The value of the LCU and its susceptibility to the Proposed Development, leads to an overall medium sensitivity.

Magnitude of change

- 8.6.94 The ZTV in **Figure 8.9** shows theoretical visibility of the Proposed Development covers much of this small LCU, with the exception of some small patches where landform is orientated away from the proposed turbines. Actual visibility will largely correlate with theoretical visibility apart from where the area of mixed woodland occurs, and views will be enclosed. It shows that visibility will mostly be of all five turbines, and these will be visible at a range of approximately 0.6km to 4.7km.
- 8.6.95 During the construction stage, the presence of tall cranes and other heavy plant, combined with the presence of the emerging turbines, construction compounds and the movement of transporters on and off the Site, will lead to a **medium** magnitude of change across the LCU. The construction works will be located in close proximity to the development of the Operational Wind Farms, and while this association will moderate the effect, from the close ranges of approximately 0.6km to 4.7km, the presence and activity of the tall cranes and emerging turbines in an otherwise undeveloped wider landscape, will add to the influence of development over the Aultguish LCU.
- 8.6.96 During the operational stage, once the construction of the turbines and associated infrastructure is complete, the prominence of the Proposed Development will be reduced. It will no longer appear distinct from the Operational Wind Farms but instead will appear as an integral part. Consistency in appearance will be achieved by the similarities in the location and layout of the proposed and operational turbines, although the larger scale of the proposed turbines will be readily evident from such close ranges and will present a degree of discord. While the overall extent of the group will be increased, the additional extent formed by the five proposed turbines will form a small proportion of the overall group of 40 turbines. This incremental increase will moderate the magnitude of change to **medium-low**.

Significance of effect

- 8.6.97 The effect of the Proposed Development on the character of the Aultguish LCU will be **significant** over the short-term of the construction stage, owing largely to the proximity of the construction works and **not significant** over the long-term of the operational stage, owing to the integration of the proposed turbines with the operational turbines. The nature of both the significant and not significant effects will be adverse.

Significance of the in-conjunction cumulative effect

- 8.6.98 The three closest range wind farms to this LCU are the Operational Wind Farms. These wind farms form a cluster that gives the appearance of a single development, comprising 40 turbines, all 125m in height to blade tip. The addition of the five proposed turbines to the immediate north of the group will appear as an extension from this LCU and increase the horizontal extent of the collective group. The Proposed Development will contain wind farm development within a landscape where wind farm development is already a characterising feature and where the northern extent provides sufficient capacity to accommodate the additional turbines.
- 8.6.99 Taking these factors into account, the cumulative magnitude of change on the Aultguish LCU will be **medium-low** and the cumulative effect will be not significant. The addition of the Proposed Development will not notably alter the landscape character of the Aultguish LCU when considered within the cumulative context.

Scenario 1: Significance of the in-conjunction cumulative effect

- 8.6.100 Scenario 1 cumulative effects will relate principally to the Proposed Development in-conjunction with the Operational Wind Farms and application stage Kirkan Wind Farm. The plan of Cumulative Wind Farms presented in **Figure 8.14** and the Cumulative ZTVs in **Figures 8.15** to **8.21** show that other than the Operational Wind Farms and Kirkan Wind Farm, no other operational, consented or application wind farms will have a notable influence on the cumulative effect experienced from the Aultguish LCU.
- 8.6.101 The Cumulative ZTV in **Figure 8.16** shows the extent to which visibility of the Proposed Development coincides with visibility of Kirkan Wind Farm. Across the majority of the Aultguish LCU, visibility of the Proposed Development will be seen in-conjunction with visibility of Kirkan Wind Farm, as well as one or more of the Operational Wind Farms. The location of these turbines in or adjacent to the Aultguish LCU means that their turbines will appear large in scale and that they will have a strong influence on the cumulative context. It is in this context that the addition of the five proposed turbines, at a greater range from the Aultguish LCU compared to the application and operational turbines, will have a limited effect as they will form only a small proportion of the wider extent of wind farm development. The Scenario 2 cumulative magnitude of change will be low and the addition will lead to a not significant cumulative effect.

Assessment of Effects on Designated Landscapes and Wild Land Areas

- 8.6.102 The second group of receptors covered in the assessment of effects on landscape character includes designated landscapes and Wild Land Areas that occur in the Study Area, as shown in **Figures 8.3** and **8.4** and shown in conjunction with the ZTV in **Figures 8.10** and **8.11**.
- 8.6.103 The Scope of the Assessment, as set out in Section 8.6, identifies that the Ben Wyvis SLA requires detailed assessment.

Ben Wyvis SLA

Baseline

- 8.6.104 Ben Wyvis SLA is a relatively small SLA, centred on the rounded summits and foothills of the Ben Wyvis mountain range, extending from Loch Glass in the north-east to Little Wyvis in the south-west. The SLA excludes the lower western flanks of the hills on account of the presence and influence of commercial forestry, although it is noted in the citation that improvements to the structure and amenity value of these forests could lead to a future enlargement of the SLA through their inclusion.

- 8.6.105 The Ben Wyvis SLA comprises an area of largely undeveloped and unmodified land. The boundaries have been drawn to exclude the peripheral forestry plantations, as well as the mast on Meall Ruighe an Fhirich (432m AOD) to the south-west. Human modifications are limited to occasional tracks, shielings and ownership boundaries marked by stone dykes or post and wire fences.
- 8.6.106 While there are few direct human influences on the character of the Ben Wyvis SLA, there are a number of indirect influences, the most obvious being the Operational Wind Farms to the west, Novar and its Extension to the east and Fairburn to the south-east. The cluster created by the wind farms to the west is located approximately 11km to 12km from the high ridgeline in the Ben Wyvis SLA and as such forms a notable, albeit indirect influence on the character of this designated landscape. There is also an influence on the character of the Ben Wyvis SLA from developments evident in the settled landscapes to the east, most notably the dormant oil rigs that currently occupy Cromarty Firth.
- 8.6.107 The citation in THC's 'Assessment of Highland Special Landscape Areas', describes the 'Key Landscape and Visual Characteristics' of the Ben Wyvis SLA. These are presented in Table 8.7 below.

Sensitivity

- 8.6.108 The value of the Ben Wyvis SLA is medium-high. While the SLA designation denotes the regional value of this landscape, the absence of an NSA designation denotes this landscape is not of national value. A high value rating is preserved for landscapes recognised for their national importance.
- 8.6.109 The susceptibility of the Ben Wyvis SLA to the Proposed Development is medium. While there is a general lack of development in the SLA, there are existing developments outwith the SLA which have notable, albeit indirect effects on its character. The closest of these comprises the Operational Wind Farms. The Proposed Development will form a direct extension to these developments and, therefore, will be seen at a similar range, in a similar location and will be of a similar appearance. These continuities will moderate the potential impact.
- 8.6.110 The combination of the value of the Ben Wyvis SLA and its susceptibility to the Proposed Development leads to an overall sensitivity of **medium-high**.

Magnitude of change

- 8.6.111 The ZTV in **Figure 8.10** shows that the Proposed Development will be visible from the western and north-western side of the SLA. The eastward extent of visibility will be defined by the ridgeline through Tom a Choinnich (953m AOD), Glas Leathad Mor (1046m AOD) and An Cabar (946m AOD), and the lower ridgeline to the south, through Little Wyvis (764m AOD) and Carn Gorm (556m AOD). While visibility will be almost continuous across the western hill slopes of these ridgelines and typically comprise five turbines, where Allt a Bhealaich Mor occurs there be lower levels or no visibility, and this separates the northern patch of visibility from the southern patch.
- 8.6.112 The five turbines will be located to the north of the existing 40 turbines associated with the Operational Wind Farms. The map of LCTs in **Figure 8.2** shows that the proposed turbines will be located within the same Lochluichart LCU of the Rounded Hills LCT as the operational turbines, with separation space between the proposed turbines and Loch Glascarnoch to the north. This will contain wind farm development within this already developed landscape and avoid development spreading into new landscapes. The comparatively small number of turbines will further moderate the magnitude of change, as the extension will form a small proportion of the overall existing number of turbines.

- 8.6.113 The additional turbines will increase the extent of wind farm development in this area, forming a slightly wider horizontal extent as experienced from the Ben Wyvis SLA. The proposed turbines will be seen to the fore of the Sgurr Mor mountain range, as are some of the existing operational turbines, although all set below the foothills and set well below the dramatic skyline of the mountains. They will be seen as an extension to the Operational Wind Farms owing to compatibility, location and appearance. While the five proposed turbines will be of a slightly larger scale, from this range of approximately 8 to 12km, this variation will not form a notable difference.
- 8.6.114 Table 8.7 below presents an assessment of the magnitude of change in respect of the special qualities set out in the Ben Wyvis citation contained in THC's Assessment of Highland Special Landscape Areas.

Table 8.7: Potential effects on Ben Wyvis SLA Key Landscape and Visual Characteristics / Special Qualities

Key Landscape and Visual Characteristics	Magnitude of change
<i>Ben Wyvis stands in an isolated position, forming a dominant 'whaleback'-shaped landmark in the landscape, especially when viewed from the south. The broad ridge and gently ascending upper slopes surmount the very steep middle slopes of Ben Wyvis. The nature of these slopes means that the summit of the mountain is concealed from view from locations at or near its base.</i>	The Proposed Development will not affect views from the south. The Proposed Development will theoretically be seen in views of Ben Wyvis from the west, although the ZTV in Figure 8.10 shows that visibility from this direction is largely precluded owing to intervening landform. Small patches of visibility will occur from high points although within these views the Proposed Development will be seen set well below the Ben Wyvis ridge and as an extension to an existing group.
<i>From the west, Ben Wyvis appears as a flat-topped mountain with unbroken uniform grassy slopes falling steeply to dense forest plantations. From the east, its character is defined by a series of high, deep, craggy corries extending into the upper slopes and containing lochans and fast flowing rocky burns.</i>	The relatively low elevation of the Proposed Development means that it will sit below the skyline of Ben Wyvis in views from the west, the extent of which will be limited to the patch around the Operational Wind Farms, as shown on the ZTV in Figure 8.10, with very limited extents of visibility occurring across the wider and more sensitive landscapes further west. The Proposed Development will not affect views from the east.
<i>The flat open summit is carpeted in yellow-green woolly hair moss, forming one of the largest continuous expanses in the country and producing a distinctive character to the summit plateau. On the lower slopes, uniform blankets of heather, grassland and heath emphasise the simple, rounded profile of the mountain.</i>	The Proposed Development will have no effect on the landcover of the SLA.

Key Landscape and Visual Characteristics	Magnitude of change
<i>Existing plantations appear incongruous in the surrounding landscape, especially when seen from the mountain top, due to their contrast of colour, shape, line and texture. Collectively, these seem to almost encircle the mountain.</i>	The Proposed Development will have no effect on the plantations around the SLA.
Special Qualities	Magnitude of change
<i>Standing well above a surrounding range of much lower foothills, Ben Wyvis has a commanding presence with its broad and fairly level summit ridge stretching more than 7kms from Garbat to Loch Glass. It is a dominant landmark feature from many locations, most notably from the south and northwest, including Inverness and the Black Isle. Little Wyvis also appears prominent at a local level.</i>	The Proposed Development will not be readily visible in views from the south, including Inverness and the Black Isle and will not align with Ben Wyvis in views from the north-west.
<i>The summit of Ben Wyvis provides some of the most extensive panoramas in Scotland. These include the wild and dramatic mountain profiles of Wester Ross and Sutherland to the north and west, the indented coastline and settled, fertile lowlands of Easter Ross and the Black Isle to the east, and the distant summits of the Cairngorms and Ben Nevis to the south.</i>	The Proposed Development will be visible in views westwards from Ben Wyvis to Wester Ross. It will be located at a relatively low elevation such that it will be well back-clothed and not interrupt the skyline. It will be seen in close conjunction with the Operational Wind Farms in this area, which have an existing influence on these views. It will add five turbines to an existing group of 40 turbines.
<i>Views of the top and the overall profile of the mountain are limited from the immediate surroundings, due to its massive scale and convex upper slopes. The form of the mountain is most clearly appreciated when viewed from a distance, for example from Inverness and the Black Isle.</i>	The Proposed Development will not affect views from the south and south-east.
<i>Ben Wyvis is a popular Munro due in part to its proximity to Inverness but also because it is a relatively straightforward walk with a broad, easy ridge from which the panoramic views can be appreciated. It is also popular for cross-country skiing.</i>	While the Proposed Development will have an effect on the views of hill walkers on Ben Wyvis, this will occur in the context of the existing influence from the Operational Wind Farms.
<i>With the exception of Wyvis Lodge, the odd shieling hut, and the very occasional boundary.</i>	The Proposed Development will be located outwith the SLA and therefore will not occur as a development within the SLA, although it will have indirect effects on its landscape character.

- 8.6.115 The effect of the Proposed Development on the 'Key Landscape and Visual Characteristics' and 'Special Qualities' of the Ben Wyvis SLA will be limited by the location of the Proposed Development outwith the designated area, which means there will be no direct effects on the 'Special Qualities', and effects will only occur indirectly. It will not affect the key views of Ben Wyvis SLA from the south, south-east or north-west, and while it will have potential to affect views from the west, visibility from this direction will be limited in extents, and the Proposed Development will be seen set well below the skyline of Ben Wyvis and in the context of a larger number of operational turbines. There will also be some effect on views from Ben Wyvis, westwards to Wester Ross, although again the Proposed Development will be seen to add a small proportion of turbines to larger wind farm developments and in a lower elevated location which will be set well below the skyline. During the operational stage, the magnitude of change will be **medium-low**.
- 8.6.116 During the construction stage, while the presence of tall cranes and emerging turbines will make the Proposed Development more prominent than during the operational stage, their separation distance from the SLA of more than 8km, combined with the baseline influence of the Operational Wind Farms in this location, will prevent the effect from rising above **medium-low**.

Significance of the effect

- 8.6.117 The effect of the Proposed Development on the Ben Wyvis SLA, taking into account the Special Qualities that have contributed to the designation of this area, will be not significant during both the construction and operational stages. This finding relates to a combination of the separation distance between the Proposed Development and the SLA, the low elevation of the Proposed Development, in respect of the views towards and from Ben Wyvis, and the existing influence of the Operational Wind Farms on the baseline character of the SLA. The nature of the effect will be adverse.

Significance of the in-conjunction cumulative effect (LVIA 2021)

- 8.6.118 Cumulative effects will relate to the Proposed Development in-conjunction with the Operational Schemes, Corriemoillie, Novar and Fairburn Wind Farms. The plan of Cumulative Wind Farms in **Figure 8.14** and Cumulative ZTVs in **Figures 8.15 to 8.21**, show that other than the operational wind farms listed above, no other operational or consented wind farms will have a notable influence on the cumulative effect experienced from the Ben Wyvis SLA.
- 8.6.119 The Cumulative ZTV in **Figure 8.15** shows that visibility of the Proposed Development largely coincides with visibility of the Operational Wind Farms. Where the Proposed Development will add to existing visibility of the Operational Wind Farms, it will be seen to increase the horizontal extent of wind farm development to the north. This will, however, be an incremental increase, forming a small proportion of the existing horizontal extent and seen contained within the same LCU as the Operational Wind Farms. The effect on views west towards Wester Ross will be incremental with the proposed turbines seen set to the fore of the Sgurr Mor range, albeit set well below the skyline. The proposed turbines will be grouped close to the Operational Wind Farms such that they will appear as part of this group, despite the slight increase in their scale. Similarly, the views from the Sgurr Mor range east, will include the proposed turbines to the fore of the Ben Wyvis range also set well below the skyline. Despite the sensitivity of these views, the Proposed Development will not make a notable increase in terms of the cumulative effect, owing to the existing influence of the Operational Wind Farms and the capacity of the landscape to accommodate a further five turbines on this northern fringe.

- 8.6.120 The cumulative magnitude of change will be medium-low. The minimum distance of this influence at beyond 8km will reduce the influence of the Operational Wind Farms on the cumulative context and the influence of the Proposed Development on the cumulative effect. The Proposed Development will be seen as an extension to the Operational Wind Farms and the consistency in appearance will moderate the cumulative magnitude of change. While the Proposed Development will add to the extent of wind farm development visible to the west of the Ben Wyvis SLA, this addition will lead to a not significant cumulative effect.

Scenario 1: Significance of the in-conjunction cumulative effect (LVIA 2021)

- 8.6.121 Scenario 1 cumulative effects will relate principally to the Proposed Development in conjunction with application stage Kirkan Wind Farm. The plan of Cumulative Wind Farms in **Figure 8.14** and Cumulative ZTVs in **Figures 8.15 to 8.21**, show that, other than the Operational Wind Farms and application stage Kirkan Wind Farm, no other under construction, consented or application stage wind farms will have a notable influence on the cumulative effect experienced from the Ben Wyvis SLA. While application stage Strathrory and Meall Buidhe Wind Farms will have inter-visibility with the Proposed Development along the ridgeline, the separation distance of Strathrory at approximately 18km to the north-east, where it will be seen beyond Novar and in a cluster with Beinn Tharsuinn, and the separation distance of Meall Buidhe at approximately 23km to the north, will limit their influence on the cumulative baseline.
- 8.6.122 The Cumulative ZTV in **Figure 8.16** shows the extent to which visibility of the Proposed Development coincides with visibility of application stage Kirkan Wind Farm, which comprises 17 turbines with a blade tip height of 175m, set to the east of the proposed turbines. Kirkan Wind Farm is, therefore, closer to the Ben Wyvis SLA than the Proposed Development, set within a range of approximately 8 to 12km.
- 8.6.123 The addition of the five proposed turbines to a cumulative context characterised by 57 application and operational turbines will give rise to a **low** cumulative magnitude of change. This reflects the close proximity of the proposed turbines to the operational turbines which will ensure they appear as an extension, the concentration of this type of development within this lower-lying landscape and the small number of turbines being added to a larger group. The in-conjunction cumulative effect for Scenario 1 will be not significant.

Summary of Effects on Landscape Receptors

- 8.6.124 The effects of the Proposed Development on the two landscape elements, four Landscape Character Units and one landscape designation that were assessed in detail are summarised in Table 8.8 below. Significant effects were found to occur in relation to three of the close range LCUs, albeit only during the construction stage and not the operational stage. No significant effects were found to occur on the SLA. No significant cumulative effects were found in relation to any of the LCUs or landscape designations. Please refer to the assessments above in this section for the detailed extents applied to the different ratings and effects.

Table 8.8 Summary of effects on landscape receptors

Landscape Receptor	Sensitivity	Magnitude of change (const.)	Significance of the effect (const.)	Magnitude of change (operation)	Significance of the effect (operation)	Significance of the in-conjunction cumulative effect
Heather Moorland	medium	low	not significant	N/A	N/A	N/A
Coniferous Forestry	low	low	not significant	N/A	N/A	N/A
Rounded Hills: Ben Wyvis LCU	medium-high	medium-low	not significant	medium-low	not significant	Baseline - not significant Scenario 1 - not significant
Rounded Hills: Lochluichart LCU	medium	medium-high in the north medium / low / negligible in the south	Significant in the north Not significant in the south	medium in the north medium-low / low / negligible in the south	not significant	Baseline - not significant Scenario 1 - not significant
Rounded Hills: Inchbae LCU	medium	medium in the south medium-low in the north	significant in the south not significant in the north	medium-low in the south low in the north	not significant	Baseline - not significant Scenario 1 - not significant
Undulating Moorland: Aultguish LCU	medium	medium	significant	medium-low	not significant	Baseline - not significant Scenario 1 - not significant
Ben Wyvis SLA	medium-high	medium-low	not significant	medium-low	not significant	Baseline - not significant Scenario 1 - not significant

8.7 Assessment of Effects on Visual Receptors

- 8.7.1 Effects on visual receptors are the changes to people's views that will result from the introduction of the Proposed Development. The assessment of effects on visual receptors is supported by an assessment of effects on a series of viewpoints. These have been selected to represent visibility of the Proposed Development from principal visual receptors, such as settlements, routes and hilltops and other attractions around the Study Area.

- 8.7.2 The assessment of effects on views has been carried out through comprehensive site surveys along with the use of wirelines, photomontages and ZTVs, following the full methodology described in **Appendix 8.A**.
- 8.7.3 The viewpoint locations are shown in conjunction with the ZTV in **Figure 8.6**. The viewpoints are illustrated in **Figures 8.22 to 8.33** where a photograph of each view is accompanied by a computer-generated wireline and a photomontage for the Proposed Development. In the wirelines, the Proposed Development is shown in red and Operational Wind Farms are shown in black.
- 8.7.4 Section 8.6: Scope of the Assessment identifies those visual receptors which have the potential to undergo significant effects. These visual receptors are represented by viewpoints and the effects of the Proposed Development on these visual receptors are assessed in detail below.
- 8.7.5 Cumulative assessment of effects on visual receptors detailed below is based on the LVIA 2021 information with a cut off of assessment from November 2020.

A835

- 8.7.6 The A835 is one of the very few roads that occur within a 15km radius of the Proposed Development and the only road from which road-users have potential to be significantly affected. It is represented by three viewpoints; Viewpoint 1 at Aultguish Inn and Viewpoint 2 at Black Bridge, both to the north-east and within 5km of the Proposed Development; and Viewpoint 3 at Garve Bridge, to the south-east at approximately 14km from the Proposed Development. Viewpoint 1 represents the section of the A835 approximately 1.5km to the west and 1km to the east of Aultguish Inn. Viewpoint 2 represents the section of the A835 approximately 1.5km to the west and 1km to the east of Black Bridge. Together, Viewpoint 1 and 2 represent a 5km section of the A835 from where the ZTV in **Figure 8.6b** indicates there will be high levels of visibility.
- 8.7.7 Collectively, these viewpoints have helped inform the wider assessment of the A835, along with site work carried out along this section of the A835 from where visibility of the Proposed Development will arise. This assessment has shown that the potential for significant effects will occur within the 5km section as represented by Viewpoint 1 and Viewpoint 2.

Viewpoint 1 – A835, Aultguish Inn (Figure 8.22)

Baseline

- 8.7.8 This viewpoint is located on the A835, adjacent to Aultguish Inn, and to the immediate east of Loch Glascarnoch. It is located approximately 2.00km to the north of the nearest turbine and the view is orientated south-west across an area of undulating and open moorland, towards the Site. The viewpoint is representative of the views of road-users on the A835, and residents and visitors at Aultguish Inn. The view is relatively open around 360 degrees, and while views of road-users are generally channelled either north-west or east along the course of the road, the views of residents and visitors in the principal rooms at Aultguish Inn are orientated south-south-west.
- 8.7.9 This section of the A835 is routed close to the course of the Glascarnoch River from where it leaves the dam, at approximately 0.5km to the north-west, to where it joins the Black Water at approximately 2.5km to the east (as represented by Viewpoint 2). The Rounded Hills LCT lies to the north and south-west of the river valley, while to the south and south-east there is a small pocket of the Undulating Moorland LCT. The Undulating Moorland LCT is lower lying than the surrounding Rounded Hills LCT and while the depth of the view is

contained by the undulating landform, its relatively low elevation means that some of the Operational Wind Farms are visible beyond the enclosing ridgeline.

- 8.7.10 In the context of the wider landscape, which is principally defined by open landform and is largely devoid of point features or human artefacts, this area of the view represented by Viewpoint 1 contains a cluster of developments. In addition to the operational turbines seen to occupy open moorland to the south of the A835, there is also the concrete dam that holds the eastern end of Loch Glascarnoch, the A835, which provides the only access through this area, and Aultguish Inn, one of the few stopping points along this section of the A835. Pole mounted telephone wires follow the course of the road and the modification of the landscape through farming and forestry is evident through the presence of post and wire fences, and geometric edged, woodland plantations.
- 8.7.11 The Operational Wind Farms are all partly visible from this viewpoint at distances of 3.97km, 3.28km and 2.25km respectively. Collectively, 22 operational turbines are shown to be theoretically visible on the wireline in **Figure 8.22c**. The turbines mostly sit behind the low ridgeline, such that the majority are partly concealed by the intervening landform. Two are seen as blade tips and six as blades, making them notably less prominent than the other turbines in the view, of which nine are seen with their towers and five to just below the nacelle. Actual visibility, as shown in the photograph, is reduced by the presence of forestry along the crest of the ridge, especially in respect of the blades and tips.
- 8.7.12 The turbines establish wind farm development as a feature of the baseline views of road-users on the A835 and visitors to Aultguish Inn. The Proposed Development will be seen associated with the lower undulating landform to the south of the A835, which forms a simple setting for this type of development.

Sensitivity

- 8.7.13 The landscape surrounding this section of the A835 is not covered by any regional or national landscape designations which would otherwise denote a special scenic value. Aultguish Inn does, however, provide one of the few visitor facilities along this section of the A835, which encourages visitors to stop and, in so doing, are more likely to observe their surroundings. While scenic interest along this particular section of the A835 is limited, it is part of a longer route where scenic value occurs, for example in relation to views of Beinn Dearg and Ben Wyvis, further north and further south. The value of the view is medium.
- 8.7.14 The majority of viewers will be road-users whose susceptibility will be moderated by experiencing the view whilst in transit and at speeds typically between 30 and 60mph. For those travelling west-bound, the alignment of parts of the road towards the Proposed Development will accentuate the presence of the turbines, while for those travelling east-bound, the Proposed Development will occur at an oblique angle to the direction of travel. The duration of the view will occur along a section of approximately 5km, albeit with intermittent screening by road-side landform and with the context of the visibility of existing turbines along most parts. The susceptibility of road-users is medium.
- 8.7.15 For residents and visitors at Aultguish Inn, their susceptibility to the Proposed Development is medium-high. The inn is orientated south-south-west, and although the Proposed Development is located to the south-west, it is likely it will feature in views from the inn. This will raise the prominence of the Proposed Development in views of residents and visitors, although operational wind turbines are already visible in this sector of the view.
- 8.7.16 The combination of the value of the view and its susceptibility to the Proposed Development results in a medium sensitivity for road-users on the A835 and medium-high sensitivity for residents and visitors at Aultguish Inn.

Magnitude of change

- 8.7.17 The Proposed Development will be seen at a minimum distance of 2.00km from the viewpoint. The Proposed Development will be seen as an extension to the Operational Wind Farms owing to its close proximity to the north of these developments. From the section of the A835 from Aultguish Inn eastwards, the Proposed Development will be seen to overlap with the operational turbines, which occur on the right of the existing group, and increase the horizontal extent further to the right by approximately an additional quarter.
- 8.7.18 The 16.9m difference between the height of the proposed turbines (blade tip height 149.9m) and the operational turbines (blade tip height 133m) will be readily discernible, and the 21.5m difference in blade length (66.5m as opposed to 45m) will be evident from this relatively close range. This is despite the closer proximity of the proposed turbines to the A835 which would potentially otherwise account for the perceived difference in scale. The proposed turbines will be seen to be closer and more prominent than the operational turbines, such that they will increase the influence of wind farm development from this view, albeit an influence moderated by their location, set well back from the A835 and contained within the forest fringe along the ridgeline.
- 8.7.19 In the section of the A835 adjacent to Loch Glascarnoch, the road-side cutting and rising landform to the south will screen visibility of the Proposed Development and Operational Wind Farms. On approach to the dam and over the descent from the dam to Aultguish Inn, the extent of the proposed turbines will become more visible, as will the operational turbines. At a minimum distance of 1.8km they will be seen as relatively large-scale elements, albeit in the context of the operational turbines to the immediate south of the proposed turbines.
- 8.7.20 During the operational stage the magnitude of change will be **medium-low** for road-users on the A835 and **medium** for residents at Aultguish Inn. There is already a baseline influence from the Operational Wind Farms, which means the Proposed Development will not be introducing a new feature but instead will be extending an existing feature. It's location in the same landscape defined by its lower-lying landform and location below the foothills further west, will help to contain the source of this influence. The effect is, however, increased by the closer proximity of the turbines to visual receptors associated with the A835 and Aultguish Inn, whereby the proposed turbines will be notably more prominent than the operational turbines. For road-users, these views will be transitory and relatively short in duration, while for residents and visitors to Aultguish Inn, these views will be static and longer in duration, and with this building orientated towards the Proposed Development the magnitude of change will be greater than that experienced by road-users.
- 8.7.21 During the construction stage, the magnitude of change will be **medium** for road-users on the A835 and residents at Aultguish Inn. Although the presence of the operational turbines presents a context that will moderate the impact of the construction works, the presence and activity of tall cranes and other heavy plant, as well as the emergence of the turbines, will form a more eye-catching feature compared to the completed scheme assessed during the operational stage.

Significance of the effect

- 8.7.22 The effect of the Proposed Development on road-users on the A835 will be **significant** during the short-term construction stage, over the approximate 1km section to the west and 1km section to the east of Aultguish Inn but will be **not significant** during the long-term operational stage, when the effects identified will be moderated by the existing influence of the Operational Wind Farms. The effect on residents and visitors at Aultguish Inn will be **significant** during the short-term construction stage and the long-term

operational stage. This relates principally to the orientation of Aultguish Inn broadly towards the Proposed Development and the closer proximity of the proposed turbines compared to the operational turbines. The nature of all effects will be adverse. (The section of the A835 to the east is assessed under Viewpoint 2).

Significance of the in-conjunction cumulative effect

- 8.7.23 The cumulative effect of the Proposed Development in-conjunction with the Operational Wind Farms will be **significant**. The proximity of the Operational Wind Farms establishes a notable influence in respect of the cumulative baseline. The addition of the Proposed Development, at closer proximity, will form a prominent feature and give rise to a **medium** cumulative magnitude of change and a **significant** cumulative effect. The wind farm developments will define the character of the views, owing to their close proximity and despite being contained within the southerly sector of the view.

Scenario 1: Significance of the in-conjunction cumulative effect

- 8.7.24 The Scenario 1 cumulative assessment considers the effect of the Proposed Development in-conjunction with all operational and proposed wind farms, with the relevant developments comprising the Operational Wind Farms and application stage Kirkan Wind Farm. The cumulative wirelines in **Figures 8.22b** and **8.22c** show that Kirkan Wind Farm will be located approximately 2.26km from the viewpoint. While 17 of the turbines will be visible, the screening effect of the intervening landform means that the turbines will be visible to variable extents with five seen only as tips. The turbines will, nonetheless, form a notable addition to the cumulative context owing to the blade tip height of 175m, which will exceed the blade tip height of the operational turbines by 50m.
- 8.7.25 The Proposed Development will add five turbines onto the right of the broad horizontal extent of 38 cumulative turbines. Although the closest proposed turbine will be marginally closer than the closest application or operational turbine, and despite the larger scale of the proposed turbines relative to the operational turbines, as well as their position in a more exposed part of the view, the small number of turbines being added and their smaller scale relative to the application turbines, will moderate their cumulative effect. The cumulative magnitude of change will be **medium-low** and the in-conjunction cumulative effect will be **not significant**.

Viewpoint 2 – A835, Black Water Bridge (Figure 8.23)

Baseline

- 8.7.26 This viewpoint is taken from the A835 where it crosses Black Water, approximately 2.5km to the east of Viewpoint 1 – Aultguish Inn. It is located 3.93km to the north-east of the nearest turbine and the view looks south-west across an area of undulating and open moorland, towards the Proposed Development. The viewpoint is representative of the views of west-bound road-users on the A835 and occasional walkers who park here to access Strath Vaich and its surrounding hills. The view is relatively open around 360 degrees, and there is no strong draw other than the channelling effect along the road corridor to the west and south-east.
- 8.7.27 The viewpoint is located in the narrow strath where Glascarnoch River joins Black Water. This low-lying valley location is enclosed by rising landform, most notably where the Rounded Hills LCT occurs to the north. In contrast, the Undulating Moorland LCT to the south forms a lower scale of enclosure and this allows visibility of the operational turbines to occur. They occupy the relatively low-lying landform, enclosed by the hill ridge to the west comprising Beinn Laith Bheag (609m AOD) and Meall Mhic Lomhair (607m AOD).

- 8.7.28 The Operational Wind Farms are all partly visible from this viewpoint at distances of 5.71km, 5.33km and 3.76km respectively. Lochluichart Extension is the most visible, the turbines seen at their full extents on the right of the group, while the Operational Wind Farms are largely screened by the intervening landform such that most are seen only from the nacelle up. In total 19 operational turbines are shown on the wireline in **Figure 8.23c**, although the four turbines which show as blades or tips are indiscernible in the photograph.
- 8.7.29 The Operational Wind Farms are perceived as one group owing to their close proximity and scale. They establish wind farm development as a feature of the baseline views of road-users on the A835 and are seen associated with the lower undulating landform to the south of the A835, which forms a simple setting for this type of development.

Sensitivity

- 8.7.30 The landscape surrounding this section of the A835 is not covered by any regional or national landscape designations which would otherwise denote a special scenic value. Although not a formal stopping point, there is space at this bridging point for cars to park and this is used by walkers accessing the hills to the north. While scenic interest along this section of the A835 is limited, it is part of a longer route where scenic value occurs, mostly relating to views of Ben Wyvis and Beinn Dearg further north and south. The value of the view is medium.
- 8.7.31 The majority of viewers will be road-users whose susceptibility will be moderated by experiencing the view whilst in transit and at speeds typically between 30 and 60mph. For those travelling west-bound, the alignment of parts of the road towards the Proposed Development will emphasise the presence of the turbines, while for those travelling east-bound, views will be to the rear of the direction of travel. The duration of the view occurs for west-bound road-users, along a section of approximately 5km, albeit with intermittent screening by road-side landform and with visibility of operational turbines along most parts. The susceptibility of road-users is medium.
- 8.7.32 The combination of the value of the view and its susceptibility to the Proposed Development results in a **medium** sensitivity for road-users on this section of the A835.

Magnitude of change

- 8.7.33 The Proposed Development will be located a minimum distance of 3.96km from the viewpoint and will be seen as an extension to the Operational Wind Farms, owing to its close proximity to the north of this group. From this section of the A835, the Proposed Development will be seen to overlap with operational turbines, which occur on the right of the existing group, and will increase the horizontal extent further to the right by approximately an additional quarter.
- 8.7.34 The 24.9m difference between the height of the proposed turbines (blade tip height 149.9m) and the operational turbines (blade tip height 133m) will be readily discernible, and the 21.5m difference in blade length will be evident owing to the difference in proportioning. This is despite the closer proximity of the proposed turbines to the A835 which would potentially otherwise account for the perceived difference in scale. The Proposed Development will be seen to extend wind farm development across the extent of the middle-ground landscape, framed by the closer range landform in the left and right of the photograph. The proposed turbines will be seen set to the fore of the enclosing hill ridge and while the turbines will be partly back-clothed, hubs and blades will extend above the skyline.
- 8.7.35 During the operational stage the magnitude of change will be **medium-low**. There is already a baseline influence from the Operational Wind Farms, which means the Proposed

Development will not be introducing a new feature but instead will be extending an existing feature further across the available view. It's location in the same landscape and in the same sector of the view helps to contain the source of this influence. The effect is also moderated by the small number of proposed turbines being added to the existing group, despite the slightly larger size and closer proximity of the turbines, and their position in a more exposed section of the landscape as seen from this viewpoint.

- 8.7.36 During the construction stage, the magnitude of change will also be **medium**. Although the presence of the operational turbines presents a context that will moderate the impact of the construction works, the presence and activity of tall cranes and other heavy plant, as well as the emergence of the turbines, will form a more eye-catching feature compared to the completed scheme assessed during the operational stage.

Significance of the effect

- 8.7.37 The effect of the Proposed Development on west-bound road-users on the A835 will be **significant** during the short-term construction stage, over the section approximately 1.5km to the west and 0.8km to the east of Black Water Bridge and **not significant** during the long-term operational stage. The effect on east-bound road-users and west-bound road-users on all remaining sections will be **not significant** during the short-term construction and long-term operational stages. The nature of all effects will be adverse. Although the Proposed Development will make wind farm development a more prominent feature in views from the A835 along this stretch of road, it will not redefine the character of these views as there is already a notable baseline influence from the existing turbines.

Significance of the in-conjunction cumulative effect

- 8.7.38 The Cumulative ZTV in **Figure 8.15** shows that theoretical visibility of the Proposed Development will largely coincide with theoretical visibility of the existing wind farms along this section of the A835. The closer proximity of the proposed turbines will, however, make them a more apparent and notable feature from the area represented by this viewpoint. The containment of the turbines within the same undulating moorland associated with the existing developments and enclosed by the background ridge, helps to reduce the cumulative magnitude of change, by concentrating this influence in one area, although the turbines will be seen to extend onto the more elevated hill slopes to the north of the operational turbines.
- 8.7.39 The cumulative effect of the Proposed Development in-conjunction with the Operational Wind Farms will be **not significant**. There is an existing influence from the Operational Wind Farms. The location of the proposed turbines, such that they are concentrated in the same sector of the view as the operational turbines and partly overlap with them, means that they appear as an extension, and this moderates the cumulative effect. While the proposed turbines will form a more prominent group owing to their slightly larger size and more exposed position in the view, the cumulative effect will be tempered by the small number of turbines. While the Proposed Development forms a notable influence on views from this section of the A835, the effects relate principally to its own influence rather than its in-conjunction influence with the Operational Wind Farms. The Proposed Development and the Operational Wind Farms are seen at a greater separation distance from this viewpoint, compared to Viewpoint 1, and this reduces the influence of both the proposed and operational turbines. Taking all these factors into account gives rise to a **medium-low** cumulative magnitude of change.

Scenario 1: Significance of the in-conjunction cumulative effect

- 8.7.40 The Scenario 1 cumulative assessment considers the effect of the Proposed Development in-conjunction with all operational and proposed wind farms, with the relevant developments comprising the Operational Wind Farms and application stage Kirkan Wind Farm. The cumulative wirelines in **Figures 8.23b** and **8.23c** show that Kirkan Wind Farm will be located approximately 2.53km from the viewpoint. While eight of the turbines will be visible, the screening effect of the intervening landform means only one turbine will be seen to below the hub, five will be seen as blades and two seen only as tips. The turbines will, nonetheless, form a notable addition to the cumulative context owing to the large scale of the blades and the eye-catching features they will form behind the close-range landform.
- 8.7.41 The Proposed Development will add five turbines onto the right of the broad horizontal extent of the application stage and operational turbines. Despite the larger scale of the proposed turbines relative to the operational turbines, as well as their position in a more exposed part of the view, the small number of turbines being added and their smaller scale relative to the closer range application turbines, will moderate their cumulative effect. The cumulative magnitude of change will be **medium-low** and the in-conjunction cumulative effect will be **not significant**.

Viewpoint 3 – Garve Bridge (Figure 8.24)**Baseline**

- 8.7.42 This viewpoint is located on the A835 to the south of Garve and south-east of Loch Garve. The view looks north-west over Loch Garve towards the distant hills where the Operational Wind Farms are visible as small-scale features. The nearest turbine of the Proposed Development will be located approximately 12.94km from this viewpoint. The viewpoint has been selected to represent the views of road-users on the section of the A835 between Rogie Falls and Loch Garve. Visibility along this section is intermittent with tree cover forming a partial or full screen along the northern road-side. The views for west-bound road-users occur at an angle obliquely north-west in relation to the westerly direction of travel, while the views for east-bound road-users occur mostly to the rear of the direction of travel and are, therefore, not as apparent.
- 8.7.43 The viewpoint is located in the Rocky Moorland LCT and it is this landscape which characterises the view, with the Rounded Hills LCT forming a background feature to the north. The foreground features mixed woodland cover over the strath sides of the Black Water; these trees largely obscuring the route of the Inverness to Kyle of Lochalsh railway line which sits below the northern side of the A835. In the middle ground, Loch Garve is surrounded by the hills of the Rocky Moorland LCT to form a scenic composition. At the north end of the loch, the hill sides fold in to frame the Rounded Hills LCT in the distance and this accentuates the prominence of these more distant hills in the view. These hills are marked by the presence of the operational turbines, albeit seen as distant and relatively small-scale elements. More readily apparent human artefacts include the electricity transmission line, traversing the western hill slopes, as seen to the rear of Loch Garve, and the telecommunication mast on Meall Ruighe an Fhirich (432m) to the east.
- 8.7.44 The view is defined by the scenic composition of the hills and the loch; an attractive scene, albeit with human artefacts and influences evident. The presence of the A835, railway line, intermittent settlements and other dispersed road-side developments denote the settled character of this strath and reduce any sense of remoteness. While the hills appear relatively undeveloped, the presence of forestry plantations, the electricity transmission line, operational turbines and mast, denote the presence of development in this landscape.

- 8.7.45 The Operational Wind Farms are all partly visible from this viewpoint at distances of 11.77km, 12.93km and 10.59km respectively. They are seen as a group of small-scale elements in a wider view, and back-clothed by the enclosing hill ridge. In total 20 operational turbines are shown on the wireline in **Figure 8.24b**, although the four blades or tips are mostly indiscernible in the photograph.

Sensitivity

- 8.7.46 The view is not taken from a formal viewpoint and there are no references to suggest that views from this road are of a particular scenic value. Although a popular connecting route to Ullapool and the north-west Highlands, the A835(T) is not a National Tourist Route. The viewpoint, and most of the view, is not covered by any landscape designations, although Little Wyvis, which is seen as a background hill, is covered by the Ben Wyvis SLA. While there is no formal recognition of the value of the view, it does present the first views, for north-bound road-users, of the upland landscape in the transition from lowlands to uplands. Taking all these factors into account the value of the view is medium.
- 8.7.47 The majority of viewers will be road-users whose susceptibility will be moderated by experiencing the view whilst in transit and at speeds typically between 30 and 60mph. For those travelling west-bound, the Proposed Development will be seen at an angle oblique to the direction of travel, while for those travelling south-east-bound, views will be to the rear of the direction of travel. The duration of the view occurs for west-bound road-users, along a section of approximately 2km, albeit with intermittent screening by road-side planting and with visibility of operational turbines visible to road-users along this section. The susceptibility of road-users is medium.
- 8.7.48 The combination of the value of the view and its susceptibility to the Proposed Development results in a **medium** sensitivity for road-users on the A835.

Magnitude of change

- 8.7.49 The Proposed Development will be seen at a minimum distance of 12.94km from the viewpoint. The wireline in **Figure 8.24c** shows that two turbines and one tip will be theoretically visible, although from this range the tip will not be discernible. The proximity of T8 and T6 to the existing turbines will ensure that the increased horizontal extent will be very limited and that the proposed turbines will appear as an extension to the Operational Wind Farms. While T8 and T6 may, in some conditions, appear more prominent than the operational turbines owing to their position above, rather than below the skyline, their appearance will be perceived to be comparable to the existing turbines. This effect will be enhanced by their distant range from the viewpoint, which will moderate the appearance of their larger scale.
- 8.7.50 During the operational stage the magnitude of change will be **low**. Only two additional turbines will be visible and at a range of 12.94km, these will be seen as small-scale elements. Furthermore, they will be closely associated with an existing cluster, thus containing the influence of this type of development within one restricted area. The effect will be moderated by the experience of road-users, whereby they will see the turbines whilst travelling at speeds of 30 to 60mph, at an oblique angle to the direction of travel and with views often filtered by intervening tree cover.
- 8.7.51 During the construction stage, the magnitude of change will be **low**. While the presence of tall cranes and emerging turbines may form an apparent feature on the skyline, the separation distance from the viewpoint will ensure that this feature will appear relatively small in scale. Furthermore, the small number of turbines visible from this viewpoint

combined with the existing influence of the Operational Wind Farms in the same part of the view, will further moderate the effect.

Significance of the effect

- 8.7.52 The effect of the Proposed Development on road-users on the A835 between Rogie Falls and Loch Garve will be **not significant** during both the construction and operational stages. The not significant effect relates principally to the distance between this section of the A835 and the Proposed Development, the small extent of the Proposed Development that will be visible and the existing influence of wind farm development in this location. The nature of the effect will be adverse.

Significance of the in-conjunction cumulative effect

- 8.7.53 The cumulative effect of the Proposed Development in-conjunction with the Operational Wind Farms will be **not significant**. While the Proposed Development will add two turbines and one tip to the existing group, the in-conjunction cumulative magnitude of change will be **low**. The proposed turbines will form a small-scale addition to the operational turbines, with all turbines seen as distant and small-scale features.

Scenario 1: Significance of the in-conjunction cumulative effect

- 8.7.54 There will be no Scenario 1 in-conjunction cumulative effect as no proposed wind farm developments will be readily visible from this viewpoint.

Viewpoint 4 – Old Drover’s Road, Corriemoillie (Figure 8.25)

Baseline

- 8.7.55 This viewpoint is taken from the Old Drover’s Road, which connects Aultguish Inn on the A835 to the north, with Garve on the A835 to the south-east. It comprises a rough path which passes over the low hills to the east of Corriemoillie Forest. The viewpoint is located approximately halfway along the route, at a localised high point from which some of the turbines of the Operational Wind Farms can be seen behind the intervening landform. The view looks north-west towards the Proposed Development, with the nearest turbine at 3.95km. The viewpoint has been selected to represent the views of walkers using this route. There is no information to indicate how many walkers use this route annually.
- 8.7.56 The viewpoint is situated in the Rocky Moorlands LCT and is characterised by the surrounding low hills with their irregular landform, rocky outcrops, heather moorland and rough grasses. The viewpoint is located on the western flank of Carn na Dubh Choille (479m AOD) with Beinn nan Cabag (474m AOD) to the west. Despite the comparatively low elevation of these hills, they create a sense of enclosure around this viewpoint and screen much of the Operational Wind Farms further to the west. While the view is enclosed to the east by the rising hillside, more extensive views to the high tops of Beinn Dearg occur to the north. A group of operational turbines are visible to the west, although the full extent of the development is partly screened by the intervening landform.
- 8.7.57 The modifications evident in this landscape are limited to the presence of the surrounding forestry blocks and the operational turbines to the west. Lochluichart Wind Farm Extension is visible at a range of 4.79km and Corriemoillie Wind Farm at 2.34km. Despite the presence of these features, the landscape retains some sense of remoteness and seclusion.

Sensitivity

- 8.7.58 The viewpoint and the content of much of the view, are not covered by any regional or national landscape designations which would otherwise denote a special scenic value. The Old Drovers' Road is marked on OS mapping as a path, and appears to be used by walkers, most likely walking through the open landscape from Aultguish Inn in the north, rather than through the forest plantations from Garve in the south. The Old Drovers' Road is of historic value as it marks out the route used by Drovers' over past centuries. The value is medium-high. It is uncertain how many walkers use this route. During two site visits no other walkers were seen. Whilst evidently not as popular as Munro's such as Ben Wyvis, this route may offer an easier alternative for walkers, at a lower elevation.
- 8.7.59 The majority of viewers are walkers who will typically have a heightened awareness of their surroundings and will take time to appreciate the views. The baseline views from this route already contain intermittent visibility of the Operational Wind Farms. This moderates the susceptibility of walkers to the Proposed Development as the proposed turbines will not be introducing a new feature in this landscape. The duration of the view occurs for walkers along a section of approximately 2.6km in the north and 1.3km in the south, albeit with intermittent screening by intervening landform and with visibility of operational turbines along most parts. The susceptibility of walkers is medium.
- 8.7.60 The combination of the value of the view and the susceptibility of walkers to the Proposed Development results in a **medium** sensitivity.

Magnitude of change

- 8.7.61 The Proposed Development will be seen at a minimum distance of 3.95km from the viewpoint. The wireline in **Figure 8.25e** shows that all five of the proposed turbines will be visible, all seen to below their nacelles, albeit with the towers of two partly concealed by intervening landform. From this viewpoint, the Proposed Development will make a notable addition owing to its much fuller visibility compared to the operational wind farms. The operational turbines are largely screened by the intervening landform of Beinn nan Cabag (474m AOD) such that only ten turbines are visible from the overall group of 40 turbines and more than half of these are seen only as blades. The sequential nature of views from this route, means that from other sections, the operational turbines are visible to fuller extents than the proposed turbines, as the effects of intervening landform change. This viewpoint has been selected to represent fuller visibility of the Proposed Development.
- 8.7.62 The Proposed Development will be seen as an extension owing to its close proximity to the north of the Operational Wind Farms but will also be seen as a notable increase in the horizontal extent relative to the existing extent of the operational turbines. In terms of scale, the proposed turbines will appear comparable, despite the blade lengths being 21.5m longer, this favourable comparison arising as a result of the closer range of the operational Corriemoillie turbines.
- 8.7.63 From the northern section of the path, between Aultguish Inn and the block of mixed woodland, the distance of the proposed turbines, at just over 1km, will make them appear large in scale, although seen within the context of the larger group of operational turbines. Similar to the Corriemoillie turbines, the proposed turbines will be seen set within an area of forestry and this will provide continuity in appearance.
- 8.7.64 During the operational stage, the magnitude of change will be **medium-low**. There is already a baseline influence from the Operational Wind Farms, which means the Proposed Development will not be introducing a new feature but instead will be extending an existing feature. It's location in the same landscape and in the same sector of the view helps to contain the source of this influence. The effect is, however, increased by the increased

horizontal extent evident from certain sections, although moderated by those sections where no or lower levels of visibility of the Proposed Development occur.

- 8.7.65 During the construction stage, the magnitude of change will be **medium**. Although the presence of the operational turbines presents a context that will moderate the impact of the construction works, the presence and activity of tall cranes and other heavy plant, as well as the emergence of the turbines during their construction, will form a more eye-catching feature compared to the completed scheme, that will be visible during the operational stage.

Significance of the effect

- 8.7.66 The effect of the Proposed Development on walkers on the Old Drovers' Road will be **significant** during the short-term construction stage and **not significant** during the long-term operational stage. Although there is already a visual influence from the operational turbines, the presence of tall cranes and emerging turbines during the construction stage will make a notable addition to the visual effects.

Significance of the in-conjunction cumulative effect

- 8.7.67 The Cumulative ZTV in **Figure 8.15** shows that theoretical visibility of the Proposed Development will completely coincide with theoretical visibility of the existing wind farms along this path. Furthermore, there are some areas where the Operational Wind Farms are visible, but the Proposed Development will not be visible. The location of Corriemoillie on the right of the group makes it the closer development to walkers in the central and southern section of the route, while the Proposed Development will be more prominent in the northern section. Overall, the proposed and existing turbines will appear contained within this transitional landscape between the Undulating Moorland LCT and Rounded Hills LCT and the cumulative magnitude of change will be medium-low.
- 8.7.68 The Scenario 1 cumulative effect of the Proposed Development in-conjunction with the Operational Wind Farms will be **not significant**. While the Proposed Development will add to the extent of wind farm development visible in views from the route, its proximity to the Operational Wind Farms will mean that it will be clearly associated as an extension to these developments and the similarities in location and appearance will ensure a good level of integration. Furthermore, the Proposed Development will be accommodated within the same LCU as the Operational Wind Farms and this will help to contain the in-conjunction cumulative effect.

Scenario 1: Significance of the in-conjunction cumulative effect

- 8.7.69 The Scenario 1 cumulative assessment considers the effect of the Proposed Development in-conjunction with all operational and proposed wind farms, with the relevant developments comprising the Operational Wind Farms and application stage Kirkan Wind Farm. The cumulative wirelines in **Figures 8.25b, 8.25c and 8.25d** show that Kirkan Wind Farm will be located approximately 0.7km from the viewpoint. From this close proximity, all 17 of the turbines will be visible, and seen to the fore of the proposed turbines. While the proposed turbines will appear comparable in scale to the operational turbines, they will appear notably smaller than the application turbines.
- 8.7.70 The combination of the relatively small number of turbines that the Proposed Development would be adding, combined with their comparatively smaller scale, and comparatively more distant location from the viewpoint, will notably moderate their cumulative effect. The cumulative magnitude of change will be **low** and the in-conjunction cumulative effect will be **not significant**.

Viewpoint 5 – Ben Wyvis (Figure 8.26)**Baseline**

- 8.7.71 The viewpoint is located on Glas Leathad Mor. At 1046m AOD it is the highest summit on the Ben Wyvis range and typical of part of the panoramic view walkers will experience from this high ridgeline. The ZTV in **Figure 8.6b** shows theoretical visibility extending up the western slopes of the range, as far as the ridgeline. This ridgeline connects the high tops and screens visibility from the eastern slopes. For a large part of the year, the Ben Wyvis range can be subject to a cloud cap over its summit. This is because it is the first large mountain mass that easterly and south-easterly winds meet as they come in off the North Sea and as a result of warm sea air rising and cooling, cloud tends to collect around the summit.
- 8.7.72 The view from the Munro of Glas Leathad Mor is impressive. The view encompasses a 360-degree panorama, taking in some of Scotland's finest mountain scenery. To the north-west, the distinctive profile of Beinn Dearg forms the main feature, with tiers of peaks extending beyond this top towards the west coast. The scale of the hill ranges is accentuated by the low-lying lochs which occur intermittently between, with Loch Luichart to the west and Loch Glascarnoch to the north-west. Views north and east are characterised by the broader extent of the Ben Wyvis range with Tom a Choinnich at 953m AOD extending the ridge to the north and An t-Socach at 1006m AOD forming a spur to the east. To the south-east, the view extends out towards the Cromarty Firth to feature a different type of landscape - one which is predominantly low and settled with land uses of farming and forestry occurring extensively and with oil rigs visible in the firth. The view to the south is also largely characterised by the extension of the Ben Wyvis ridgeline which curves around and gently down to An Cabar (946m AOD).
- 8.7.73 To the west, the view extends towards the Sgurr Mor Rugged Mountain Massif LCT, where the steep and rocky hills form a dramatic skyline. In the foreground to these hills lies an area of Rounded Hills LCT and Rocky Moorland LCT, made distinct by their lower elevation and characterised by the presence of the Operational Wind Farms.
- 8.7.74 The rounded ridge of Ben Wyvis means that much of the foreground features the immediate landform with its characteristic woolly grass cover, such that it obscures the straths and glens which surround the Ben Wyvis range. Instead, views carry over to the surrounding uplands with little evidence of the settled landscapes which occupy the surrounding lowlands. Development is evident in the upland landscape in the form of wind farm development. As well as Fairburn Windfarm, visible to the south, the Operational Wind Farms are evident in the view to the west, seen to occupy the lower moorland and forestry set below the dramatic skyline of Sgurr Mor.
- 8.7.75 The wireline in **Figure 8.26c** shows that the Operational Wind Farms are all visible from this viewpoint at ranges of 13.14km, 13.53km and 11.08km respectively, with a total of 40 turbines visible. These turbines are seen set within the relatively low-lying area of the Undulating Moorland, with the backdrop of the Low Foothills and the Sgurr Mor Rugged Mountain Massif to the west.

Sensitivity

- 8.7.76 Although the summit of the hill is not marked as a formal viewpoint on OS maps, for walkers it essentially serves this purpose, as this is likely to be the point where walkers would stop and take time to enjoy the view (assuming favourable weather conditions). A truncated trig point marks the summit. The viewpoint and much of the upland landscape in the fore and middle ground of the view are subject to the Ben Wyvis SLA designation which

denotes a special scenic value. Glas Leathad Mor is a popular Munro with walkers, owing to its proximity to Inverness, good accessibility via a track and the expansive views which can be experienced from the summit. The value of the view from Glas Leathad Mor is high, despite being representative of a regionally rather than a nationally designated area, owing to its scenic value and popularity.

- 8.7.77 Assuming clear weather conditions, the susceptibility of walkers will be medium. An important incentive in walking up a big hill like Glas Leathad Mor is the enjoyment of the views, especially from the summit where the full extent of the panorama can be experienced. Walkers have an awareness of their surroundings, often relating to their need to navigate through the landscape, although in the case of Glas Leathad Mor where there is a track to the top, this awareness may be reduced. The susceptibility of walkers is moderated to a medium-high rating by the fact that operational turbines are already visible in the sector of the view where the Proposed Development will be located.
- 8.7.78 Through the combination of the value of the view and the susceptibility of walkers to changes in the view, the overall sensitivity is considered to be medium-high.

Magnitude of change

- 8.7.79 The Proposed Development will be seen at a minimum distance of 12.29km from the viewpoint. All five of the proposed turbines will be seen set within the relatively low-lying area of undulating moorland. There is sufficient continuity between the proposed and the operational turbines of the adjacent wind farms to ensure that the Proposed Development appears as a well-integrated extension. The location of the proposed turbines to the immediate north of the Operational Wind Farms forms an immediate association, despite the slightly broader spacing of the proposed turbines. Furthermore, the turbines will appear similar in appearance, and although the proposed turbines will have slightly longer blades, from the range of 12.29km these differences will not make a notable difference.
- 8.7.80 The effect during the operational stage will relate principally to the increased horizontal extent of the wind farm development to the north, although this will be only by a small proportion. While this will bring the group closer to Loch Glascarnoch, all the turbines will be seen contained within the same landscape character type. In terms of their relationship with the landscape to the rear, the operational turbines already sit to the fore of the Sgurr Mor range, such that the existing turbines will increase the extent of these turbines across a wider part of the foreground but will not impinge vertically on the mountain backdrop. Taking all these factors into account, the magnitude of change during the operational stage will be **low**.
- 8.7.81 During the construction stage, the magnitude of change will be **medium-low**. While the presence of tall cranes and emerging turbines will form an apparent feature, the distance of this feature from the viewpoint, the existing influence of the Operational Wind Farms, and the location of this feature set well below the skyline will moderate this effect and prevent it from redefining the character of the view.

Significance of the effect

- 8.7.82 The effect of the Proposed Development on walkers on Ben Wyvis will be **not significant** during the construction and operational stages. This finding relates to the separation distance from the viewpoint and the baseline influence from the Operational Wind Farms.

Significance of the in-conjunction cumulative effect

- 8.7.83 The Cumulative ZTV in **Figure 8.15** shows that theoretical visibility of the Proposed Development will largely coincide with theoretical visibility of the existing wind farms, as

seen from the path on the western slopes and the Ben Wyvis ridgeline. While the most notable cumulative effect will relate to the increased horizontal extent that will arise as a result of the Proposed Development in-conjunction with the Operational Wind Farms, this will not be of a sufficient magnitude to give rise to a significant in-conjunction cumulative effect.

- 8.7.84 The Scenario 1 cumulative effect of the Proposed Development in-conjunction with the Operational Wind Farms will be **not significant** on the views of walkers on the Ben Wyvis range. While the Proposed Development will add five turbines to the existing group, the following factors will limit the cumulative magnitude of change to **low**. The location of the Proposed Development will ensure it appears as an extension to the Operational Wind Farms and will contain this type of development within a defined sector of the view, as well as a defined landscape character type. This prevents the Proposed Development from spilling across wider sectors or into different landscapes, which would otherwise give rise to a greater magnitude of change.

Scenario 1: Significance of the in-conjunction cumulative effect

- 8.7.85 The Scenario 1 cumulative assessment considers the effect of the Proposed Development in-conjunction with all operational and proposed wind farms, with the most relevant developments comprising the Operational Wind Farms and application stage Kirkan Wind Farm, which collectively form a cluster adjacent to the Proposed Development. The cumulative wireline in **Figure 8.26c** shows that Kirkan Wind Farm will be located approximately 9.14km from the viewpoint, with all 17 of the 175m blade tip height turbines readily visible. Their closer proximity to the viewpoint, compared to the operational and proposed turbines, combined with their larger size, will moderate the cumulative effect that the additional five proposed turbines will have.
- 8.7.86 With the cumulative context of application and operational turbines comprising 57 turbines, there will already be a notable influence from wind farm development on walkers at this viewpoint. The close proximity of the proposed turbines to the cumulative turbines and the small proportion of additional turbines being added, limits the cumulative magnitude of change to **low** and the cumulative effect to **not significant**.

Viewpoint 6 – An Coileachan (Figure 8.27)

Baseline

- 8.7.87 This viewpoint is located on the summit of An Coileachan (923m AOD) which occupies the south-east corner of the Rugged Mountain Massif LCT, to the west of the Proposed Development. The viewpoint is representative of the views of walkers on this hill. In many of the recommended circular routes around the Sgurr Mor range, the summit of An Coileachan is included as the south-east point. The ZTV in **Figure 8.9** shows that visibility across the Sgurr Mor range is limited, owing to the screening effect of the intervening foothills between the Proposed Development and the mountains, however visibility will occur from the summits and the eastern facing upper slopes.
- 8.7.88 An Coileachan is steep sided and evenly contoured to form a smooth conical hill, albeit with some irregular slope profiles and rock outcrops to the north and east. The smoothness of the landform is accentuated by the simple and homogenous land cover of heather moorland and rough grasses, and with the distinct absence of trees, even at the lower levels, the landscape has an open and exposed character. The view from the hill top is panoramic and expansive, revealing tiers of hills at various ranges. The most prominent feature is the whale-back ridge that extends north-west, drawing the focus to the distinct crescent shaped

peak of Sgurr Mor. The jagged hills of the wider Sgurr Mor range characterise this view and form the main attraction in the views of walkers.

- 8.7.89 Although of a comparable scale, the Ben Wyvis range to the east lacks the presence or stature of the Sgurr Mor range as seen from this viewpoint, partly owing to its distance, but also its much flatter ridgeline and gently rounded hill sides. It is in this less remarkable sector of the wider view that the Proposed Development will be visible at a range of 8.07km. The Operational Wind Farms are already visible on the lower Rounded Hills LCT and Rocky Moorland LCT to the fore of the Ben Wyvis Range.
- 8.7.90 Lochluichart Wind Farm is the most apparent of the three developments, seen exposed between the lower foothills to the south, while Lochluichart Wind Farm Extension to the north and Corriemoillie to the rear, are more heavily screened by intervening landform. At ranges of 7.89km, 8.1km and 9.06km respectively the Operational Wind Farms occur as medium scale elements within a much wider panorama.
- 8.7.91 There are very few human interventions evident in this landscape and this gives rise to a sense of remoteness and isolation. The surrounding upland area especially, is characterised by the simplicity of the landscape, with its homogenous land cover and absence of point features. The wind turbines in the landscape to the east form one of the few apparent modern features, although seen from a sufficient distance to avoid a sense of impingement on the undeveloped character of the Sgurr Mor range.

Sensitivity

- 8.7.92 The summit of An Coileachan is a location people will visit with the specific purpose of enjoying the view, and this raises the value of the viewpoint. The viewpoint and the landscape which occupies much of the view are subject to the landscape designation of the Fannichs-Beinn Dearg-Glen Calvie SLA, which reflects the regional importance of this landscape. Taking these factors into account, the value of the view is assessed as being medium-high.
- 8.7.93 The susceptibility of hill walkers to the Proposed Development relates principally to their expectation to enjoy panoramic and scenic views. Development can detract from this enjoyment, particularly when the expectation is to experience an undeveloped or remote landscape. The existing presence of wind farm development in the sector of the view to the east, establishes this type of development as a component of the baseline. Although to some extent this reduces the susceptibility of walkers to the introduction of the Proposed Development, the largely undeveloped nature of the wider view prevails, and this maintains a degree of susceptibility. Taking these factors into account, the susceptibility of hill walkers is **medium-high**.
- 8.7.94 The combination of the value of the view and its susceptibility to the Proposed Development results in a medium-high sensitivity.

Magnitude of change

- 8.7.95 The Proposed Development will be seen at a minimum distance of 8.07km from the viewpoint. The wireline in **Figure 8.27c** shows the extent to which the Proposed Development will be visible, with all five turbines visible, albeit largely screened by the intervening landform such that two turbines are visible to just below the hub, one is visible as a blade and two seen just as tips, which will be largely indiscernible. While the three readily visible turbines will make an apparent extension to the north, they will form only a small proportion of the wider extent of operational turbines. Their location behind the intervening landform will reduce their overall prominence in the group and their scale will

appear broadly comparable to that of the operational turbines, albeit slightly larger and with greater spacing between turbines.

- 8.7.96 The magnitude of change during the operational stage will be **low**. This relates principally to the small number of turbines visible, the limited extent to which they are visible and the greater extent to which the operational turbines are visible. The continuity in location and appearance will also moderate the effect of the proposed turbines, as their proximity to the existing turbines will clearly mark this development as an extension and ensure the proposed turbines will appear integrated within the wider group, despite their slightly larger scale.
- 8.7.97 Similar to the operational turbines, the proposed turbines will sit well below the skyline of the Ben Wyvis range and be seen to the fore of the northern ridgeline where it descends through Carn Gorm (742m AOD). The operational turbines already occupy the foreground to this view and the addition of the proposed turbines will form only an incremental change. The more dramatic mountain scenery in the other sectors of the view will remain unaffected.
- 8.7.98 During the construction stage, the magnitude of change will be **medium-low**. While the presence of tall cranes and emerging turbines may form an apparent feature, the distance of this feature from the viewpoint, the existing influence of the Operational Wind Farms, and the location of this feature set well below the skyline will moderate this effect and prevent it from redefining the character of the view.

Significance of the effect

- 8.7.99 The effect of the Proposed Development on walkers on An Coileachan will be **not** significant during the construction and operational stages. This finding relates to the limited extent to which the Proposed Development will be visible, the separation distance from the viewpoint and the existing influence of the Operational Wind Farms.

Significance of the in-conjunction cumulative effect

- 8.7.100 The Cumulative ZTV in **Figure 8.15** shows that theoretical visibility of the Proposed Development will largely coincide with theoretical visibility of the Operational Wind Farms as seen from the summit and east-facing upper slopes of An Coileachan, indicating that the Proposed Development will not introduce notable new areas of visibility in respect of the cumulative context. As the wireline in **Figure 8.27c** shows, Lochluichart Wind Farm will continue to be the most visible of the Operational Wind Farms, with visibility of the five proposed turbines forming only an incremental increase.
- 8.7.101 The cumulative effect of the Proposed Development in-conjunction with the Operational Wind Farms will be **not significant**. The extent to which the Operational Wind Farms are visible from this viewpoint, gives rise to a notable influence on the cumulative context. In contrast, the limited extent to which the Proposed Development will be visible, limits the in-conjunction cumulative magnitude of change to low.

Scenario 1: Significance of the in-conjunction cumulative effect

- 8.7.102 The Scenario 1 cumulative assessment considers the effect of the Proposed Development in-conjunction with all operational and proposed wind farms, with the most relevant developments comprising the Operational Wind Farms and application stage Kirkan Wind Farm, which collectively form a cluster adjacent to the Proposed Development. The cumulative wireline in **Figure 8.27c** shows that Kirkan Wind Farm will be located approximately 11.29km from the viewpoint, with all 17 of the 175m blade tip height turbines visible, albeit with some overlapping occurring. Despite their location behind

Lochluichart Extension and Corriemoillie, the larger size of the Kirkan turbines means that they appear larger in scale than the closer range operational turbines.

- 8.7.103 With the cumulative context of application and operational turbines comprising 50 turbines, there will already be a notable influence from wind farm development on walkers at this viewpoint. While the proposed turbines will form an extension on the northern side of the group that will appear slightly larger in scale and lower in density, the small proportion of additional turbines being added and their appearance as an extension to the cumulative group of operational and application turbines, limits the cumulative magnitude of change to **low** and the in-conjunction cumulative effect to **not significant**.

Viewpoint 7 – Sgurr Mor (Figure 8.28)

Baseline

- 8.7.104 This view is taken from the summit of Sgurr Mor (1110m AOD) in the Fannich Mountains to the north-west of the Proposed Development. Sgurr Mor is the highest summit in this range, which includes several Munros and is very popular with hill walkers. The viewpoint has been selected to represent the views of walkers in the Fannich Mountains, where there are a number of long distance routes connecting different combinations of the several Munros which occur in this range.
- 8.7.105 The viewpoint affords expansive and panoramic views in all directions. The landform is true to its landscape character type of Rugged Mountain Massif with large scale mountains characterised by peaks, arêtes, corries and tarns. These glacial landform features surround and characterise the Sgurr Mor range, holding the attention of viewers within the fore to middle range, while the more distant hills and mountains add depth to the scenic interest across the wider panorama.
- 8.7.106 The view west looks out towards the peak of Sgurr nan Clach Geala (1093m AOD). Tiers of hill ridges and peaks can be seen all the way beyond to Wester Ross and the west coast. This landscape appears wild and remote, with few visible human artefacts other than the A832, carving its route north-west through the moorland landform. The view north looks out towards Beinn Dearg which is also characteristic of the Rugged Mountain Massif LCT. These mountains appear devoid of human intervention and add to the perception of a wider remote mountain landscape. The view south looks out across Loch Fannich to the tiers of hills that occur between Strathconon, Glen Orrin and Glen Strathfarrar, all following the same predominant west to east alignment. Other than forestry plantations evident on the lower slopes, this aspect is also largely devoid of human intervention.
- 8.7.107 The view south-east is characterised by the mountain ridge that extends from close range Meall nam Peithirean (974m AOD) to An Coileachan (923m AOD) with its whale-back ridge and craggy slopes. In comparison, the foothills to the east become lower and more rounded, presenting a contrast to the dramatic scenery that surrounds Sgurr Mor. While the mass of Ben Wyvis is evident from this range, its flat-topped profile reduces its prominence in the wider view.
- 8.7.108 The Operational Wind Farms are visible in this easterly sector of the view, seen set behind the intervening foothills such that most turbines are partially screened apart from a few seen more fully through the troughs. The wireline in **Figure 8.28c** shows 30 turbines, and while a few of these occur as tips, the majority are seen with nacelles or as blades. They are set well below the skyline of the Ben Wyvis range and, at a distance of approximately 12 to 14km, form relatively small-scale features in the wider view.

Sensitivity

- 8.7.109 The viewpoint and the surrounding landscape form the south-western part of the Fannichs-Beinn Dearg-Glen Calvie SLA and this denotes a regional value to the landscape visible in the fore to middle ground of the view. While the viewpoint is not marked as a formal viewpoint on OS maps it is a place people visit with the purpose of enjoying the view, and this raises its value. Overall, the value of the view is considered to be medium-high.
- 8.7.110 The susceptibility of hill walkers to the Proposed Development relates principally to their expectation to enjoy panoramic and scenic views. Development can detract from this enjoyment, particularly when the expectation is to experience an undeveloped or rural landscape. The existing presence of wind farm development in the eastern sector of the view, establishes this type of development as a component of the baseline. Although to some extent this reduces the susceptibility of walkers to the introduction of the Proposed Development, the largely undeveloped nature of the wider views prevails, and this maintains a degree of susceptibility. Taking these factors into account, the susceptibility of hill walkers will be medium.
- 8.7.111 The combination of the value of the view and its susceptibility to the Proposed Development results in a **medium-high** sensitivity.

Magnitude of change

- 8.7.112 The wireline in **Figure 8.28f** shows the Proposed Development partly visible behind the intervening landform of Meall na Speiraig (676m AOD) and Beinn Liath Bheag (609m AOD). While four turbines are marked as being visible, two are visible to just below the nacelle, one is visible as a blade, while the tip next to Turbines 7 and 8 will be largely indiscernible from this range. The Proposed Development will be seen at a minimum distance of 12.19km from the viewpoint. This distance, combined with the limited extent to which the turbines will be visible, will ensure that the turbines appear as relatively small-scale features in the view. While the rotor diameters of the proposed turbines are longer than the operational turbines, these differences will not have a notable effect from this range.
- 8.7.113 The location of the proposed turbines to the immediate north of the operational turbines means they will be evident as an extension. They will be seen associated with the same group of foothills as the operational turbines, avoiding appearing on the edge or spilling into a different landscape type. In respect of views towards Ben Wyvis, while the Proposed Development will be seen to extend the horizontal spread further in-line with An Cabar (946m AOD) and the main Ben Wyvis ridge, the importance of this feature from Sgurr Mor is moderated by the influence of much more dramatic mountain skylines in all other directions.
- 8.7.114 The magnitude of change during the operational stage will be **low**. This relates principally to the small number of turbines visible, the limited extent to which they are visible and the greater extent to which the operational turbines are visible. It also takes into account the influence of the immediate landform around the summit of Sgurr Mor and wider panorama of impressive mountain scenery, which together form the primary features in the view, and in respect of which, the Proposed Development and Ben Wyvis form secondary features. The effect will also be moderated by the similarities in appearance between the proposed and operational turbines which ensures they will appear as an integrated extension.
- 8.7.115 During the construction stage, the magnitude of change will be **medium-low**. While the presence of tall cranes and emerging turbines may form an apparent feature, the distance of this feature from the viewpoint, the screening effect of the intervening landform, the existing influence of the Operational Wind Farms, and the location of this feature set well

below the skyline will moderate this effect and prevent it from redefining the character of the view.

Significance of the effect

- 8.7.116 The effect of the Proposed Development on walkers on Sgurr Mor will be **not significant** during the construction and operational stages. This finding relates to the limited extent to which the Proposed Development will be visible, the separation distance from the viewpoint, and the existing influence from the operational turbines.

Significance of the in-conjunction cumulative effect

- 8.7.117 The Cumulative ZTV in **Figure 8.15** shows that theoretical visibility of the Proposed Development will largely coincide with theoretical visibility of the existing wind farms as seen from the summit and east-facing upper slopes of Sgurr Mor, indicating that the Proposed Development will not introduce notable new areas of visibility in respect of the cumulative context. As the wireline in **Figure 8.28c** shows, Lochluichart Wind Farm will continue to be the most fully visible of the Operational Wind Farms, with visibility of the Proposed Development forming only an incremental increase.
- 8.7.118 The cumulative effect of the Proposed Development in-conjunction with the Operational Wind Farms will be **not significant**. The extent to which the Operational Wind Farms are visible from this viewpoint, gives rise to a notable influence on the cumulative context. In contrast, the limited extent to which the Proposed Development will be visible, limits the in-conjunction cumulative magnitude of change to low.

Scenario 1: Significance of the in-conjunction cumulative effect

- 8.7.119 The Scenario 1 cumulative assessment considers the effect of the Proposed Development in-conjunction with all operational and proposed wind farms, with the most relevant developments comprising the Operational Wind Farms and application stage Kirkan Wind Farm, which collectively form a cluster adjacent to the Proposed Development. The cumulative wireline in **Figure 8.28c** shows that Kirkan Wind Farm will be located approximately 15.66km from the viewpoint, with all 17 of the 175m blade tip height turbines visible, albeit with some overlapping occurring and towers partly concealed by intervening landform. Despite their location behind Lochluichart Extension and Corriemoillie, the larger size of the Kirkan turbines means that they appear larger in scale than the closer range operational turbines.
- 8.7.120 With the cumulative context of application and operational turbines comprising 57 turbines, there will already be a notable influence from wind farm development on walkers at this viewpoint. While the proposed turbines will form an extension on the northern side of the group that will appear slightly larger in scale and lower in density, the small proportion of additional turbines being added, their appearance as an extension to the cumulative group of operational and application turbines, and the favourable scale comparison presented by the larger Kirkan turbines, limits the cumulative magnitude of change to **low** and the in-conjunction cumulative effect to **not significant**.

Viewpoint 8 – Beinn a Chaisteil (Figure 8.29)

Baseline

- 8.7.121 This view is taken from the summit of Beinn a Chaisteil (787m AOD), a popular Corbett situated between Strath Vaich to the west and Strath Rannoch to the east. The view is orientated south-south-west, looking down through Strath Vaich to the lower part of the

Rounded Hills LCT where the Proposed Development will be located at approximately 9.17km. The viewpoint has been selected to represent the views of hill walkers. Beinn a Chaisteil is accessed by walkers via the long track adjacent to Black Water in the southern part, and Loch Vaich in the northern part, followed by a steep and track-less ascent to the summit.

- 8.7.122 The view from Beinn a Chaisteil is characterised by the surrounding upland landscape. The main attraction of the view is west towards the mountain massif of Beinn Dearg, characterised by its distinctive profile, large scale and breadth. The open moorland landcover and absence of human artefacts, mark this landscape as being remote with some sense of isolation. The upland landscape wraps around Beinn a Chaisteil to the north and west, and although the hills are not as large as Beinn Dearg, there is still an absence of visible human artefacts or interventions.
- 8.7.123 In contrast, the landscape through Strath Vaich towards the Site, falls away in elevation and human artefacts are visible, most notably in the form of the Operational Wind Farms, as well as the hunting lodges visible in the strath and the modification of forestry across parts of the lower slopes. The majority of the 37 visible operational turbines are seen at their full height with the more distant southern turbines partially screened by intervening landform. At a range of approximately 9.5 to 12.5km, they are seen stretching across the undulating moorland that lies between the Ben Wyvis range to the east and the Sgurr Mor range to the west and set well below the skyline of the distant hills around Strathconon and Strathfarrar to the south.

Sensitivity

- 8.7.124 While the summit of Beinn a Chaisteil is not shown as a formal viewpoint on OS maps, it is a location people visit with the specific purpose of enjoying the view. The viewpoint is located within the southern boundary of the Fannichs-Beinn Dearg-Glen Calvie SLA and this raises its value, although the Proposed Development and the majority of the view to the south, lie outwith the designated area. Taking these factors into account, the value of the view is assessed as being medium-high.
- 8.7.125 The susceptibility of hill walkers to the Proposed Development relates principally to their expectation to enjoy panoramic and scenic views. Development can detract from this enjoyment, particularly when the expectation is to experience an undeveloped or rural landscape. The existing presence of wind farm development, most notably in the southern sector and adjacent to the proposed Site, establishes this type of development as a component of the baseline and reduces the susceptibility of walkers to the introduction of the Proposed Development. Similarly, the extent of modification by rural land use practices seen in the southern sector, detracts from the sense of remoteness. Taking these factors into account, the susceptibility of hill walkers is medium.
- 8.7.126 The combination of the value of the view and the susceptibility of walkers to the Proposed Development results in a **medium-high** sensitivity.

Magnitude of change

- 8.7.127 The Proposed Development will be seen at a minimum distance of 9.19km from the viewpoint. All five turbines will be seen to their full height and set to the fore of the operational turbines. Four of the proposed turbines will sit within the current horizontal extent of the operational turbines, while the one to the west will form a slight increase in the extent of wind turbines to the right in the existing group. While the appearance of the proposed turbines will be broadly comparable to the operational turbines, their slightly larger scale may be apparent, albeit not notable from this range of 9.19km.

- 8.7.128 The magnitude of change during the operational stage will be **medium-low** despite the turbines and associated tracks appearing at a slightly closer range than the Operational Wind Farms. From the range of 9.19km, the proposed turbines will be seen as relatively small-scale elements and owing to the extent of overlap with the operational turbines, the increase in horizontal extent will be limited. The Proposed Development will sit well below the skyline and furthermore, the proposed turbines on the left will sit below the operational turbines. Their location in a sector of the view already featuring wind farm development, will ensure the wider extent of the panorama will remain undeveloped and the views to the west will continue to act as the main attraction. These factors will reduce the prominence of the proposed turbines in views from Beinn a Chaisteil.
- 8.7.129 The magnitude of change during the construction stage will be **medium-low**. The presence and activity of tall cranes combined with the presence of emerging turbines and tracks will add to the prominence of the Proposed Development during the construction, especially as these features will be apparent on the closer northern edge.

Significance of the effect

- 8.7.130 The effect of the Proposed Development on hill walkers on Beinn a Chaisteil will be **not significant**. This finding relates chiefly to the location of the Proposed Development largely overlapping with the Operational Wind Farms in a sector of the view where wind farm development already forms a notable feature. The prominence of the Proposed Development will be moderated by the separation distance from the viewpoint and its location in a less remarkable sector of the wider panoramic view which will remain characterised by undeveloped, upland scenery.

Significance of the in-conjunction cumulative effect

- 8.7.131 The Cumulative ZTV in **Figure 8.15** shows that theoretical visibility of the Proposed Development will largely coincide with theoretical visibility of the existing wind farms as seen from the summit and east-facing upper slopes of Beinn a Chaisteil. The Proposed Development will, therefore, be seen as an addition to the Operational Wind Farms, rather than a new feature.
- 8.7.132 The cumulative effect on walkers as a result of the Proposed Development in-conjunction with the Operational Wind Farms will be **not significant**. This relates to the limited additional influence that the Proposed Development will have in a cumulative context already defined by the presence of the Operational Wind Farms. In this middle range view from the north, the proposed turbines will be seen to largely coincide with the existing turbines, albeit with a slight extension to the west and encroachment north. The magnitude of this change in respect of the cumulative context will be low.

Scenario 1: Significance of the in-conjunction cumulative effect

- 8.7.133 The Scenario 1 cumulative assessment considers the effect of the Proposed Development in-conjunction with all operational and proposed wind farms, with the most relevant developments comprising the Operational Wind Farms and application stage Kirkan Wind Farm, which collectively form a cluster adjacent to the Proposed Development. The cumulative wireline in **Figure 8.29c** shows that Kirkan Wind Farm will be located approximately 9.17km from the viewpoint, with all 17 of the 175m blade tip height turbines visible. They will be seen set to the immediate east of operational Corriemoillie Wind Farm and despite being at a similar range, their larger size will mean they appear larger in scale. The Kirkan Wind Farm application will increase the horizontal extent of the cumulative context by approximately a half.

8.7.134 With the cumulative context of application and operational turbines comprising 52 turbines, there will already be a notable influence from wind farm development on walkers at this viewpoint. While the five proposed turbines will form an extension on the northern side of the group, it's position largely to the fore of the operational turbines means that the additional increase to the horizontal extent will be slight. While the proposed turbines will appear slightly larger in scale and lower in density than the operational turbines, the small proportion of additional turbines being added, their appearance as an extension to the cumulative group of operational and application turbines, and the favourable scale comparison presented by the larger Kirkan turbines, limits the cumulative magnitude of change to **low** and the in-conjunction cumulative effect to **not significant**.

Viewpoint 9 – Fairburn Estate (Figure 8.30)

Baseline

- 8.7.135 This viewpoint is taken from the minor road that connects the village of Marybank with Fairburn Estate. The road traverses the southern valley side of the River Conan, affording expansive views northwards towards the Ben Wyvis range. The road is delineated by an avenue of mature deciduous trees and whilst this forms enclosure to the road, sufficient gaps occur to allow views across the landscape to the north. The view is representative of the views of road-users travelling along this minor road, although it only accesses Fairburn Estate and traffic flows are low. This viewpoint has been selected because, as shown on the ZTV in **Figure 8.12**, there will be no visibility from the Strathconon Minor Road to the north and very limited visibility from the village of Marybank to the north-east.
- 8.7.136 Although only gently sloping, the natural orientation of views from this location follow the fall of the landform northwards across the relatively open aspect of the valley. While the main focus of the view is the broad whale-back ridge of Ben Wyvis to the north, offset to the north-west is Tor Achilty, which, although only 252m in height, is prominent owing to its distinct tree-fringed outline and contrast with the flat flood plain of the immediately adjacent River Conan.
- 8.7.137 The view is made up of tiers, each defined by a combination of landform and landuse. From the foreground into the middle ground, the relatively level valley landform is characterised by farming practices with a distinct pattern of large open fields, intermittent farmsteads, and belts and clusters of deciduous trees, especially concentrated along the riverbanks. Where the land rises steeply on the edge of the valley, farming is replaced by forestry and a narrow band of dark green coniferous forestry marks the transition across the higher and more undulating landform. The background is characterised by the large Rounded Hills LCT of the Ben Wyvis range which add scale and identity to this lowland view. The hills of the Rocky Moorland LCT sit in as the foothills to the larger Rounded Hills LCT, appearing smaller in scale and less distinct as a feature of the view.
- 8.7.138 While the modification of the landscape through farming and forestry practices is evident across the fore and middle ground of the view, the hills in the background appear largely undeveloped with the small exception of the telecommunication mast set on the Rocky Moorlands LCT to the left. Although Fairburn Wind Farm is situated to the west and theoretically visible from this viewpoint, tree cover and hedgerows often screen visibility from this minor road. The cluster of the Operational Wind Farms are visible to the north-west, on the distant hill ridge to the immediate right of Tor Achilty. These wind farms form a relatively compact group, seen set below the ridgeline and, at a minimum distance of approximately 18 to 21km, appear as relatively small-scale structures in the respect of the wider view.

Sensitivity

- 8.7.139 The viewpoint is not formally recognised and is representative of views from a minor road that are experienced incidentally by road-users. While the viewpoint and much of the content of the view are not subject to any national or regional landscape designation, Little Wyvis and Ben Wyvis are subject to the regional Ben Wyvis SLA and this denotes a special value to these features in the view. The value of the view is medium.
- 8.7.140 The susceptibility of road-users to the Proposed Development is also medium. While the natural draw of the view is north towards Ben Wyvis, the enclosure of the avenue trees does partially screen views in this direction. The Proposed Development will be visible to the north-west, placing it more within the visible range of west-bound, rather than east-bound road-users. While the Operational Wind Farms are visible from this minor road, at a minimum distance of 18.38km, they form a very small-scale feature. The location of the Proposed Development next to these Operational Wind Farms will reduce the susceptibility of viewers, as the Proposed Development will be seen in the context of an existing wind farm influence.
- 8.7.141 The combination of the value of the view and the susceptibility of viewers to the Proposed Development results in a **medium** sensitivity for road-users.

Magnitude of change

- 8.7.142 The Proposed Development will be seen at a minimum distance of 20.78km from the viewpoint. The wireline in **Figure 8.30c** shows three turbines will be visible as a small group overlapping with the right extent of the existing turbines of the Operational Wind Farms. A tip is also shown on the ridgeline further to the right which will be indiscernible from this range. Although located along a relatively discreet section of the upland skyline, the proximity of the proposed turbines to the local focal feature of Tor Achilty may make them more of a feature than they otherwise would be. Furthermore, while the scale of the proposed turbines will appear comparable to the scale of the existing turbines, their position above the skyline may make them appear slightly more prominent than the existing turbines.
- 8.7.143 While these features may raise the prominence of the proposed turbines, the overall magnitude of change will be moderated by the following factors. Firstly, the distance between the viewpoint and the Proposed Development means they will appear as small-scale features within a wider upland landscape. Secondly, their location to the north-west means that they will not impinge on the main focal feature of Ben Wyvis. Thirdly, they will be seen as a small number of additional turbines added within a group of operational turbines, with general compatibility in their appearance, despite their slightly larger scale.
- 8.7.144 Taking all these factors into account, the Proposed Development will lead to a **low** magnitude of change. This assessment applies to both the construction and operational stages. Although the Proposed Development may be marginally more prominent owing to the use of tall cranes during construction, from this distance of 20.78km, this will not redefine the character of the view.

Significance of the effect

- 8.7.145 The effect of the Proposed Development on road-users on the Avenue to Fairburn Estate will be **not significant** during both the construction and operational stages of the Proposed Development. This finding relates principally to the separation distance between the visual receptors and the Proposed Development, as well as the small number of additional turbines visible and the existing influence of the operational turbines.

Significance of the in-conjunction cumulative effect

- 8.7.146 The Cumulative ZTV in **Figure 8.15** shows that theoretical visibility of the Proposed Development will coincide with theoretical visibility of the existing wind farms as seen from this section of the Avenue to the Fairburn Estate. This means that the Proposed Development would always be seen in conjunction with the Operational Wind Farms and would not introduce visibility of wind farm development into new areas.
- 8.7.147 The cumulative effect of the Proposed Development in-conjunction with the Operational Wind Farms will be **not significant**. Although the Operational Wind Farms are visible to a greater extent than the Proposed Development will be, their separation distance from the viewpoint means that the Operational Wind Farms will have a limited influence on the cumulative context and the addition of the Proposed Development will have an in-conjunction cumulative magnitude of change that will be low.

Scenario 1: Significance of the in-conjunction cumulative effect

- 8.7.148 The Scenario 1 cumulative assessment considers the effect of the Proposed Development in-conjunction with all operational and proposed wind farms, with the most relevant developments comprising the Operational Wind Farms and application stage Kirkan Wind Farm, which collectively form a cluster adjacent to the Proposed Development. The cumulative wireline in **Figure 8.30c** shows that Kirkan Wind Farm will be located approximately 17.43km from the viewpoint, with 10 of the 17 turbines visible. They will be seen set to the immediate east of operational Corriemoillie Wind Farm as a dense cluster of blades and nacelles, with the towers mostly concealed by the intervening landform. The Kirkan Wind Farm application will increase the horizontal extent of the cumulative context and although the turbines will be larger in size than the operational turbines, the separation distance of 20.78km will moderate the perceived difference.
- 8.7.149 In respect of the cumulative context of application and operational turbines, the addition of the three proposed turbines will form only an incremental increase. Furthermore, these three turbines will be seen set within the existing group without increasing the horizontal extents on either side. In terms of scale, while the proposed turbines will be slightly larger than the operational turbines, they will be smaller than the application Kirkan turbines and the perception of these scale differences will be moderated by the separation distances of 17 to 21km. The cumulative magnitude of change will be **low** and the in-conjunction cumulative effect will be **not significant**.

Viewpoint 10 – Sgurr a Mhuilinn (Figure 8.31)

Baseline

- 8.7.150 This view is taken from the summit of Sgurr a Mhuilinn (879m AOD), the highest top in a group of Corbetts and Grahams to the north of Strathconon. It is accessed from the minor road that extends west from the A832 at Marybank, along Strathconon. The starting point for the walk is at Strathanmore, from where there is a steep ascent over the hill slopes to the west and north-west. A popular circular route takes in the summit of Meallan nan Uan (838m AOD) to the south of the Sgurr a Mhuilinn. The viewpoint has been selected to represent the views of hill walkers in this area. The ZTV shows that visibility will occur along the ridgeline between Creag Ruadh (734m AOD) and Meallan nan Uan, and more extensively across the north-east facing slopes of Sgurr a Mhuilinn.
- 8.7.151 To the south of the viewpoint, the view is characterised by the tiers of summits and hill ridges of Strathconon, Monar and Mullardoch, extending over a substantial distance and with intermittent straths and glens well concealed. In contrast, to the north, views open up

across a lower-lying area around which larger mountain ranges occur. The lower-lying area comprises the Undulating Moorland LCT of Strath Bran, with its low hills and marshy ground cover. These fall in towards the Wide Farmed Strath LCT of the River Bran and the series of lochs this river feeds into, the largest being Loch Luichart to the north-east. On the northern side of the lochs, isolated or small clusters of properties appear dispersed along the shoreline, while tracts of commercial forestry occur across lower hill slopes.

- 8.7.152 The view extends out to the Sgurr Mor range to the north and the Ben Wyvis range to the east, with the Operational Wind Farms seen located in a lower lying area of the Rounded Hills LCT in between, albeit set on what appears as a plateau, above the lochs of Strath Bran. The Operational Wind Farms collectively form a large group of turbines, in an otherwise largely undeveloped upland landscape. From this distance of approximately 12.5 to 15km they appear as relatively small-scale elements.

Sensitivity

- 8.7.153 While the summit of Sgurr a Mhuilinn is not shown as a formal viewpoint on OS maps, it is a location hill-walkers will visit with the specific purpose of enjoying the view, and this raises the value of the viewpoint. The viewpoint is located within the north-east corner of the Strathconon, Monar and Mullardoch SLA which adds to its value, although most of the view to the north lies outwith this designated area. These factors contribute to the value of the view, which is assessed as being medium-high.
- 8.7.154 The susceptibility of hill walkers to the Proposed Development relates principally to their expectation to enjoy panoramic and scenic views. Development can detract from this enjoyment, particularly when the expectation is to experience an undeveloped or rural landscape. While to the south, the upland landscape appears to be devoid of human artefacts, in contrast, the view to the north features Operational Wind Farms, as well as settlement along the strath, and commercial forestry on the lower slopes. The influence of these developments has the effect of reducing the susceptibility of hill walkers to the effects of the Proposed Development, especially in respect of the Operational Wind Farms which establish this type of development as a feature of the baseline view. The susceptibility of hill walkers is medium.
- 8.7.155 The combination of the value of the view and its susceptibility to the Proposed Development results in a **medium-high** sensitivity.

Magnitude of change

- 8.7.156 The Proposed Development will be seen at a minimum distance of 14.27km from the viewpoint. While all five proposed turbines are shown on the wireline in **Figure 8.31c** to be visible, none are seen to their full extent and most are partly screened by the intervening landform of Meallan Caoruinn (499m AOD), such that the group is seen as one blade, three turbines visible to just below the nacelle, and one turbine visible to below the nacelle. While the proposed turbines increase the horizontal extent of wind farm development to the west, this increase is only to a small extent and their limited owing to the intervening landform will limit the effect.
- 8.7.157 The magnitude of change during the operational stage will be **low**. This relates to a combination of the following factors. Firstly, the separation between the viewpoint and the Proposed Development which will ensure the proposed turbines appear as relatively small-scale features. Secondly, the location of the proposed turbines to the north of the operational turbines mean that they will appear less prominent and largely set within the existing extent of development. Thirdly, the screening effect of the intervening landform reduces the prominence of the proposed turbines. Fourthly, the existing presence of the

operational turbines and the appearance of the proposed turbines as an extension ensures the Proposed Development will appear integrated within the baseline context.

- 8.7.158 The magnitude of change during the construction stage will be **low**. Despite the additional effect relating to the presence and activity of tall cranes and the unusual appearance of the emerging turbines as they are constructed, the factors listed above, will moderate the effects of the construction stage, most notably the distance from the viewpoint, the location of the turbines to the rear of the operational turbines and the existing influence of the operational turbines.

Significance of the effect

- 8.7.159 The effect of the Proposed Development on hill walkers on Sgurr nan Mhuilinn will be **not significant**. Despite the medium-high sensitivity attributed to viewer's experiencing the view, there will be a low magnitude of change during the construction and operational stages, principally owing to the distant and small-scale appearance of the Proposed Development in a context where the Operational Wind Farms already have an influence.

Significance of the in-conjunction cumulative effect

- 8.7.160 The Cumulative ZTV in **Figure 8.15** shows that theoretical visibility of the Proposed Development will coincide with theoretical visibility of the existing wind farms as seen from Sgurr a Mhuilinn. This means that the Proposed Development will always be seen in conjunction with the Operational Wind Farms and would not introduce visibility of wind farm development into new areas.
- 8.7.161 The cumulative effect of the Proposed Development in-conjunction with the Operational Wind Farms will be **not significant**. Although the Operational Wind Farms are visible to a greater extent than the Proposed Development will be, their separation distance from the viewpoint means that the Operational Wind Farms will have a limited influence on the cumulative context and the addition of the Proposed Development will have an in-conjunction cumulative magnitude of change that will be low.

Scenario 1: Significance of the in-conjunction cumulative effect

- 8.7.162 The Scenario 1 cumulative assessment considers the effect of the Proposed Development in-conjunction with all operational and proposed wind farms, with the most relevant developments comprising the Operational Wind Farms and application stage Kirkan Wind Farm, which collectively form a cluster adjacent to the Proposed Development. The cumulative wireline in **Figure 8.31c** shows that Kirkan Wind Farm will be located approximately 14.85km from the viewpoint, with all 17 of the 175m blade tip height turbines visible, albeit with some overlapping occurring and towers partly concealed by intervening landform. Despite their location behind Corriemoillie Wind Farm, the larger size of the Kirkan turbines means that they appear larger in scale than the closer range operational turbines.
- 8.7.163 With the cumulative context of application and operational turbines comprising 56 turbines, there will already be a notable influence from wind farm development on walkers at this viewpoint. While the proposed turbines will form an extension on the northern side of the group, the small proportion of additional turbines being added, their appearance as an extension to the cumulative group of operational and application turbines, and the favourable scale comparison presented by the larger Kirkan turbines, limits the cumulative magnitude of change to **low** and the in-conjunction cumulative effect to **not significant**.

Viewpoint 11 – Sgurr a Choire Ghlais (Figure 8.32)**Baseline**

- 8.7.164 This viewpoint is taken from the summit of Sgurr a Choire Ghlais (1083m AOD), the highest top in the area of Rugged Massif LCT that lies between Glen Orrin, to the north, and Glen Strathfarrar, to the south. The route, most frequently used by walkers, follows the Glen Strathfarrar track from Struy Bridge on the A831 along a distance of approximately 14km to Deanie Power Station, from where a steep ascent to the north over approximately 5km, leads to the summit. With the main approach being from the south, views of the Proposed Development on approach will largely be screened by intervening landform and, therefore, the viewpoint is representative of the view walkers experience from the top of this Munro. Sgurr a Choire Ghlais is one of four Munros in this range, the other three summits set to the north-west and collectively forming a popular circular route for walkers.
- 8.7.165 The viewpoint and surrounding area lies within the Strathconon, Monar and Mullardoch SLA and the Central Highlands WLA, while the Glen Strathfarrar NSA lies to the south-east. These designations denote the regional and national value attached to this area. In terms of landscape classification, the viewpoint lies within the Rugged Massif LCT and looks north across the Rocky Moorland LCT and Rounded Hills LCT giving a predominantly upland character to the view.
- 8.7.166 Although Glen Strathfarrar is characterised by the human artefacts of the power station, transmission line, dam and lodges, and the human modifications of the farming and forestry, in contrast the upland landscape is largely devoid of development and this, in combination with the scale and depth of this mountain range, gives rise to a sense of remoteness from within the interior.
- 8.7.167 There is no visible wind farm development in the sectors of the view from the north-west through to the south. Fairburn is the closest wind farm at a range of approximately 17km to the north-east, seen set on the lower hills at the eastern end of Strathconon. The wireline in **Figure 8.32c** shows that Novar Wind Farm and Extension is visible to the left of Fairburn Wind Farm, although at the more distant range of approximately 40km it is not readily discernible in the field. From approximately 23km to the north, the cluster formed by the Operational Wind Farms is more readily evident, with all 40 turbines visible and the majority seen at their full height. This group is seen associated with the relatively low-lying area to the fore of the Ben Wyvis range and the east of the Sgurr Mor range. In the absence of other human artefacts, it forms a notable feature in this northerly view.

Sensitivity

- 8.7.168 While the summit of Sgurr a Choire Ghlais is not shown as a formal viewpoint on OS mapping, it is a location hill walkers will visit with the specific purpose of enjoying the view, and this raises the value of the viewpoint. The viewpoint lies in the Strathconon, Monar and Mullardoch SLA and the Central Highlands WLA, which cover the close range parts of the view. These factors all contribute to the value of the view, which is assessed as being medium-high.
- 8.7.169 The susceptibility of hill walkers to the Proposed Development relates principally to their expectation to enjoy panoramic and scenic views. Development can detract from this enjoyment, particularly when the expectation is to experience an undeveloped or rural landscape. While there is visibility of wind farm development evident in the view to the north and north-east, these are relatively distant features seen in the context of the wider view where there is no wind farm development, and this moderates the overall influence that wind farm development has on the character of the view. The largely undeveloped and

unmodified nature of the landscape in the view raises the susceptibility of hill walkers to the Proposed Development and this is assessed as medium-high.

- 8.7.170 The combination of the value of the view and its susceptibility to the Proposed Development results in a **medium-high** sensitivity.

Magnitude of change

- 8.7.171 The Proposed Development will be seen at a minimum distance of 26.47km from the viewpoint. The Proposed Development will be seen set behind the 40 visible operational turbines, and although the wireline in **Figure 8.32c** shows that all five proposed turbines will be visible, four of the turbines will be set behind the operational turbines, with only one turbine increasing the horizontal extent on the left of the existing group. This turbine on the left will only be seen as blades and a nacelle as the tower will be screened by the intervening landform. Despite the larger size of the proposed turbines compared to the operational turbines, their more distant location on the northern side of the group, combined with the distant range from which they will be seen, will moderate this difference.
- 8.7.172 The distant range of 26.47km will make the turbines appear as relatively small-scale structures, occupying a small proportion of a much wider view. Furthermore, the operational turbines already have an existing influence on this view and the location of the proposed turbines to the rear of these, moderates their additional influence. The magnitude of change of the Proposed Development during the operational stage will be **low**. The proposed turbines will be seen as an extension to the Operational Wind Farms and owing to their distant range, the small number of additional turbines and their location to the rear of the operational turbines, the additional influence will be limited.
- 8.7.173 During the construction stage, despite the presence and activity of tall cranes and the emergence of turbines as they are constructed, the separation distance between the viewpoint and the Proposed Development, combined with the location of the construction works to the rear of the operational turbines, means that the magnitude of change will be low.

Significance of the effect

- 8.7.174 The effect of the Proposed Development on hill walkers on Sgurr a Choire Ghlais will be **not significant**. This assessment relates principally to the distance between the viewpoint and the Proposed Development, combined with the limited extent added by the proposed turbines, and seen in the context of the Operational Wind Farms. The Proposed Development will be located in a relatively low-lying area surrounded by large mountain ranges, where the landscape is able to accommodate these additional turbines without further compromising the setting to the wider upland landscape.

Significance of the in-conjunction cumulative effect

- 8.7.175 The Cumulative ZTV in **Figure 8.15** shows that theoretical visibility of the Proposed Development will coincide with theoretical visibility of the existing wind farms as seen from the summit and north-facing slopes of Sgurr a Choire Ghlais. This means that the Proposed Development will always be seen in conjunction with the Operational Wind Farms and would not introduce visibility of wind farm development into new areas.
- 8.7.176 The cumulative effect on walkers as a result of the addition of the Proposed Development will be **not significant**. This relates to the limited additional influence that the Proposed Development will have in a cumulative context already defined by the presence of the Operational Wind Farms. In this distant range view from the south, the proposed turbines will be seen to largely coincide with the existing turbines, with the increase in scale likely to

be indiscernible. The magnitude of this change in respect of the cumulative context will be low.

Scenario 1: Significance of the in-conjunction cumulative effect

- 8.7.177 The Scenario 1 cumulative assessment considers the effect of the Proposed Development in-conjunction with all operational and proposed wind farms, with the most relevant developments comprising the Operational Wind Farms and application stage Kirkan Wind Farm, which collectively form a cluster adjacent to the Proposed Development. The cumulative wireline in **Figure 8.32c** shows that Kirkan Wind Farm will be located approximately 26.47km from the viewpoint, with all 17 of the 175m blade tip height turbines visible, albeit with some overlapping occurring and towers partly concealed by intervening landform. They will be seen to the immediate east of Corriemoillie Wind Farm and will increase the horizontal extent of the cumulative group by a half.
- 8.7.178 With the cumulative context of application and operational turbines comprising 57 turbines, there will already be a notable influence from wind farm development on walkers at this viewpoint. While the proposed turbines will form an extension on the northern side of the group, the small proportion of additional turbines being added, their appearance as an extension to the cumulative group of operational and application turbines, and the favourable scale comparison presented by the larger Kirkan turbines, limits the cumulative magnitude of change to **low** and the in-conjunction cumulative effect to **not significant**.

Viewpoint 12 – Beinn Dearg (Figure 8.33)

Baseline

- 8.7.179 This view is from the summit of Beinn Dearg (1084m AOD). This is the highest of the four Munros in this range of the Rugged Mountain Massif LCT and is characterised by its dome shaped summit rising above steep cliffs and deep corries. The most frequently used route by walkers follows a long walk-in, alongside River Lael, starting at the southern end of Loch Broom, to the north-west of the mountain. The path leads as far as the pass between Beinn Dearg and Meall nan Ceapraichean (977m AOD), from where a steep ascent is made up to the summit. This viewpoint is representative of views hill walkers experience in this area, although the view of the Proposed Development will be screened by intervening landform until the summit of the Beinn Dearg walk.
- 8.7.180 The viewpoint and much of the view are subject to the Fannichs-Beinn Dearg-Glen Calvie SLA and this denotes the regional importance of the landscape. In terms of classification, the viewpoint is located in Rugged Mountain Massif LCT and looks south across the Rounded Hills LCT to where the Proposed Development will be located.
- 8.7.181 The view is very much dominated by mountains, with the Beinn Dearg range surrounding the viewpoint, the Ben Wyvis range to the south-east, Sgurr Mor range to the south-west and Freevater range to the north-east. From the viewpoint, the rounded summit precludes views into the depths of the surrounding straths and instead views carry over to neighbouring summits and ridges. Views of more distant straths and coastal edges occur where openings in the enclosing hills occur.
- 8.7.182 Although no wind farm developments occur within close range, the panoramic nature of the view means that some are visible from this location. The cluster formed by the Operational Wind Farms at approximately 14km to the south-south-east, are the closest wind farm developments. The wireline in **Figure 8.33c** shows that 29 of the 40 turbines are theoretically visible, although blades and tips are not readily discernible in the photography. These operational turbines are seen set on or behind the eastern flank of Beinn Liath Bheag

(609m AOD). From the range of approximately 14km, they form relatively small-scale elements within a wider upland landscape.

- 8.7.183 Fairburn Wind Farm occurs in the same south-south-east sector at approximately 31km and Novar Wind Farm and Extension occurs to the south-east at approximately 29km. Both are discernible in good conditions as distant and small-scale features.

Sensitivity

- 8.7.184 Beinn Dearg is a popular Munro which is relatively easy to access, albeit with a long walk-in. The summit is a location which walkers visit with the specific purpose of enjoying the view. The viewpoint and the landscape which occupies much of the view are subject to the landscape designation of the Fannichs-Beinn Dearg-Glen Calvie SLA, which reflects the regional scenic importance of this landscape, and the Rhiddoroch, Beinn Dearg and Ben Wyvis WLA, which reflects the wild land qualities. Taking these factors into account, the value of the view is assessed as being medium-high.
- 8.7.185 The susceptibility of hill walkers to the Proposed Development relates principally to their expectation to enjoy panoramic and scenic views. Development can detract from this enjoyment, particularly when the expectation is to experience an undeveloped or rural landscape. While the presence of small-scale development along the coastal edge and in some of the straths denotes the settled nature of marginal parts of the wider landscape, these influences are limited owing to distance and scale, and the view remains characterised by largely undeveloped and remote upland landscapes. In terms of development in the uplands and more specifically wind farm development, the close range uplands appear largely undeveloped, although wind farms are visible in the middle to distant ranges to the north-east, south-east and south. These form an established feature of the view and this reduces the susceptibility of walkers to this type of development. Taking these factors into account, the susceptibility of hill walkers is medium-high.
- 8.7.186 The combination of the value of the view and its susceptibility to the Proposed Development results in a **medium-high** sensitivity.

Magnitude of change

- 8.7.187 The Proposed Development will be seen at a minimum distance of 13.64km from the viewpoint. The horizontal extent of the proposed turbines will sit within the horizontal extent of the cluster of Operational Wind Farms, such that there will be no increase to the spread of development. The five proposed turbines will be seen set to the north of the operational turbines, making them slightly closer in range to Beinn Dearg. Their slightly larger scale may be apparent, albeit from the range of 13.64km, not notable and possibly will be attributed to their slightly closer location, and their location over the ridgeline, rather than on or behind it, as the operational turbines are.
- 8.7.188 The horizontal angle ZTV in **Figure 8.8b** shows that from Beinn Dearg, the Proposed Development will occupy only 5 to 10 degrees of the full 360 degree view. Not only will the Proposed Development occupy a small proportion of the wider view, its influence will be moderated by its location where there is already an influence of this type of development. Furthermore, the Proposed Development will be seen set within a relatively low-lying sector of the view, which lacks the attraction of the many mountain ranges visible in other sectors from the Beinn Dearg summit.
- 8.7.189 The magnitude of change during the operational stage will be **medium-low**. The medium part of the rating relates to the increase that the Proposed Development will make to the northern extent of the Operational Wind Farms, as evident from this northerly direction. The proposed turbines will be seen to extend onto the ridgeline, whereas the operational

turbines are mostly seen contained behind it. The low part of the rating relates to the distance of 13.64km to the nearest turbine which means the turbines will appear as relatively small-scale elements within a much wider and more scenic view. Their location within the horizontal extent of the operational turbines will further moderate their effect as there will be no visible spread to the development although there will be a slight increase in the depth and density of the turbines.

- 8.7.190 During the construction stage, despite the presence and activity of tall cranes and the emergence of turbines as they are constructed, the separation distance between the viewpoint and the Proposed Development, combined with the presence of the operational turbines on the adjacent site, means that the magnitude of change will be **medium-low**.

Significance of the effect

- 8.7.191 The effect of the Proposed Development on hill walkers on Beinn Dearg will be not significant during both the construction and operational phases. This assessment relates principally to the distance between the viewpoint and the Proposed Development, combined with the limited extent added by the proposed turbines, in the context of an existing large-scale development. The Proposed Development will be located in a relatively low-lying area surrounded by large mountain ranges, where the landscape has capacity for these additional turbines without further compromising the setting to the wider upland landscape.

Significance of the in-conjunction cumulative effect

- 8.7.192 The Cumulative ZTV in **Figure 8.15** shows that theoretical visibility of the Proposed Development will coincide with theoretical visibility of the existing wind farms as seen from the summit and south-facing slopes of Beinn Dearg. This means that the Proposed Development will always be seen in conjunction with the Operational Wind Farms and would not introduce visibility of wind farm development into new areas.
- 8.7.193 The in-conjunction cumulative effect on walkers as a result of the addition of the Proposed Development will be **not significant**. This relates to the limited additional influence that the Proposed Development will have in a cumulative context already defined by the presence of the Operational Wind Farms. In this middle range view from the north, the proposed turbines will be seen to largely coincide with the existing turbines, albeit with a slight encroachment northwards. The cumulative magnitude of this change in respect of the cumulative context will be **low**.

Scenario 1: Significance of the in-conjunction cumulative effect

- 8.7.194 The Scenario 1 cumulative assessment considers the effect of the Proposed Development in-conjunction with all operational and proposed wind farms, with the most relevant developments comprising the Operational Wind Farms and application stage Kirkan Wind Farm, which collectively form a cluster adjacent to the Proposed Development. The cumulative wireline in **Figure 8.33c** shows that Kirkan Wind Farm will be located approximately 16.39km from the viewpoint, with all 17 of the 175m blade tip height turbines visible. They will be seen set to the immediate east of operational Corriemoillie Wind Farm and will increase the horizontal extent of the cumulative context by more than a half.
- 8.7.195 With the cumulative context of application and operational turbines comprising 46 turbines, there will already be a notable influence from wind farm development on walkers at this viewpoint. While the five proposed turbines will form an extension on the northern side of the group, their position to the fore of the operational turbines means that there will be no additional increase to the horizontal extent. While the proposed turbines will appear slightly

larger in scale and lower in density than the operational turbines, the small proportion of additional turbines being added, their appearance as an extension to the cumulative group of operational and application turbines, and the favourable scale comparison presented by the larger Kirkan turbines, limits the cumulative magnitude of change to **low** and the in-conjunction cumulative effect to **not significant**.

A835

- 8.7.196 The sequential assessment of road-users on the A835 has been informed by the assessments of Viewpoint 1: A835, Aultguish Inn, Viewpoint 2: A835, Black Water Bridge and Viewpoint 3: Garve Bridge. These viewpoints represent those sections of the A835 from which road-users will experience visibility of the Proposed Development. The findings of these assessments in respect of road-users are that there will be no significant effects during the operational stage of the Proposed Development, but that there will be significant effects during the construction stage, albeit only from the closest range viewpoints at Aultguish Inn and Black Water Bridge and only over the short-term period of the construction works.
- 8.7.197 These viewpoints have been used to represent the wider extent of the A835. Viewpoint 1 represents the section of the A835 approximately 1.5km to the west and 1km to the east of Aultguish Inn. Viewpoint 2 represents the section of the A835 approximately 1.5km to the west and 1km to the east of Black Bridge. Together, Viewpoint 1 and 2 represent a 5km section of the A835 from where the ZTV in Figure 8.6b indicates there will be high levels of visibility. The assessment of these viewpoints concludes that the significant effect during the construction stage will extend approximately 1km to the west and east of Viewpoint 1 and approximately 1.5km to the west and 0.8km to the east of Viewpoint 2. Collectively, the significant effect during the construction stage will be experienced over a 4.3km stretch of the A835. The effects during the operational stage will be not significant from all sections of the A835.
- 8.7.198 In the Scoping Opinion Report, a request for sequential wirelines along the A835 was requested by THC and NS. THC requested that viewpoints be located at stopping points where visibility occurs across a section 10km in either direction from the Proposed Development. As illustrated on the ZTV in Figure 8.6b, theoretical visibility is largely contained within the localised section of the A835 to the immediate north and north-east. It is within this area that ten viewpoints have been used to represent the various stopping points and the sequence of views that these present.

Summary of Effects on Visual Receptors

- 8.7.199 Detailed assessment has been carried out for 12 viewpoints which are representative of the experience of viewers on one main road, one minor road, one path and seven hill summits. Significant effects were found to occur in relation to three of the viewpoints, which represent road-users on a 4.3km section of the A835, residents at Aultguish Inn, and walkers on Old Drover's Road between Aultguish and Garve. All three of these viewpoints were found to undergo significant effects during the construction stage while only residents at Aultguish Inn were found to undergo significant effects during the operational stage. No significant cumulative effects were found in relation to the 12 viewpoints. These findings are listed below in Table 8.9.

Table 8.9: Summary of effects on views

VP	Sensitivity	Magnitude of change (const.)	Significance of the effect (const.)	Magnitude of change (operation)	Significance of the effect (operation)	Significance of the cumulative effect (as assessed in LVIA 2021)
1. A835 Aultguish Inn	medium – road-users medium / high - residents	medium	significant – road-users and residents	medium-low	significant – residents not significant - road-users	Baseline – significant Scenario 1 – not significant
2. A835 Black Bridge Road	medium	medium	significant	medium-low	not significant	Baseline - not significant Scenario 1 – not significant
3. Garve Bridge	medium	low	not significant	low	not significant	Baseline - not significant Scenario 1 – not significant
4. Old Drover's Road, Corriemoillie	medium	medium	significant	medium-low	not significant	Baseline - not significant Scenario 1 – not significant
5. Ben Wyvis	medium-high	medium-low	not significant	low	not significant	Baseline - not significant Scenario 1 – not significant
6. An Coileachan	medium-high	medium-low	not significant	low	not significant	Baseline - not significant Scenario 1 – not significant

VP	Sensitivity	Magnitude of change (const.)	Significance of the effect (const.)	Magnitude of change (operation)	Significance of the effect (operation)	Significance of the cumulative effect (as assessed in LVIA 2021)
7. Sgurr Mor	medium-high	medium-low	not significant	low	not significant	Baseline - not significant Scenario 1 – not significant
8. Beinn a Chaisteil	medium-high	medium-low	not significant	medium-low	not significant	Baseline - not significant Scenario 1 – not significant
9. Avenue of Fairburn Estate	medium	low	not significant	low	not significant	Baseline - not significant Scenario 1 – not significant
10. Sgurr a Mhuilinn	medium-high	low	not significant	low	not significant	Baseline - not significant Scenario 1 – not significant
11. Sgurr a Choire Ghlais	medium-high	low	not significant	low	not significant	Baseline - not significant Scenario 1 – not significant
12. Beinn Dearg	medium-high	medium-low	not significant	medium-low	not significant	Baseline - not significant Scenario 1 – not significant

8.8 Assessment of In-Combination Cumulative Effects (LVIA 2021)

- 8.8.1 This Section considers the effects of the Proposed Development in-combination with the other cumulative developments. This differs from the in-conjunction cumulative assessment presented in Section 8.7 and Section 8.8, as it considers how the Proposed Development in-combination with the cumulative developments will affect the broader pattern of wind farm development and its influence across the Study Area.
- 8.8.2 This Section will assess the in-combination effects of the Proposed Development in respect of operational, under construction and consented wind farms that were relevant at the time of the 2021 LVIA and includes the following considerations;
- The extent to which the relationship between wind farm development and the landscape will be altered;
 - The effect on the pattern of wind farm development within the local and wider landscape as of 2021; and
 - The extent to which landscape character and the visual amenity will be redefined by the in-combination effects.
- 8.8.3 As with the in-conjunction cumulative assessment, in Sections 8.7 and 8.8, this in-combination cumulative assessment considers the Operational Wind Farms to be the most relevant operational cumulative developments to the assessment at the time of assessment for the LVIA 2021. These comprise Lochluichart, Lochluichart Extension and Corriemoillie Wind Farms which collectively form a 40 turbine wind farm, located in a relatively low-lying bowl amidst a broader upland landscape.

In-Combination Cumulative Baseline (at the time of assessment for the LVIA 2021)

- 8.8.4 The existing pattern of wind farm development is defined by the concentration of the Operational Wind Farms in one distinct area. This area is defined principally by landscape character, but also the communication corridors which have been routed to fit within the landscape. The Operational Wind Farms are all located within the Lochluichart LCU of the Rounded Hills LCT, with the exception of two Corriemoillie turbines which encroach into the Aultguish LCU of the Undulating Moorland LCT to the east. Furthermore, the Operational Wind Farms occupy the eastern margins of the Lochluichart LCU where the landscape transitions with the adjacent Aultguish LCU of the Undulating Moorland LCT. This area forms a distinct sub-area of the wider LCU and leads to an association between the Operational Wind Farms and this sub-area, which is more specific and localised than the association with the wider LCU, across which the landscape character is more varied.
- 8.8.5 The definition of the sub-area, where the Operational Wind Farms are located, is further accentuated by contrasts in scale with the surrounding landscapes. The sub-area is located in a relatively low-lying bowl, where the landform is relatively low and gently undulating. In all surrounding directions, the scale of the landform rises to form hill and mountain ranges. While the landform of the eastern margins of the Lochluichart LCU rises slightly towards the north, this area still reads as part of the same sub-area where the Operational Wind Farms are located.
- 8.8.6 The definition of this contrastingly low-lying area comprising the eastern margins of the Lochluichart LCU and the Aultguish LCU of the Undulating Moorland LCT, is also marked by the A835 which wraps around the eastern and northern sides of this area and the A832 which passes around the southern side. These roads are routed along the shores of Loch Glascarnoch and Loch Luichart, respectively. While there is very limited visibility from the

A832, the A835 is an important visual receptor, especially in respect of the Proposed Development.

- 8.8.7 The Operational Wind Farms are seen collectively as a wind farm within a landscape setting, with the following factors preventing a wind farm landscape from arising. The 40 turbines are all concentrated within the one area, such that collectively they appear as one relatively large windfarm. This wind farm appears as a consolidated feature within a wider landscape setting, which is contrary to the characteristics of a wind farm landscape, where typically the turbines will spread across many areas and be seen in many different directions.

In-Combination Cumulative Effects

- 8.8.8 In respect of this baseline context, the addition of the Proposed Development will be contained within the Lochluichart LCU of the Rounded Hills LCT, as are the Operational Wind Farms. Furthermore, it will also occupy the eastern margins of the Lochluichart LCU, where the Operational Wind Farms are located and which forms a distinct sub-area of relatively low-lying landform, albeit rising slightly across the landform of the Site towards the north. The combined 45 turbines will all be contained within the distinct sub-area in the eastern margins of the LCU. The combined effect of the Proposed Development and the Operational Wind Farms will not alter the relationship between the landscape and the wind farm developments, although there will be a significant in-combination cumulative effect on local landscape character.
- 8.8.9 As shown in **Figure 8.9b**, the five additional turbines are well recessed from the northern edge of the LCU, with a separation distance of approximately 1.8km. The sense of impingement that occurs, does not relate to landscape character, but to visual amenity, whereby visual receptors associated with the A835 and Aultguish Inn will experience the combined effect of the Proposed Development and the Operational Wind Farms. In terms of landscape character, there are no such distinct lines to mark the boundaries and sufficient space occurs to the north to accommodate the Proposed Development without any encroachment into transitional landscapes. In considering the combined effect of the Proposed Development and the Operational Wind Farms, the landscape has capacity to accommodate the combined developments.
- 8.8.10 The Operational Wind Farms define the baseline character of the local landscape and local views, and the overall effect can be described as a landscape with wind farms. The in-combination effect of the Proposed Development and the Operational Wind Farms will not alter the overall effect which will remain as a landscape with wind farms. While, collectively, the 45 turbines will appear as a large wind farm, their consolidation within one well-defined sub-area of the Lochluichart LCU will prevent the effect of a wind farm landscape arising, in which wind turbines extend across a range of landscapes with influence across a much wider area. The Cumulative ZTV in **Figure 8.15**, shows how the visual influence of the combined developments is largely contained within the first 10km of the Study Area.
- 8.8.11 While consideration of the relationship between the combined developments and the landscape, the capacity of the landscape to accommodate the combined developments and the extent to which the combined developments will redefine landscape character and views, has formed a broad overview of the potential in-combination cumulative effects, Table 8.10 below presents an assessment of the in-combination cumulative effects in respect of the relevant landscape and visual receptors.

Table 8.10 Assessment of In-Combination Cumulative Effects (LVIA 2021)

Receptor	Sensitivity (November 2020)	In-combination magnitude of change (November 2020)	Significance of the in-combination cumulative effect (November 2020)
Rounded Hills: Ben Wyvis LCU	medium-high	Figure 8.9, shows almost continuous combined visibility across the western slopes of the Ben Wyvis LCU and practically no visibility, either combined or solus, across the remainder of the LCU. Despite the separation distance being between 8km and 13km, the combined effect of the 45 turbines on this LCU will be medium, as the proposed and operational turbines together, will form a notable, albeit indirect influence.	The cumulative effect of the Proposed Development in combination with the Operational Wind Farms will be significant across the western part of the Ben Wyvis LCU where combined visibility occurs and not significant across all remaining parts of the LCU.
Rounded Hills: Lochluichart LCU	medium	The Proposed Development and the majority of the turbines of the Operational Wind Farms will occur within this LCU giving rise to direct and indirect effects. The large number and scale of the turbines within such close proximity will give rise to a high in-combination cumulative magnitude of change across the eastern parts of the LCU where combined visibility occurs and medium-low or low in-combination cumulative magnitude of change across all remaining parts, where visibility is limited in extent and low in level.	The cumulative effect of the Proposed Development in combination with the Operational Wind Farms will be significant across the eastern part of the Lochluichart LCU where combined visibility occurs and not significant in all remaining parts of the LCU.

Receptor	Sensitivity (November 2020)	In-combination magnitude of change (November 2020)	Significance of the in-combination cumulative effect (November 2020)
Rounded Hills: Inchbae LCU	medium	Figure 8.9 shows broad bands of combined visibility across the LCU at distances between 2km and 14km. The combined effect of the 45 turbines on this LCU will be medium-high in the southern part of the LCU owing to the close proximity, and medium across the central and northern parts where there is less of an association with the Lochluichart LCU, where the combined developments will be located.	The cumulative effect of the Proposed Development in combination with the Operational Wind Farms will be significant across the southern part of the Inchbae LCU where combined visibility occurs and not significant in all remaining parts of the LCU.
Undulating Moorland: Aultguish LCU	medium	Figure 8.9 shows almost continuous visibility across the Aultguish LCU which lies to the east of the Lochluichart LCU. The combined effect of the 45 turbines on this LCU will be medium-high owing to the close proximity.	The cumulative effect of the Proposed Development in combination with the Operational Wind Farms will be significant across the Aultguish LCU.
Ben Wyvis SLA	medium-high	Almost continuous combined visibility will occur across the western slopes of the Ben Wyvis SLA and practically no visibility, either combined or solus, across the remainder of the SLA. Despite the separation distance being between 8km and 13km, the combined effect of the 45 turbines on this SLA will be medium, as the proposed and operational turbines together, will form a notable, albeit indirect influence on the character of the SLA.	The cumulative effect of the Proposed Development in combination with the Operational Wind Farms will be significant across the western part of the Ben Wyvis SLA where combined visibility occurs and not significant in all remaining parts of the SLA.

Receptor	Sensitivity (November 2020)	In-combination magnitude of change (November 2020)	Significance of the in-combination cumulative effect (November 2020)
Fannichs, Beinn Dearg and Glen Calvie SLA	medium-high	Visibility of the Proposed Development in combination with the Operational Wind Farms occurs across the higher summits and east facing slopes in the central part of the SLA at a distance of 6km to 18km. Visibility is shown in Figure 8.10 to be limited in extent and low in level. Wirelines of Viewpoint 6 and Viewpoint 7, located in the SLA, show how visibility of the combined developments will be partly screened by intervening landform. Furthermore, the more scenic views occur to the north and west. The in-combination cumulative magnitude of change would be low.	The cumulative effect of the Proposed Development in combination with the Operational Wind Farms will be not significant across the Fannichs, Beinn Dearg and Glen Calvie SLA.
Rhiddoroch – Beinn Dearg – Ben Wyvis WLA	medium-high medium in the south-west	Figure 8.11 shows almost continuous combined visibility concentrated across the southern edges of the WLA boundary, including the western slopes of the Ben Wyvis range, the southern hills around Strath Vaich and the hills to the north of Loch Glascarnoch, with visibility further east and north reducing down to small patches on high summits and facing slopes. The in-combination cumulative magnitude of change in these southern margins would be medium, largely owing to the short to medium separation distance from the combined developments. In all remaining parts of the WLA the in-combination cumulative magnitude of change would be low or no effect.	The cumulative effect of the Proposed Development in combination with the Operational Wind Farms will be significant across the southern parts of the Rhiddoroch – Beinn Dearg – Ben Wyvis WLA where combined visibility occurs and not significant in all remaining parts of the WLA.
Fisherfield – Letterewe – Fannichs WLA	medium-high	Figure 8.11 shows that although the Operational Wind Farms are readily visible from substantial parts on the eastern edge of this WLA, visibility of the Proposed Development will be limited to very small patches of low levels of visibility from localised high points and east facing slopes. The cumulative magnitude of change of the in-combination effect will, therefore, be low.	The cumulative effect of the Proposed Development in combination with the Operational Wind Farms will be not significant across the Fisherfield – Letterewe – Fannichs WLA.

Receptor	Sensitivity (November 2020)	In-combination magnitude of change (November 2020)	Significance of the in-combination cumulative effect (November 2020)
1. A835 Aultguish Inn	medium – road-users medium / high - residents	Figure 8.22c shows how all the turbines of the Proposed Development will be visible in combination with 22 of the operational turbines. The combined effect on road-users and residents associated with this viewpoint will give rise to a medium-high cumulative magnitude of change.	The cumulative effect of the Proposed Development in combination with the Operational Wind Farms will be significant as experienced by residents at Aultguish Inn and road-users on the A835 approximately 1km to the west and to the east.
2. A835 Black Bridge Road	medium	Figure 8.23c shows how all the turbines of the Proposed Development will be visible in combination with 19 of the operational turbines. The combined effect on road-users associated with this viewpoint will give rise to a medium cumulative magnitude of change.	The cumulative effect of the Proposed Development in combination with the Operational Wind Farms will be significant as experienced by road-users on the A835 approximately 1.5km to the west and 0.8km to the east.
3. Garve Bridge	medium	Figure 8.24b shows how collectively the proposed and operational turbines, will occupy the most distant hill side in the view. The combined effect on road-users associated with this viewpoint will give rise to a low cumulative magnitude of change, chiefly owing to the separation distance from 10.59km and the intermittent occurrence of visibility.	The cumulative effect of the Proposed Development in combination with the Operational Wind Farms will be not significant as experienced by road-users on the A835 near Garve Bridge.

Receptor	Sensitivity (November 2020)	In-combination magnitude of change (November 2020)	Significance of the in-combination cumulative effect (November 2020)
4. Old Drover's Road, Corriemoillie	medium	Figure 8.25c shows how collectively the proposed and operational turbines will occupy the low-lying bowl at the core of this landscape. The combined effect on walkers associated with this viewpoint will give rise to a medium-high cumulative magnitude of change, chiefly owing to the relatively close proximity.	The cumulative effect of the Proposed Development in combination with the Operational Wind Farms will be significant as experienced by walkers on the Old Drover's Road.
5. Ben Wyvis	medium-high	Figure 8.26c shows how collectively the proposed and operational turbines will occupy the low-lying land to the fore of Sgurr Mor. The combined effect on walkers associated with this viewpoint will give rise to a medium cumulative magnitude of change, chiefly owing to the overall horizontal scale, despite the vertical scale being contained below the adjacent foothills and the distance of the turbines from 7.89km.	The cumulative effect of the Proposed Development in combination with the Operational Wind Farms will be significant as experienced by walkers on the Ben Wyvis range.
6. An Coileachan	medium-high	Figure 8.27c shows how collectively the proposed and operational turbines will occupy the low-lying land to the fore of Ben Wyvis. The combined effect on walkers associated with this viewpoint will give rise to a medium-low cumulative magnitude of change, chiefly owing to the intervening foothills which partially obscure visibility of the combined developments, as well as their location from 12.19km. Furthermore, the combined developments will be seen in the less scenic sector of the wider view.	The cumulative effect of the Proposed Development in combination with the Operational Wind Farms will be not significant as experienced by walkers on the Sgurr Mor range.

Receptor	Sensitivity (November 2020)	In-combination magnitude of change (November 2020)	Significance of the in-combination cumulative effect (November 2020)
7. Sgurr Mor	medium-high	Figure 8.28c shows how collectively the proposed and operational turbines will occupy the low-lying land to the fore of Ben Wyvis. The combined effect on walkers associated with this viewpoint will give rise to a medium-low cumulative magnitude of change, chiefly owing to the intervening foothills which partially obscure visibility of the combined developments and their location from 12.19km. Furthermore, the combined developments will be seen in the less scenic sector of the wider view.	The cumulative effect of the Proposed Development in combination with the Operational Wind Farms will be not significant as experienced by walkers on the Sgurr Mor range.
8. Beinn a Chaisteil	medium-high	Figure 8.29c shows how collectively the proposed and operational turbines will form a relatively large wind farm seen to occupy the foothills to the south of Loch Glascarnoch. The combined effect on walkers associated with this viewpoint will give rise to a medium-low cumulative magnitude of change, chiefly owing to the separation distance of 9.19km, the containment of the turbines with one sector and the more impressive views to the west.	The cumulative effect of the Proposed Development in combination with the Operational Wind Farms will be not significant as experienced by walkers on Beinn a Chaisteil.
9. Avenue of Fairburn Estate	medium	Figure 8.30c shows how collectively the proposed and operational turbines, will occupy a distant hill side in the background of the view. The combined effect on road-users associated with this viewpoint will give rise to a low cumulative magnitude of change, chiefly owing to the separation distance of 20.78km and the intermittent occurrence of visibility.	The cumulative effect of the Proposed Development in combination with the Operational Wind Farms will be not significant as experienced by road-users on the Avenue of Fairburn Estate.

Receptor	Sensitivity (November 2020)	In-combination magnitude of change (November 2020)	Significance of the in-combination cumulative effect (November 2020)
10. Sgurr a Mhuilinn	medium-high	Figure 8.31c, shows how collectively the proposed and operational turbines will occupy the foothills above Loch Luichart. The combined effect on walkers associated with this viewpoint will give rise to a medium-low cumulative magnitude of change, chiefly owing to the separation distance of 14.27km, the containment of the turbines within one sector and the more impressive views to the north and west.	The cumulative effect of the Proposed Development in combination with the Operational Wind Farms will be not significant as experienced by walkers on Sgurr a Mhuilinn.
11. Sgurr a Choire Ghlais	medium-high	Figure 8.32c shows how collectively the proposed and operational turbines will occupy the foothills above Loch Luichart. The combined effect on walkers associated with this viewpoint will give rise to a low cumulative magnitude of change, chiefly owing to the separation distance of 26.47km, the containment of the turbines within one sector and the more impressive views to the north and west.	The cumulative effect of the Proposed Development in combination with the Operational Wind Farms will be not significant as experienced by walkers on Sgurr a Choire Ghlais.
12. Beinn Dearg	medium-high	Figure 8.33c shows how collectively the proposed and operational turbines will occupy the foothills to the east of the Sgurr Mor range. The combined effect on walkers associated with this viewpoint will give rise to a medium-low cumulative magnitude of change, chiefly owing to the separation distance of 13.64km, the containment of the turbines within one sector and the more impressive views to the north and west.	The cumulative effect of the Proposed Development in combination with the Operational Wind Farms will be not significant as experienced by walkers on Beinn Dearg.

- 8.8.12 In terms of landscape character and landscape designations, the Proposed Development, in combination with the Operational Wind Farms, will have a significant cumulative effect on the local landscapes out to a distance of approximately 5km to 10km to the north, east and south. This will relate chiefly to the large number of turbines concentrated in the eastern margins of the Lochluichart LCU and the visibility of these turbines from the surrounding local landscapes.
- 8.8.13 In terms of visual amenity, the Proposed Development, in combination with the Operational Wind Farms, will have a significant cumulative effect on the views of road-users along the A835 and walkers across the low-level Old Drover's Road, both within 5km of the combined developments, and walkers across the high-level Ben Wyvis range, within 10km of the combined developments.

- 8.8.14 It is important to note that the assessment of the in-combination cumulative effect has been included to demonstrate the potential effect of the Proposed Development in combination with the Operational Wind Farms. The Operational Wind Farms have been consented and constructed and now, as operational developments, form an established part of the baseline context.

8.9 Lifetime Assessment

- 8.9.1 The Operational Wind Farms are a recognisable and well-established feature of the immediate landscape context at the centre of the 40km study area. They comprise Lochluichart, Lochluichart Extension and Corriemoillie Wind Farms. The close proximity of the Proposed Development on the northern edge of these 40 operational turbines presents a close association whereby the proposed turbines are often visible in conjunction with other operational turbines.
- 8.9.2 The lifetime assessment is concerned with the different lifetimes of those cumulative wind farms that comprise the baseline context. In respect of the Proposed Development, it is the Operational Wind Farms that are the most relevant to the lifetime assessment, owing to their location within the immediate context, which means they are most often experienced alongside the Proposed Development.
- 8.9.3 The lifetime assessment considers the effect of the Proposed Development, should the adjacent Operational Wind Farms be removed. Lochluichart and Lochluichart Extension Wind Farms became operational in 2014, while Corriemoillie Wind Farm became operational in 2017. All developments have a consent period of 25 years. While there is the possibility that in 2039 and 2042, these consents will be renewed or proposals to repower these wind farms will be approved, there is also the possibility that these wind farms will be required to be decommissioned. This would leave a situation in which the Proposed Development would be present in the baseline context of only Corriemoillie Wind Farm between 2039 and 2042 and then on its own beyond 2042.
- 8.9.4 There are uncertainties with these future baselines including the potential introduction of further wind development to the area within this period and the potential for repowering using larger turbines. Both of these factors are unknown but given the existing presence of this wind farm cluster, it seems likely that this area will be the focus for future development proposals. As it is not possible to predict the nature of these future development proposals, the assessment of alternative future baselines has not been considered.
- 8.9.5 In order to assess the changing effects of the Proposed Development resulting from the removal of the Operational Wind Farms over time, an assessment of the landscape and visual receptors is presented in Tables 8.11 and 8.12 below. The assessment considers two future baseline scenarios, each relating to the end of the consent period for Lochluichart Wind Farm and Extension (2039) and Corriemoillie (2042). Future Baseline 1 considers the scenario in which Lochluichart Wind Farm and Extension are removed, and the Proposed Development and Corriemoillie Wind Farm remain. Future Baseline 2 considers the scenario in which Lochluichart Wind Farm and Extension, and Corriemoillie Wind Farm are removed, and only the Proposed Development remains.
- 8.9.6 Physical landscape effects are not revisited for these future baselines as the specifics of the decommissioned landscape for each of these sites is not known. It is unlikely that the process of decommissioning the Operational Wind Farms in the area would lead to further significant effects when considering the implications of the proposed development.
- 8.9.7 Within the future baselines there is an overall reduction in the intensity of effect experienced for each of the receptors where a change is noted although for most receptors

and future baselines this reduction does not lead to a change in the significance of effect. The exception to this is as follows:

- 8.9.8 The effect of the Proposed Development on landscape receptors during Future Baseline 1 will be not significant. This is largely owing to the presence and influence of the 17 Corriemoillie turbines which will moderate the effects of the additional 5 proposed turbines. The effect of the Proposed Development during Future Baseline 2 will be not significant for all landscape receptors with the exception of the Lochluichart LCU of the Rounded Hills LCT, in which the five proposed turbines would be located and The Aultguish LCU of the Undulating Moorland LCT, which is a small LCU to the immediate east of the Proposed Development.
- 8.9.9 In terms of the visual receptors, significant effects at Future Baseline 1 will arise in respect of two viewpoints and at Future Baseline 2, will arise in respect of three viewpoints. Viewpoint 1: A835 Aultguish Inn and Viewpoint 2: A835 Black Water Bridge will undergo significant effects as a result of the Proposed Development during both Future Baseline 1 and 2. This finding relates chiefly to the proximity of the viewpoints to the Proposed Development and the influence they will have on road-users, even despite the presence of the Corriemoillie turbines in respect of Future Baseline 1. Viewpoint 4: Old Drover's Road will undergo significant effects during Future Baseline 2 when the Proposed Development will be seen at close-range on its own, but not Future Baseline 1, when closer range Corriemoillie will moderate the effect.
- 8.9.10 Visual effects on all other viewpoints during Future Baseline 1 and 2 will be not significant, owing principally to the combination of their distance from the Proposed Development and the small number of proposed turbines which means they will occupy only a small proportion of the wider views available. Furthermore, their relatively low-lying location amidst a much wider upland landscape, further moderates their influence.
- 8.9.11 There will be no significant cumulative effects during Future Baseline 1, as the five proposed turbines will add a small proportion onto the 17 Corriemoillie turbines and collectively they will form a compact cluster in a relatively low-lying area amidst a predominantly upland landscape. During Future Baseline 2, there will be no significant cumulative effects, as the Proposed Development will sit on its own, without any other close-range wind farms. Without the operational turbines, the five proposed turbines will no longer appear as an extension, but instead will appear as small and compact wind farm in its own right.

Table 8.11 Lifetime Assessment for Landscape Receptors

Landscape Receptor	Sensitivity	Magnitude of change (operation)	Significance of the effect (operation)	Future Baseline 1 2039 without Lochluichart and Extension	Future Baseline 2 2042 without Corriemoillie
Rounded Hills: Ben Wyvis LCU	medium-high	medium-low	not significant	The effect and the cumulative effect of the Proposed Development against a future baseline in which Corriemoillie is the only close-range operational wind farm will remain not significant. This finding relates chiefly to the separation distance between the LCU and the five proposed turbines, and the moderating influence of the nearby Corriemoillie turbines.	The effect and the cumulative effect of the Proposed Development against a future baseline in which there is no other close-range operational wind farms will remain not significant. This finding relates chiefly to the separation distance between the LCU and the five proposed turbines, their compact extents, their low-lying location in a wider upland context and the absence of wind farms within close proximity albeit present in other sectors.
Rounded Hills: Lochluichart LCU	medium	medium in the north medium-low / low / negligible in the south	not significant	The effect and the cumulative effect of the Proposed Development against a future baseline in which Corriemoillie is the only close-range operational wind farm will remain not significant. While the Proposed Development will be located in this LCU, its effects will be moderated by the presence of the Corriemoillie turbines, most of which are also located in this LCU, and despite the removal	The effect of the Proposed Development against a future baseline in which there is no other close-range operational wind farms will be significant. This finding relates chiefly to the absence of any other large-scale wind farms in this LCU, which will increase the influence of the Proposed Development. The cumulative effect will be not significant as there will be no other close-

Landscape Receptor	Sensitivity	Magnitude of change (operation)	Significance of the effect (operation)	Future Baseline 1 2039 without Lochluichart and Extension	Future Baseline 2 2042 without Corriemoillie
				of the Lochluichart turbines, which will reduce the overall influence of wind farm developments.	range wind farm developments.
Rounded Hills: Inchbae LCU	medium	medium-low in the south low in the north	not significant	The effect and the cumulative effect of the Proposed Development against a future baseline in which Corriemoillie is the only close-range operational wind farm will remain not significant. This finding relates chiefly to the separation distance between the LCU and the five proposed turbines, their relatively compact extents, their low-lying location in a wider upland context and their association with the 17 Corriemoillie turbines.	The effect and the cumulative effect of the Proposed Development against a future baseline in which there is no other close-range operational wind farms will remain not significant. This finding relates chiefly to the separation distance between the LCU and the five proposed turbines, their relatively compact extents and their low-lying location in a wider upland context.
Undulating Moorland: Aultguish LCU	medium	medium-low	not significant	The effect and the cumulative effect of the Proposed Development against a future baseline in which Corriemoillie is the only close-range operational wind farm will remain not significant. While the Proposed Development will be located in the adjacent LCU, its effects will be moderated by the presence of	The effect of the Proposed Development against a future baseline in which there is no other close-range operational wind farms will be significant. This finding relates chiefly to the absence of any other large-scale wind farms in this adjacent and close-range LCU, which will increase the influence of the Proposed Development. The cumulative effect will be not significant as

Landscape Receptor	Sensitivity	Magnitude of change (operation)	Significance of the effect (operation)	Future Baseline 1 2039 without Lochluichart and Extension	Future Baseline 2 2042 without Corriemoillie
				the Corriemoillie turbines, which are closer to this LCU.	there will be no other close-range wind farm developments.
Ben Wyvis SLA	medium-high	medium-low	not significant	The effect and the cumulative effect of the Proposed Development against a future baseline in which Corriemoillie is the only close-range operational wind farm will remain not significant. This finding relates chiefly to the separation distance between the SLA and the five proposed turbines, and the moderating influence of the nearby Corriemoillie turbines.	The effect and the cumulative effect of the Proposed Development against a future baseline in which there is no other close-range operational wind farms will remain not significant. This finding relates chiefly to the separation distance between the SLA and the five proposed turbines, their compact extents, their low-lying location in a wider upland context and the absence of wind farms within close proximity albeit present in other sectors.
Rhiddoroch – Beinn Dearg – Ben Wyvis WLA	medium-high medium in the south-west	medium-low	not significant	The effect and the cumulative effect of the Proposed Development against a future baseline in which Corriemoillie is the only close-range operational wind farm will remain not significant. This finding relates chiefly to the separation distance between the WLA and the five proposed turbines, and the	The effect and the cumulative effect of the Proposed Development against a future baseline in which there is no other close-range operational wind farms will remain not significant. This finding relates chiefly to the separation distance between the WLA and the five proposed turbines, their compact extents, their low-lying location in a wider

Landscape Receptor	Sensitivity	Magnitude of change (operation)	Significance of the effect (operation)	Future Baseline 1 2039 without Lochluichart and Extension	Future Baseline 2 2042 without Corriemoillie
				moderating influence of the nearby Corriemoillie turbines.	upland context and the absence of wind farms within close proximity albeit present in other sectors.

Table 8.12 Lifetime Assessment for Visual Receptors

VP	Sensitivity	Magnitude of change	Significance of the effect	Future Baseline 1 2039 without Lochluichart and Extension	Future Baseline 2 2042 without Corriemoillie
1. A835 Aultguish Inn	medium – road-users medium / high - residents	medium-low	significant – residents not significant - road-users	The effect of the Proposed Development against a future baseline in which Corriemoillie is the only close-range operational wind farm will be significant, and the cumulative effect will be not significant. This finding relates chiefly to the close proximity of the viewpoint to the five proposed turbines, despite the moderating effect of the nearby Corriemoillie turbines.	The effect of the Proposed Development against a future baseline in which there is no other close-range operational wind farms will be significant, and the cumulative effect will be not significant. This finding relates chiefly to the close proximity of the viewpoint to the five proposed turbines and the absence of any other close-range wind farms.
2. A835 Black Bridge Road	medium	medium-low	not significant	The effect of the Proposed Development against a future baseline in which Corriemoillie is the only close-range operational wind farm will be significant, and the cumulative effect will be not significant. This finding relates chiefly to the close	The effect of the Proposed Development against a future baseline in which there is no other close-range operational wind farms will be significant, and the cumulative effect will be not significant. This finding relates chiefly to the close proximity of the viewpoint to

VP	Sensitivity	Magnitude of change	Significance of the effect	Future Baseline 1 2039 without Lochluichart and Extension	Future Baseline 2 2042 without Corriemoillie
				proximity of the viewpoint to the five proposed turbines, despite the moderating effect of the nearby Corriemoillie turbines.	the five proposed turbines and the absence of any other close-range wind farms.
3. Garve Bridge	medium	low	not significant	The effect of the Proposed Development against a future baseline in which Corriemoillie is the only close-range operational wind farm will remain not significant, and the cumulative effect will remain not significant. This finding relates chiefly to the separation distance between the viewpoint and the five proposed turbines, which limits their influence on the view in both the solus and cumulative assessment.	The effect of the Proposed Development against a future baseline in which there would be no other close-range operational wind farms would remain not significant, and the cumulative effect would remain not significant. This finding relates chiefly to the separation distance between the viewpoint and the five proposed turbines, their limited visibility and the absence of other wind farm developments.
4. Old Drover's Road, Corriemoillie	medium	medium-low	not significant	The effect of the Proposed Development against a future baseline in which Corriemoillie is the only close-range operational wind farm will remain not significant, and the cumulative effect will remain not significant. This finding relates chiefly to the closer proximity of the Corriemoillie turbines which	The effect of the Proposed Development against a future baseline in which there is no other close-range operational wind farms will be significant, and the cumulative effect will be not significant. This finding relates chiefly to the close proximity of the viewpoint to the five proposed turbines and the absence of other wind

VP	Sensitivity	Magnitude of change	Significance of the effect	Future Baseline 1 2039 without Lochluichart and Extension	Future Baseline 2 2042 without Corriemoillie
				will moderate the effect of the proposed turbines.	farm developments within close proximity.
5. Ben Wyvis	medium-high	low	not significant	The effect and the cumulative effect of the Proposed Development against a future baseline in which Corriemoillie is the only close-range operational wind farm will remain not significant. This finding relates chiefly to the separation distance between the viewpoint and the five proposed turbines, and the moderating influence of the nearby Corriemoillie turbines.	The effect and the cumulative effect of the Proposed Development against a future baseline in which there is no other close-range operational wind farms will remain not significant. This finding relates chiefly to the separation distance between the viewpoint and the five proposed turbines, their compact extents, their low-lying location in a wider upland context and the absence of wind farms within close proximity but present in other sectors.
6. An Coileachan	medium-high	low	not significant	The effect and the cumulative effect of the Proposed Development against a future baseline in which Corriemoillie is the only close-range operational wind farm will remain not significant. This finding relates chiefly to the separation distance between the viewpoint and the five proposed turbines, the limited visibility of the turbines and	The effect and the cumulative effect of the Proposed Development against a future baseline in which there is no other close-range operational wind farms will remain not significant. This finding relates chiefly to the separation distance between the viewpoint and the five proposed turbines, their limited visibility, and their

VP	Sensitivity	Magnitude of change	Significance of the effect	Future Baseline 1 2039 without Lochluichart and Extension	Future Baseline 2 2042 without Corriemoillie
				the greater visibility of the nearby Corriemoillie turbines.	low-lying location in a wider upland context.
7. Sgurr Mor	medium-high	low	not significant	The effect and the cumulative effect of the Proposed Development against a future baseline in which Corriemoillie is the only close-range operational wind farm will remain not significant. This finding relates chiefly to the separation distance between the viewpoint and the five proposed turbines, the limited visibility of the turbines and the greater visibility of the nearby Corriemoillie turbines.	The effect and the cumulative effect of the Proposed Development against a future baseline in which there is no other close-range operational wind farms will remain not significant. This finding relates chiefly to the separation distance between the viewpoint and the five proposed turbines, their limited visibility, and their low-lying location in a wider upland context.
8. Beinn a Chaisteil	medium-high	medium-low	not significant	The effect and the cumulative effect of the Proposed Development against a future baseline in which Corriemoillie is the only close-range operational wind farm will remain not significant. This finding relates chiefly to the separation distance between the viewpoint and the five proposed turbines, their relatively compact extents, their low-lying location in a wider upland context and their association with the 17 Corriemoillie turbines.	The effect and the cumulative effect of the Proposed Development against a future baseline in which there is no other close-range operational wind farms will remain not significant. This finding relates chiefly to the separation distance between the viewpoint and the five proposed turbines, their relatively compact extents and their low-lying location in a wider upland context.

VP	Sensitivity	Magnitude of change	Significance of the effect	Future Baseline 1 2039 without Lochluichart and Extension	Future Baseline 2 2042 without Corriemoillie
9. Avenue of Fairburn Estate	medium	low	not significant	The effect and the cumulative effect of the Proposed Development against a future baseline in which Corriemoillie is the only close-range operational wind farm will remain not significant. This finding relates chiefly to the separation distance between the viewpoint and the five proposed turbines, their limited visibility and the presence of the Corriemoillie turbines in the same sector of the view.	The effect and the cumulative effect of the Proposed Development against a future baseline in which there is no other close-range operational wind farms will remain not significant. This finding relates chiefly to the separation distance between the viewpoint and the five proposed turbines, their compact extents and limited visibility.
10. Sgurr a Mhuilinn	medium-high	low	not significant	The effect and the cumulative effect of the Proposed Development against a future baseline in which Corriemoillie is the only close-range operational wind farm will remain not significant. This finding relates chiefly to the separation distance between the viewpoint and the five proposed turbines, their limited visibility behind intervening landform, and their association with the closer range Corriemoillie turbines.	The effect and the cumulative effect of the Proposed Development against a future baseline in which there is no other close-range operational wind farms will remain not significant. This finding relates chiefly to the separation distance between the viewpoint and the five proposed turbines, their limited visibility behind intervening landform and their location in a relatively low-lying section of the view.

VP	Sensitivity	Magnitude of change	Significance of the effect	Future Baseline 1 2039 without Lochluichart and Extension	Future Baseline 2 2042 without Corriemoillie
11. Sgurr a Choire Ghlais	medium-high	low	not significant	The effect and the cumulative effect of the Proposed Development against a future baseline in which Corriemoillie is the only close-range operational wind farm will remain not significant. This finding relates chiefly to the separation distance between the viewpoint and the five proposed turbines, their limited visibility behind intervening landform, and their association with the closer range Corriemoillie turbines.	The effect and the cumulative effect of the Proposed Development against a future baseline in which there is no other close-range operational wind farms will remain not significant. This finding relates chiefly to the separation distance between the viewpoint and the five proposed turbines, their limited visibility behind intervening landform and their location in a relatively low-lying section of the view.
12. Beinn Dearg	medium-high	medium-low	not significant	The effect and the cumulative effect of the Proposed Development against a future baseline in which Corriemoillie is the only close-range operational wind farm will remain not significant. This finding relates chiefly to the separation distance between the viewpoint and the five proposed turbines, their relatively compact extents, their low-lying location in a wider upland context and their association with the 17 Corriemoillie turbines.	The effect and the cumulative effect of the Proposed Development against a future baseline in which there is no other close-range operational wind farms will remain not significant. This finding relates chiefly to the separation distance between the viewpoint and the five proposed turbines, their relatively compact extents and their low-lying location in a wider upland context.

8.10 Summary of Assessment of Effects

- 8.10.1 The purpose of the LVIA is to identify the effects that the Proposed Development will have on the landscape and visual resource of the Study Area, during the short-term construction and long-term operational stages, and to assess which of these are likely to be significant. The assessment covers three categories of potential effects:
- effects on landscape, which includes physical elements; landscape character types, designated areas, and wild land areas all of which are termed landscape receptors;
 - effects on views, which includes 12 representative viewpoints around the Study Area representing views of people from principal visual receptors; and
- 8.10.2 cumulative effects, which covers the potential cumulative effects on landscape character and visual receptors.
- 8.10.3 The Proposed Development comprises five turbines, each 149.9m height to blade tip. They are located to the north of the 17 operational Lochluichart Wind Farm turbines, six operational Lochluichart Wind Farm Extension turbines, and 17 operational Corriemoillie turbines, all of which are 125m in height to blade tip. The Proposed Development occupies a site on which planning approval has been granted by THC for five wind turbines (in identical locations) to a blade tip height of 133m. The sole difference between the Proposed Development and Consented Development is an increase in blade tip height of 16.9m. The operational turbines have an existing influence on landscape character and visual amenity within the Study Area.
- 8.10.4 The Proposed Development and the Operational Wind Farms occupy the area of land that lies between Loch Glascarnoch to the north and Loch Luichart to the south. It is relatively low-lying in contrast to the large scale Rugged Mountain Massif LCT to the immediate west and Rounded Hills LCT to the immediate east. Although also classified as part of Rounded Hills LCT, the Proposed Development and Operational Wind Farms are located along the base of the low foothills, which lie to the west, and into the undulating moorland and forest blocks, which lie to the east. This area is relatively low-lying amidst the context of larger hills and mountains.
- 8.10.5 In terms of physical effects on landscape elements, the assessment found no significant effects in respect of the removal of heather moorland and coniferous forestry land cover that will be required during the construction stage of the Proposed Development. This finding relates to the abundance of these landscape elements across the Study Area, the proportionally small areas that will be removed and the relative ease with which these landscape elements can be reinstated.
- 8.10.6 The assessment has found significant effects on landscape character receptors will arise during the short-term construction stage but not the operational stage. The significant effects during the construction stage will arise across parts of the Lochluichart LCU and Inchbae LCU both of the Rounded Hills LCT, and the Aultguish LCU of the Undulating Moorland LCT. Significant effects on landscape character during the construction stage will be contained within a 5km radius of the Proposed Development. The presence and activity of tall cranes combined with the construction of the turbines and tracks will raise the prominence of the Proposed Development within a localised area during the construction stage. Once operational, the prominence of the Proposed Development will be reduced as it will appear as an integral part of the Operational Wind Farms in this area.
- 8.10.7 The Proposed Development is not within an area covered by any national or regional landscape designations, which would otherwise denote special scenic value. The regional designation of Special Landscape Areas (SLAs) covers the more scenic upland landscapes

surrounding the Site. Ben Wyvis SLA is located approximately 8.0km to the east of the Site and Fannichs-Beinn Dearg-Glen Calvie SLA is located 5.3km to the west and north. There will be no significant effects on landscape designations during the construction and operational stages as a result of the Proposed Development. This finding relates to the separation distance between the Proposed Development and the regional designated landscapes, as well as the relatively small number of additional turbines and the existing influence of the adjacent Operational Wind Farms.

- 8.10.8 The assessment has found significant effects on visual receptors will arise during the short-term construction stage from Aultguish Inn and the adjacent 4.3km section of the A835 to the north and north-east of the Proposed Development (Viewpoints 1 and 2), as well as from the Old Drover's Road (Viewpoint 4). These findings relate to the prominence of the tall cranes and emerging turbines owing to their closer position, on the north-side of the existing group, to the A835 and Aultguish Inn and in close proximity to the Old Drover's Road.
- 8.10.9 Significant effects will arise in respect of the views of visitors and residents at Aultguish Inn during the long-term operational stage. This finding relates to the orientation of the inn broadly towards the Proposed Development and the additional influence the closer range turbines will have on this property despite the existing influence from the Operational Wind Farms in the same sector of the view.
- 8.10.10 The assessment identifies that a significant in-conjunction cumulative effect will arise in respect of the views of visitors and residents at Aultguish Inn. Despite the presence of the Operational Wind Farms in the same sector of the view, the addition of the closer range proposed turbines will give rise to a significant cumulative effect.
- 8.10.11 No other visual receptors or representative viewpoints will undergo significant effects or significant in-conjunction cumulative effects, during the construction or operational stages of the Proposed Development.
- 8.10.12 All significant effects during the construction and operational stages will occur within an approximate 5km radius of the Proposed Development. Beyond this it is unlikely that significant effects will arise.
- 8.10.13 The limited occurrence of significant effects during both the construction and operational stages and limited occurrence of significant in-conjunction cumulative effects relates to a combination of the factors listed below.
- 8.10.14 Firstly, the integrated relationship of the Proposed Development with the Operational Wind Farms ensures it will appear as a direct extension. The Proposed Development will be located to the immediate north of the Operational Wind Farms such that it will appear as part of the collective group. This avoids the greater effect that would have arisen if a new and separate development was introduced into the wider area.
- 8.10.15 Secondly, the effect of the Proposed Development is reduced by the comparatively small number of turbines being added. Five proposed turbines will sit to the north of 40 existing turbines, which means they form a small additional proportion of the existing group, integrating the proposed turbines with the operational turbines.
- 8.10.16 Thirdly, the Proposed Development will be contained within the same landscape as the Operational Wind Farms. The proposed turbines will sit on the eastern flank of the foothills to the Sgurr Mor range to the west. While the landform rises gradually between Loch Luichart in the south and Loch Glascarnoch in the north, it still appears as one well-defined area, within which the wind farm developments will appear contained. This also avoids spreading the influence of wind farm development into other surrounding landscapes.

- 8.10.17 Fourthly, the landscape in which Proposed Development and Operational Wind Farms are located, is relatively low-lying amidst a wider upland landscape. This reduces the extent to which the Proposed Development will be visible, and where visibility does occur, it moderates the influence the Proposed Development will have on surrounding landscape and visual receptors.
- 8.10.18 Fifthly, the similarities in the appearance of the proposed and operational turbines will assist their integration. The height and proportioning of the proposed turbines is broadly similar to that of the operational turbines, albeit with a 16.9m increase in height and a slightly lower hub height but longer blade length. While these differences may be apparent from close range receptors, there will be enough continuity in appearances that they will appear as a single group, while from more distant range receptors, the differences will not be so notable.
- 8.10.19 To assist the decision maker, the assessment in the 2021 LVIA also provided an overview of the likely combined cumulative effects of the Proposed Development in-combination with the relevant Operational Wind Farms. The purpose of this is to consider whether the resulting pattern of development (including the Proposed Development) will result in the redefinition of landscape character or visual receptors.
- 8.10.20 The 2021 LVIA assessment found that significant in-combination cumulative effects will arise across parts of the Lochluichart LCU, Inchbae LCU and Ben Wyvis LCU, all of the Rounded Hills LCT and the Aultguish LCU of the Undulating Moorland LCT. Significant effects on landscape character during the construction stage will occur within a 12km radius of the Proposed Development. Significant in-combination cumulative effects assessed in the LVIA 2021 will arise in respect of the designated Ben Wyvis SLA, and across those parts which coincide with where the Ben Wyvis and Inchbae LCUs will undergo significant in-combination cumulative effects. Visual receptors associated with Aultguish Inn and the A835, the Old Drover's Road and the Ben Wyvis mountain range, will also undergo significant in-combination cumulative effects
- 8.10.21 Significant in-combination cumulative effects were identified in the LVIA 2021 across an approximate 10km radius of the Proposed Development. The in-combination cumulative effects will extend further than the solus effects or in-conjunction cumulative effects as the Proposed Development is being assessed in combination with the 40 turbines of the Operational Wind Farms rather than in conjunction. The extent of the combined effects is, however, also limited, despite the larger size of the combined developments, owing largely to the consolidated nature of the proposed and operational turbines, their location within a relatively low-lying area amidst rising hills and mountains and the notable reduction in visibility that occurs beyond the enclosing upland landscapes.
- 8.10.22 The assessment of in-combination cumulative effects from LVIA 2021 has helped inform an understanding of how the Proposed Development will affect the pattern of wind farm development in this area, with consideration of the relationship between the landscape and the Operational Wind Farms, and the extent to which the Proposed Development in combination with the Operational Wind Farms will redefine landscape character.
- 8.10.23 The Proposed Development will reflect the existing pattern of wind farm development at the time of cut off for the 2021 cumulative assessment in November 2020, by extending a part of the northern edge of the existing consolidated group but containing this type of development within the same LCU. While there would be significant in-combination cumulative effects, as described above, the Proposed Development in combination with the Operational Wind Farms would not have a sufficient magnitude of change to redefine the character from a landscape with wind farms to a wind farm landscape.

- 8.10.24 In summary, the Proposed Development will give rise to a small number of significant effects on landscape and visual receptors, albeit all contained within a relatively close-range area and mostly occurring during the short-term construction stage.

8.11 References

- Landscape Institute and IEMA. (2013). Guidelines for Landscape and Visual Impact Assessment: Third Edition;
- Landscape Institute (2019). Visual representation of development proposals - Technical Guidance Note 06/19.
- Historic Environment Scotland: Inventory Garden and Designed Landscape (GDL00150) <http://portal.historicenvironment.scot/designation/GDL00150>
- Scottish Natural Heritage (2017). Visual Representation of Wind Farms (Version 2.2);
- Scottish Natural Heritage (2017). Siting and designing wind farms in the landscape - Version 3a;
- Scottish Natural Heritage (2017). Wild Land Areas descriptions and maps. <https://www.nature.scot/wild-land-area-descriptions>;
- Scottish Natural Heritage (2020). Assessing impacts on Wild Land Areas -Technical Guidance.
- Scottish Natural Heritage (2010). The special qualities of the National Scenic Areas.
- Scottish Natural Heritage (1999). The Ross and Cromarty Landscape Character Assessment. Review No.119.
- Scottish Natural Heritage (1999). Inverness District Landscape Character Assessment. Review No.114.
- Scottish Natural Heritage (1997). Inner Moray Firth Landscape Character Assessment. Review No.102.
- Scottish Natural Heritage (1997). Caithness and Sutherland Landscape Character Assessment. Review No.101.
- The Highland Council (2012). Highland wide Local Development Plan.
- The Highland Council (2016). Visualisation Standards for Wind Energy Developments;
- The Highland Council in partnership with Scottish Natural Heritage (2011). Assessment of Highland Special Landscape Areas produced by Horner + Maclellan with Mike Wood, Landscape Architect;
- Scottish Government (2023) National Planning Framework 4